




# 2026 CATALOG



Bring Home Outside.



4

ABOUT

Photography  
Program



7

GAS FIRE PIT TABLES

- 8 Linear Tables
- 11 Rectangular Tables
- 13 Round Tables
- 16 Square Tables



19

READY-TO-FINISH



25

ACCESSORIES



28

INTRIGUE



31

BURNERS & KITS

- 32 Linear Burners
- 34 Round Burners
- 35 Square Burners
- 36 Controls
- 37 Do-it-Yourself Kits



39

CONTRACT & COMMERCIAL

- 41 Linear DSI Burners
- 42 Round DSI Burners
- 43 Square DSI Burners
- 44 DSI Controls



47

REFERENCES

- 48 Accessory Glossary
- 52 Standard Materials
- 53 Warranty
- 54 FAQs
- 55 Contact



## Who We Are

Located in the heart of Minnesota, The Outdoor GreatRoom Company™ (OGC) manufactures design-forward products handcrafted for your outdoor space. Products include gas fire pit tables, Crystal Fire® Plus burners and burner inserts, and accessories.

## What We Do

The team behind The Outdoor GreatRoom Company was the first to enter into the gas fire pit category, positioning OGC as the experts on outdoor fire. We are U.S. manufacturers and all of our Crystal Fire® Plus burners and gas fire pit tables are UL and ULC listed for safety.

## Our Promise

Let The Outdoor GreatRoom Company help to define your outdoor experience. We are your one-stop-shop for safe products, reliable and friendly service, and innovative technology. From concept to design to delivery, we will ensure your style doesn't stop at the door. Distinctive products for a distinctive lifestyle. Bring home outside.

## Our Mission

To enhance the outdoor living experience by bringing family and friends together around fire.

## History

In 1975, Dan and Ron Shimek had an inspiration for indoor gas fireplaces that changed an industry and became the foundation of Heat-N-Glo®. Brothers Steve and Gerry joined them and the rest (including over 50 patents) is history. But the Shimeks were never ones to dwell on the past. That inspiration led Dan to launch the first company of its kind in 2003: The Outdoor GreatRoom Company — a company dedicated to an exciting new concept “the outdoor greatroom.”

## Why OGC?

OGC is focused on bringing the best and safest product to the market. That's why we have a team with over 40 years of experience manufacturing products in the outdoor living category, and we continue to introduce the best innovative products year after year.

### Crystal Fire® Plus Burner Technology

The safest and most reliable in the industry.

### UL & ULC Listed

Tested for safety and quality.

### Design-Forward Products

Handcrafted in Minnesota from durable, outdoor-rated materials.

### We're Like Family

We provide exceptional customer service and reliability.



## Photography Program

- Have an amazing outdoor scene featuring OGC products you'd like to show off? Send us your pictures!
- Most high end smart phones and digital cameras will work.
- If your photos are approved, you may receive up to \$200 in credit for any future purchases.
- Send pictures with name, company name, phone number & sales order # to [marketing@outdoorrooms.com](mailto:marketing@outdoorrooms.com)

### Images Requirements:

- Must be high resolution
- Larger than 2000 x 2000 pixels
- Must be in color
- Must include flame





and then, with a cozy swirl, the  
very little, less, crystal fire, but  
the best of all, the fire, the fire, the fire.



## | GAS FIRE PIT TABLES




# Outdoor Fire Tables




UPT-1242-CGR

## Uptown Coastal Grey

- Sustainable lumber with Supercast™ concrete top
- Black aluminum base
- 42" x 12" Crystal Fire® Plus burner
- Grey glass burner cover included
- Sliding access door conceals standard 20 lb. propane tank in base
- 65,000/80,000 BTUs (LP/NG)
- Made in USA with US and imported parts




### Color options available



Seashell



Antique Mahogany




Coastal Grey



UPT-1242

## Uptown Black


- Black tile with Midnight Mist Supercast™ concrete top
- Midnight Storm stucco base
- 42" x 12" Crystal Fire® Plus burner
- Grey glass burner cover included
- Sliding access door conceals standard 20 lb. propane tank in base
- 65,000/80,000 BTUs (LP/NG)
- Made in USA with US and imported parts



MG-1242-BLSM-K

## Balsam Montego


- Black glass top
- Balsam outdoor resin wicker base
- 42" x 12" Crystal Fire® Plus burner
- Grey glass burner cover included
- Access door conceals standard 20 lb. propane tank in base
- 65,000/80,000 BTUs (LP/NG)



CR-1242-K with optional GG-1242

## Cedar Ridge


- Washed Cedar Supercast™ concrete top
- Dark grey composite decking base
- 42" x 12" Crystal Fire® Plus burner
- Matching Supercast concrete burner cover included
- Access door conceals standard 20 lb. propane tank in base
- 65,000/80,000 BTUs (LP/NG)
- Made in USA with US and imported parts





## Monte Carlo

- Black glass top
- Aluminum base
- 42" x 12" Crystal Fire® Plus burner
- Grey glass burner cover included
- Sliding access door conceals standard 20 lb. propane tank in base
- 65,000/80,000 BTUs (LP/NG)
- Made in USA with US and imported parts



## Linear Havenwood Carbon Grey

- Carbon Grey Everblend™ top
- White, Luverne Black, or Graphite Grey powder-coated aluminum base
- 42" x 12" Crystal Fire® Plus burner
- Grey glass burner cover included
- Sliding access door conceals standard 20 lb. propane tank in base
- 65,000/80,000 BTUs (LP/NG)
- Made in USA with US and imported parts



Base options available

Luverne Black

Graphite Grey

White



## Linear Havenwood Driftwood

- Driftwood Everblend™ top
- White, Luverne Black, or Graphite Grey powder-coated aluminum base
- 42" x 12" Crystal Fire® Plus burner
- Grey glass burner cover included
- Sliding access door conceals standard 20 lb. propane tank in base
- 65,000/80,000 BTUs (LP/NG)
- Made in USA with US and imported parts



Base options available

Luverne Black


Graphite Grey

White



## Linear Brooks and Kenwood Chat

- Composite decking top and base
- Grey powder-coated aluminum framing
- 42" x 12" Crystal Fire® Plus burner
- Grey glass burner cover included
- Access door conceals standard 20 lb. propane tank in base when included riser kit is installed
- 65,000/80,000 BTUs (LP/NG)



Color options available

Taupe


Umber Brown

White



## Brooks and Kenwood Dining

- Composite decking top and base
- Grey powder-coated aluminum framing
- 42" x 12" Crystal Fire® Plus burner
- Grey glass burner cover included
- Access door conceals standard 20 lb. propane tank in base
- 65,000/80,000 BTUs (LP/NG)
- Umber brown benches sold individually



Color options available

Taupe

Umber Brown




DAR-1224-K

## Darien

- Aluminum or Stone Grey Everblend™ concrete top
- Grade A teak wood base
- 24" x 12" Crystal Fire® Plus burner
- Matching burner cover included for aluminum top; grey glass cover included for Everblend concrete top
- Access door conceals standard 20 lb. propane tank in base
- 55,000 BTUs

### Top options available




HWDG-1224-K with optional GG-1224

## Rectangular Havenwood Driftwood

- Driftwood Everblend™ top
- White, Luverne Black, or Graphite Grey powder-coated metal base
- 24" x 12" Crystal Fire® Plus burner
- Grey glass burner cover included
- Sliding access door conceals standard 20 lb. propane tank in base
- 55,000 BTUs
- Made in USA with US and imported parts

### Base options available





HWGB-1224-K

## Rectangular Havenwood Carbon Grey

- Carbon Grey Everblend™ top
- White, Luverne Black, or Graphite Grey powder-coated metal base
- 24" x 12" Crystal Fire® Plus burner
- Grey glass burner cover included
- Sliding access door conceals standard 20 lb. propane tank in base
- 55,000 BTUs
- Made in USA with US and imported parts

### Base options available





BRK-1224-19-K

## Rectangular Brooks and Kenwood Chat

- Composite decking top and base
- Grey powder-coated aluminum framing
- 24" x 12" Crystal Fire® Plus burner
- Grey glass burner cover included
- Access door conceals standard 20 lb. propane tank in base when included riser kit is installed on table
- 55,000 BTUs


### Color options available



PROV-1224-SS

## Providence

- Stainless steel trim top
- Black powder-coated aluminum base
- 24" x 12" Crystal Fire® Plus burner
- Grey glass burner cover included
- Sliding access door conceals standard 20 lb. propane tank in base
- 55,000 BTUs
- Made in USA with US and imported parts






CIR-41-SOCG-K

## Smokey Oak Cirvalo


- Smokey Oak Supercast™ concrete top
- Grey powder-coated aluminum base
- 20" Crystal Fire® Plus burner
- Matching Supercast burner cover included
- Access door conceals standard 20 lb. propane tank in base
- 55,000 BTUs
- Made in USA with US and imported parts



CIR-42-RGCG-K



## 42" Relic Grey & Fossil Brown Cirvalo

- Relic Grey Supercast™ concrete top with Charcoal Grey powder-coated aluminum base or Fossil Brown Supercast concrete top with Brown powder-coated aluminum base
- 20" Crystal Fire® Plus burner
- Matching Supercast burner cover included
- Access door conceals standard 20 lb. propane tank in base
- 55,000 BTUs
- Made in USA with US and imported parts



Relic Grey


Fossil Brown



CIR-48-FSBR-K



## 48" Relic Grey & Fossil Brown Cirvalo

- Relic Grey Supercast™ concrete top with Charcoal Grey powder-coated aluminum base or Fossil Brown Supercast concrete top with Brown powder-coated aluminum base
- 20" Crystal Fire® Plus burner
- Matching Supercast burner cover included
- Access door conceals standard 20 lb. propane tank in base
- 55,000 BTUs
- Made in USA with US and imported parts



Relic Grey

Fossil Brown




KW-20-19-K

## Round Brooks and Kenwood Chat

- Composite decking top and base
- Grey powder-coated aluminum framing
- 20" Crystal Fire® Plus burner insert
- Grey glass burner cover included
- Access door conceals standard 20 lb. propane tank in base when included riser kit is installed
- 55,000 BTUs




Color options available






## Bronson Round Kit

- Build-your-own gas fire pit kit
- 28" Crystal Fire® Plus burner insert inside 42" round plate
- Includes pavers (84), control panel, 2 vent blocks, and tumbled lava rock (72 lbs.)
- Does not fit 20 lb. LP tank in base
- 105,000/106,000 BTUs (LP/NG)
- Made in USA with US and imported parts




## Marbleized Noche Beacon

- Marbleized Noche Supercast™ concrete top
- Brown powder-coated metal base
- 20" Crystal Fire® Plus burner
- Matching Supercast burner cover included
- Sliding access door conceals standard 20 lb. propane tank in base
- 55,000 BTUs
- Made in USA with US and imported parts



## White Onyx Beacon


- White Onyx Supercast™ concrete top
- Grey powder-coated metal base
- 20" Crystal Fire® Plus burner
- Matching Supercast burner cover included
- Sliding access door conceals standard 20 lb. propane tank in base
- 55,000 BTUs
- Made in USA with US and imported parts



## Brown and Grey Stonefire

- Composite top
- Powder-coated aluminum frame with mesh base
- 16" Crystal Fire® Plus burner insert
- Matching composite burner cover included
- Access door conceals standard 20 lb. propane tank in base
- 55,000 BTUs


Color options available





## Smokey Oak Reverie

- Smokey Oak Supercast™ concrete top
- Grey powder-coated aluminum base
- 20" Crystal Fire® Plus burner
- Matching Supercast burner cover included
- Access door conceals standard 20 lb. propane tank in base
- 55,000 BTUs
- Made in USA with US and imported parts




### Base Options



## 42" Relic Grey & Fossil Brown Reverie


- Relic Grey Supercast™ concrete top with Charcoal Grey powder-coated aluminum base or Fossil Brown Supercast concrete top with Brown powder-coated aluminum base
- 20" Crystal Fire® Plus burner
- Matching Supercast burner cover included
- Access door conceals standard 20 lb. propane tank in base
- 55,000 BTUs
- Made in USA with US and imported parts



### Top Options




### Base Options



## 48" Relic Grey & Fossil Brown Reverie


- Relic Grey Supercast™ concrete top with Charcoal Grey powder-coated aluminum base or Fossil Brown Supercast concrete top with Brown powder-coated aluminum base
- 20" Crystal Fire® Plus burner
- Matching Supercast burner cover included
- Access door conceals standard 20 lb. propane tank in base
- 55,000 BTUs
- Made in USA with US and imported parts



### Top Options




### Base Options






## Bronson Square Kit

- Build-your-own gas fire pit kit
- 28" Crystal Fire® Plus burner insert inside 42" square plate
- Includes pavers (64), control panel, 2 vent blocks, and tumbled lava rock (78 lbs.)
- Does not fit 20 lb. LP tank in base
- 105,000/106,000 BTUs (LP/NG)
- Made in USA with US and imported parts



## Square Brooks and Kenwood Chat

- Composite decking top and base
- Grey powder-coated aluminum framing
- 24" x 24" Crystal Fire® Plus burner
- Grey glass burner cover included
- Access door conceals standard 20 lb. propane tank in base when included riser kit is installed
- 55,000 BTUs



Color options available


Taupe

Umber Brown



## Sierra

- Mocha Supercast™ concrete top
- Faux stacked stone base
- 24" x 24" Crystal Fire® Plus burner
- Matching Supercast concrete burner cover included
- Sliding access door conceals standard 20 lb. propane tank in base
- 55,000 BTUs
- Made in USA with US and imported parts





## Cove Bowl

- Supercast™ concrete base in 6 colors
- 20" or 30" Round Crystal Fire® Plus burner
- Does not fit 20 lb. LP tank in base
- 55,000-150,000 BTUs (LP/NG)
- Made in USA with US and imported parts

### Color options available

|               |              |             |
|---------------|--------------|-------------|
| Midnight Mist | Natural Grey | White       |
| Linen         | Latte        | Earth Stone |



**29" Natural Grey**

CV-20  
29.5"D x 15.5"H

CV-20MM  
CV-20WT  
CV-20ES  
CV-20  
CV-20LT  
CV-20LN



**36" Earth Stone**

CVB-36ES  
36"D x 16"H

CVB-36MM  
CVB-36WT  
CVB-36ES  
CVB-36NG  
CVB-36LT  
CVB-36LN



**42" Midnight Mist**

CV-30MM  
42"D x 19"H

CV-30MM  
CV-30WT  
CV-30ES  
CV-30  
CV-30LT  
CV-30LN



**48" Linen**

CVB-48LN  
48"D x 16"H

CVB-48MM  
CVB-48WT  
CVB-48ES  
CVB-48NG  
CVB-48LT  
CVB-48LN



**54" White**

CVB-54WT  
54"D x 16"H

CVB-54MM  
CVB-54WT  
CVB-54ES  
CVB-54NG  
CVB-54LT  
CVB-54LN



**60" Latte**


CVB-60LT  
60"D x 16"H

CVB-60MM  
CVB-60WT  
CVB-60ES  
CVB-60NG  
CVB-60LN



## Cove Edge 42"

- Supercast™ concrete base in 6 colors
- 28" Crystal Fire® Plus burner insert inside round plate
- Does not fit 20 lb. LP tank in base
- 105,000-150,000 BTUs (LP/NG)
- Made in USA with US and imported parts



### Color options available

|               |              |             |
|---------------|--------------|-------------|
| Midnight Mist | Natural Grey | White       |
| Linen         | Latte        | Earth Stone |





## Cove Linear



- Supercast™ concrete base in 6 colors
- Linear Crystal Fire® Plus burner
- Matching Supercast concrete pedestal included
- 48" has access door to conceal 20 lb. tank.
- 55,000-140,000 BTUs
- Made in USA with US and imported parts

### Color options available

|               |              |             |
|---------------|--------------|-------------|
| Midnight Mist | Natural Grey | White       |
| Linen         | Latte        | Earth Stone |



### 48" Natural Grey

CVL-48NG  
48"L x 36"W x 22"H

CVL-48MM  
CVL-48WT  
CVL-48ES  
CVL-48NG  
CVL-48LT  
CVL-48LN



### 54" Midnight Mist

CV-54MM  
54"L x 24"W x 16"H

CV-54MM  
CV-54WT  
CV-54ES  
CV-54  
CV-54LT  
CV-54LN



### 72" Earth Stone

CV-72ES  
72"L x 24"W x 16"H

CV-72MM  
CV-72WT  
CV-72ES  
CV-74  
CV-72LT  
CV-72LN



### 84" Latte

CVL-84LT  
84"L x 36"W x 16"H

CVL-84MM  
CVL-84WT  
CVL-84ES  
CVL-84NG  
CVL-84LT  
CVL-84LN



### 96" Linen

CVL-96LN  
96"L x 36"W x 16"H


CVL-96MM  
CVL-96WT  
CVL-96ES  
CVL-96NG  
CVL-96LT  
CVL-96LN



CV-2424 with optional GLASS GUARD-2424

## Cove Trapezoid

- Supercast™ concrete base in 6 colors
- 24" x 24" Crystal Fire® Plus burner
- Access door conceals standard 20 lb. propane tank in base
- 55,000 BTUs
- Made in USA with US and imported parts



### Color options available

|               |              |             |
|---------------|--------------|-------------|
| Midnight Mist | Natural Grey | White       |
| Linen         | Latte        | Earth Stone |



## Cove Square

- Supercast™ concrete base in 6 colors
- 24" x 24" Crystal Fire® Plus burner
- 36" has access door to conceal 20 lb. tank.
- 55,000 BTUs (LP/NG)
- Made in USA with US and imported parts

### Color options available

|               |              |             |
|---------------|--------------|-------------|
| Midnight Mist | Natural Grey | White       |
| Linen         | Latte        | Earth Stone |



### 36" Earthstone

CVS-36ES  
36"L x 36"W x 22"H

CVS-36MM  
CVS-36WT  
CVS-36ES  
CVS-36NG  
CVS-36LT  
CVS-36LN



### 42" Midnight Mist

CVS-42MM  
42"L x 42"W x 16"H

CVS-42MM  
CVS-42WT  
CVS-42ES  
CVS-42NG  
CVS-42LT  
CVS-42LN



### 48" Latte

CVS-48LT  
48"L x 48"W x 16"H

CVS-48MM  
CVS-48WT  
CVS-48ES  
CVS-48NG  
CVS-48LT  
CVS-48LN



## Cove Round

- Supercast™ concrete base in 6 colors
- 20" or 30" Round Crystal Fire® Plus burner
- Does not fit 20 lb. LP tank in base
- 55,000-150,000 BTUs (LP/NG)
- Made in USA with US and imported parts

### Color options available

|               |              |             |
|---------------|--------------|-------------|
| Midnight Mist | Natural Grey | White       |
| Linen         | Latte        | Earth Stone |



### 36" Earth Stone

CVC-36ES  
36"D x 16"H

CVC-36MM  
CVC-36WT  
CVC-36ES  
CVC-36NG  
CVC-36LT  
CVC-36LN



### 42" Midnight Mist

CVC-42MM  
42"D x 16"H

CVC-42MM  
CVC-42WT  
CVC-42ES  
CVC-42NG  
CVC-42LT  
CVC-42LN



### 48" White

CVC-48WT  
48"D x 16"H

CVC-48MM  
CVC-48WT  
CVC-48ES  
CVC-48NG  
CVC-48LT  
CVC-48LN



### 60" Latte

CVC-60LT  
60"D x 16"H

CVC-60MM  
CVC-60WT  
CVC-60ES  
CVC-60NG  
CVC-60LT  
CVC-60LN



### 72" Linen

CVC-72LN  
72"D x 16"H

CVC-72MM  
CVC-72WT  
CVC-72ES  
CVC-72NG  
CVC-72LT  
CVC-72LN





| READY-TO-FINISH



# ECOLOGY OF FIRE

Real finish for your vision of a modern fire pit. Eco-Fire is a leading manufacturer of outdoor fire pits and fireplaces.



Finished Linear Kit

- Made of G90 marine-grade galvanized steel framing and Fiberock® backerboard
- Choose between manual ignition (VCSV) or direct spark ignition (DSI)
- Includes aluminum top, burner insert, two ventilation plates, and standard control panel
- Control panel will either have turn dial or switch depending on ignition type
- Other DSI controls, timers, e-stops, and fire media sold separately
- Recommended for hard piped natural gas or liquid propane installation
- Most do not fit 20 lb. liquid propane tank in base
- Made in USA with US and imported parts



Square kit with included components.

## Linear Kits

| NAME | SKU<br>(LP/NG) | BTUs<br>(LP/NG) | LENGTH | WIDTH | HEIGHT |
|------|----------------|-----------------|--------|-------|--------|
|------|----------------|-----------------|--------|-------|--------|

### MANUAL IGNITION (VCSV)\*\*

|                                            |           |                   |     |     |     |
|--------------------------------------------|-----------|-------------------|-----|-----|-----|
| 48" x 36" Linear Ready-to-Finish Kit       | RTF48L-K  | 65,000/<br>80,000 | 48" | 36" | 18" |
| 48" x 36" Tall Linear Ready-to-Finish Kit* | RTF48TL-K | 65,000/<br>80,000 | 48" | 36" | 21" |
| 60" x 36" Linear Ready-to-Finish Kit       | RTF60L-K  | 65,000/<br>80,000 | 60" | 36" | 18" |
| 60" x 36" Tall Linear Ready-to-Finish      | RTF60TL-K | 65,000/<br>80,000 | 60" | 36" | 21" |
| 72" x 36" Linear Ready-to-Finish Kit       | RTF72L-K  | 100,000           | 72" | 36" | 18" |

### DIRECT SPARK IGNITION (DSI)\*\*

|                                            |                               |                   |     |     |     |
|--------------------------------------------|-------------------------------|-------------------|-----|-----|-----|
| 48" x 36" Linear Ready-to-Finish Kit       | RTF48LDNG-K***                | 65,000/<br>80,000 | 48" | 36" | 18" |
| 48" x 36" Tall Linear Ready-to-Finish Kit* | RTF48TLDLP-K/<br>RTF48TLDNG-K | 65,000/<br>80,000 | 48" | 36" | 21" |
| 60" x 36" Linear Ready-to-Finish Kit       | RTF60LDNG-K***                | 65,000/<br>80,000 | 60" | 36" | 18" |
| 60" x 36" Tall Linear Ready-to-Finish      | RTF60TLDLP-K/<br>RTF60TLDNG-K | 65,000/<br>80,000 | 60" | 36" | 21" |
| 72" x 36" Linear Ready-to-Finish Kit       | RTF72LDNG-K***                | 100,000           | 72" | 36" | 18" |

## Square Kits

| NAME | SKU | BTUs<br>(LP/NG) | LENGTH | WIDTH | HEIGHT |
|------|-----|-----------------|--------|-------|--------|
|------|-----|-----------------|--------|-------|--------|

### MANUAL IGNITION (VCSV)\*\*

|                                      |          |                     |     |     |     |
|--------------------------------------|----------|---------------------|-----|-----|-----|
| 48" x 48" Square Ready-to-Finish Kit | RTF48S-K | 105,000/<br>106,000 | 48" | 48" | 18" |
|--------------------------------------|----------|---------------------|-----|-----|-----|

### DIRECT SPARK IGNITION (DSI)\*\*

|                                      |                |         |     |     |     |
|--------------------------------------|----------------|---------|-----|-----|-----|
| 48" x 48" Square Ready-to-Finish Kit | RTF48SDNG-K*** | 150,000 | 48" | 48" | 18" |
| 60" x 60" Square Ready-to-Finish Kit | RTF60SDNG-K*** | 150,000 | 60" | 60" | 18" |

\*Fits 20 lb. liquid propane tank in base.

\*\*See page 32 for more information on manual ignition and page 40 for electronic ignition.

\*\*\*Liquid propane option available upon request.



Linear kit with included components.



## READY TO BURN

Fireplace Package Includes: burner, control panel, and vent pipe. Local installation required. Propane tank sold separately. 40" model only.



Before and After Custom RSTL-60DNG



Finished RFLP-40MLP

- Made of G90 marine-grade galvanized steel framing and Fiberock® backerboard
- Fireplace opening enclosure is lined with #304 stainless steel
- Most models include direct spark ignition (DSI) — 40" model utilizes manual ignition (VCSV) and includes access door for standard 20 lb. propane tank
- Includes Crystal Fire® Plus burner insert, pre-installed vents, standard control panel, and glass wind guard panel(s)
- Other DSI controls, timers, e-stops, and fire media sold separately
- Can be used for liquid propane or natural gas installations — hard-pipe natural gas installation recommended
- Made in USA with US and imported parts



RSTL-60DLP



RLFP-40DLP

## See-Through Fireplaces

| NAME                                       | SKU                       | BTUs<br>(LP/NG)   | OVERALL DIMENSIONS |       |        | VIEWING AREA |        | MEDIA  |
|--------------------------------------------|---------------------------|-------------------|--------------------|-------|--------|--------------|--------|--------|
| MANUAL IGNITION (VCSV)*                    |                           |                   | LENGTH             | WIDTH | HEIGHT | LENGTH       | HEIGHT |        |
| 40" See-Through Ready-to-Finish Fireplace* | RSTL-40MLP                | 65,000/<br>80,000 | 72"                | 18.5" | 48"    | 40"          | 20"    | 30 lbs |
| DIRECT SPARK IGNITION (DSI)**              |                           |                   |                    |       |        |              |        |        |
| 40" See-Through Ready-to-Finish Fireplace  | RSTL-40DLP/<br>RSTL-40DNG | 65,000/<br>80,000 | 72"                | 18.5" | 48"    | 40"          | 20"    | 30 lbs |
| 60" See-Through Ready-to-Finish Fireplace  | RSTL-60DLP/<br>RSTL-60DNG | 100,000           | 92"                | 18.5" | 48"    | 60"          | 20"    | 40 lbs |
| 72" See-Through Ready-to-Finish Fireplace  | RSTL-72DLP/<br>RSTL-72DNG | 100,000           | 108"               | 18.5" | 48"    | 73.5"        | 20"    | 50 lbs |

## Single-Sided Fireplaces

| NAME                                        | SKU<br>(LP/NG)            | BTUs<br>(LP/NG)   | OVERALL DIMENSIONS |       |        | VIEWING AREA |        | MEDIA  |
|---------------------------------------------|---------------------------|-------------------|--------------------|-------|--------|--------------|--------|--------|
| MANUAL IGNITION (VCSV)*                     |                           |                   | LENGTH             | WIDTH | HEIGHT | LENGTH       | HEIGHT |        |
| 40" Single-Sided Ready-to-Finish Fireplace* | RLFP-40MLP                | 65,000/<br>80,000 | 72"                | 18.5" | 48"    | 40"          | 20"    | 30 lbs |
| DIRECT SPARK IGNITION (DSI)**               |                           |                   |                    |       |        |              |        |        |
| 40" Single-Sided Ready-to-Finish Fireplace  | RLFP-40DLP/<br>RLFP-40DNG | 65,000/<br>80,000 | 72"                | 18.5" | 48"    | 40"          | 20"    | 30 lbs |
| 60" Single-Sided Ready-to-Finish Fireplace  | RLFP-60DLP/<br>RLFP-60DNG | 100,000           | 92"                | 18.5" | 48"    | 60"          | 20"    | 40 lbs |
| 72" Single-Sided Ready-to-Finish Fireplace  | RLFP-72DLP/<br>RLFP-72DNG | 100,000           | 108"               | 18.5" | 48"    | 73.5"        | 20"    | 50 lbs |

## DSI Controls\*\*\*



4HRTC



4HRTEs-CP



WSES-CP



CFP-ESO-CP

\*Manual ignition control panel is mounted on lower front face of fireplace. Includes NG conversion kit and access door for LP storage.

\*\*See page 32 for more information on manual ignition and page 40 for electronic ignition.

\*\*\*See page 44 for more information on electronic ignition controls.



Impress your guests with a fire lawn with its own unique character. Choose from a wide range of designs and materials to customize your lawn with a look that's truly one of a kind.



| ACCESSORIES



## Crystal Fire®



CFG-A  
Amber



CFG-R  
Ruby



CFG-O  
Onyx



CFG-AM  
Aquamarine



CFG-A  
Clear



LAV-TMB  
Tumbled Lava Rock



LAVA-BLK  
Black Lava Rock



CF20-LOGSET  
Ceramic Log Set

### Fire Media

Tempered fire glass lights up the fire pit table with an ember-like glow. Complete your gas fire pit table or outdoor fireplace with beautiful tempered glass gems or lava rock. Choose from many shapes, sizes, and colors to create a custom look — you can even mix and match!

- Find your favorite for a unique, custom look
- Five glass media gems to choose from
- Black lava rock, tumbled lava rock (2 different sizes), and ceramic log set favor a more natural look
- Realistic-looking ceramic log set includes six wood pieces
- Clear tempered glass gems (CFG-D) included with all fire pit tables



GG-1264




GG-1242



GG-1224



GG-20R



GG-2424

### Glass Wind Guards

Glass wind guards look beautiful with the reflection of the dancing flames. Glass guards are available to fit any standard Crystal Fire® Plus burner.

- Reduces wind effect and provides a safety barrier for children and animals
- Tempered glass panels
- Stainless steel hardware — round glass wind guards feature a stainless steel rod for added durability
- Easy to set up and clean



FWG-1224 (up)



FWG-1224 (down)

### Folding Wind Guards

The convenience of a glass wind guard and burner cover in one. Place the panels of glass up to protect the flame from the wind, and place them down to cover your burner when not in use. Available in two sizes: 12" x 24" (FWG-1224) and 12" x 42" (FWG-1242). Patented.

- Sits on top of burner trim
- Clear tempered glass
- Stainless steel hardware
- Easy to set up and clean



1224GGC



20RGGC




Matching Supercast™ Cover



SS1242BC



CFT-GLASS



LAZY SUSAN RING

## Burner Covers

Turn your beautiful fire pit into a functional table by covering the burner with one of our stylish burner covers. Covers also add an extra layer of protection from rain and debris when not in use.

- Grey glass burner covers are included with most fire pit tables; available for all burner sizes
- Select Supercast™ tables come with matching Supercast burner covers
- Add a stainless steel burner cover to CV-54, CV-72, or other select linear models
- Add a lazy susan ring or black glass cover to any of our 20" round burner covers



CVR5132

## Protective Covers

Protect your investment with protective covers from OGC! Protective covers are great for storing items long term or for everyday use.

- Available for most fire pit tables
- Tan polyester fabric stays cool to the touch
- Tear-resistant, rip-stop laminating
- Drawstring cord at bottom to secure to fire pit
- Polyester velvet interior protects finished material
- One-way breathability: exterior is water-resistant while being one-way breathable to let any interior moisture out



CV-54 with optional SS54T

## Stainless Steel Trim

Compliment the unique look of the 54" and 72" Cove Linear tables (CV-54, CV-72) with this modern stainless steel top.

- Available in two sizes: 54" (SS54T) and 72" (SS72T)
- #304 commercial-grade stainless steel construction
- Adds layer of protection to concrete surface
- Easy to clean



BRON52-K with optional BRON52-CG-TC-K

## Bronson Concrete Tops

Complete your Bronson round gas fire pit kit with an elegant, contemporary concrete top.

- Choose between two colors: Limestone Tan or Charcoal Grey
- Four pieces included with each SKU

### Color options available

Limestone Tan  
(BRON52-LT-TC-K)

Charcoal Grey  
(BRON52-CG-TC-K)



## Intrigue Outdoor Lantern

Bring the warmth of a fire to your outdoor space with the Intrigue Outdoor Lantern. This lantern is made of clear glass and has a black powder-coated finish. It is easy to assemble and use, and it is UL and ULC listed.





INT-EZBRN



INT-EZBLK

- Spinning Venturi flame designed to fit any table with an umbrella hole from 1.4"–4"
- Brown or Black powder-coated finish
- Easy to assemble
- Single glass cylinder
- Use with 1 lb. propane tank
- For outdoor use only
- Includes black rubber glass lid
- Optional cover (CVRINT) sold separately
- UL and ULC listed







Our tailor-made business are produced with the best quality of materials. Our company is a professional company that can provide the best quality of products and services.



**Crystal Fire<sup>PLUS</sup>** 

**| BURNERS & KITS**



# Crystal Fire® Plus Burners



## Overmount Style

(burner shown: CFP1242-K with optional GLASS GUARD-1242)



## Undermount Style

(burner shown: BP2442-B)



- Burners and burner kits include a variable control safety valve (VCSV), control panel, and clear tempered fire glass gems
- Higher BTU capacity for a brighter, taller, fuller, more yellow flame
- Safety ignition and safety shutdown operations
- “Positive connect” user experience with minimal gas connections for quick installation time
- #304 commercial-grade stainless steel construction
- Safe water drain system through perimeter of the pan
- Comes setup for connection to liquid propane but can be field-converted to natural gas
- Burners and kits above 64” in length include two valves and two control panels
- Installation should be completed by a certified gas technician
- UL and ULC listed to ANSI Z.21.97-2017/CSA 2.41-2017 standard

See page 39 for contract and commercial burner options.



CFP1224-B



BP2442-B


## Linear Burners (overmount style)

| NAME                                 | SKU        | BTUs (LP/NG)       | LENGTH | WIDTH | HEIGHT | MAXIMUM FIRE MEDIA |
|--------------------------------------|------------|--------------------|--------|-------|--------|--------------------|
| 24" x 12" Crystal Fire® Plus Burner  | CFP1224-B  | 55,000             | 25.63" | 13.5" | 4.81"  | 15 lbs             |
| 42" x 12" Crystal Fire® Plus Burner  | CFP1242-K  | 65,000/<br>80,000* | 42.6"  | 13.5" | 4.81"  | 20 lbs             |
| 64" x 12" Crystal Fire® Plus Burner  | CFP1264-B  | 100,000            | 64.3"  | 13.5" | 4.59"  | 25 lbs             |
| 72" x 12" Crystal Fire® Plus Burner  | CFP1272-B  | 120,000            | 72"    | 13.5" | 4.59"  | 30 lbs             |
| 84" x 12" Crystal Fire® Plus Burner  | CFP1284-B  | 140,000            | 84"    | 13.5" | 4.59"  | 35 lbs             |
| 96" x 12" Crystal Fire® Plus Burner  | CFP1296-B  | 160,000            | 96"    | 13.5" | 4.59"  | 40 lbs             |
| 108" x 12" Crystal Fire® Plus Burner | CFP12108-B | 180,000            | 108"   | 13.5" | 4.59"  | 45 lbs             |
| 120" x 12" Crystal Fire® Plus Burner | CFP12120-B | 200,000            | 120"   | 13.5" | 4.59"  | 50 lbs             |

## Linear Burner Insert and Plate Kits (undermount style)

| NAME                                                      | SKU       | BTUs (LP/NG) | LENGTH | WIDTH  | HEIGHT | MAXIMUM FIRE MEDIA |
|-----------------------------------------------------------|-----------|--------------|--------|--------|--------|--------------------|
| 24" x 24" Crystal Fire® Plus Burner Insert and Plate Kit  | BP2424-B  | 55,000       | 25.63" | 23.75" | 2.67"  | 15 lbs             |
| 42" x 24" Crystal Fire® Plus Burner Insert and Plate Kit  | BP2442-B  | 80,000*      | 42.6"  | 23.75" | 2.67"  | 20 lbs             |
| 64" x 24" Crystal Fire® Plus Burner Insert and Plate Kit  | BP2464-B  | 100,000      | 64.3"  | 23.75" | 2.67"  | 25 lbs             |
| 72" x 24" Crystal Fire® Plus Burner Insert and Plate Kit  | BP2472-B  | 120,000      | 72"    | 23.75" | 2.67"  | 30 lbs             |
| 84" x 24" Crystal Fire® Plus Burner Insert and Plate Kit  | BP2484-B  | 140,000      | 84"    | 23.75" | 2.67"  | 35 lbs             |
| 96" x 24" Crystal Fire® Plus Burner Insert and Plate Kit  | BP2496-B  | 160,000      | 96"    | 23.75" | 2.67"  | 40 lbs             |
| 108" x 24" Crystal Fire® Plus Burner Insert and Plate Kit | BP24108-B | 180,000      | 108"   | 23.75" | 2.67"  | 45 lbs             |
| 120" x 24" Crystal Fire® Plus Burner Insert and Plate Kit | BP24120-B | 200,000      | 120"   | 23.75" | 2.67"  | 50 lbs             |

\*Shipped with #40 orifice installed that reduces the high rate on propane to 65k BTU/hr.. The burners ship with the #34 orifice included for hard-piped applications to achieve maximum consumption rate of 80k BTU/hr.



## Round Burners (overmount style)

| NAME                                | SKU     | BTUs (LP/NG)        | LENGTH | WIDTH  | HEIGHT | FIRE MEDIA |
|-------------------------------------|---------|---------------------|--------|--------|--------|------------|
| 20" Round Crystal Fire® Plus Burner | CFP20-K | 55,000*             | 21.06" | 21.06" | 5.39"  | 10 lbs     |
| 30" Round Crystal Fire® Plus Burner | CFP30-K | 105,000/<br>106,000 | 32"    | 32"    | 5.39"  | 25 lbs     |

## Round Burner Insert and Plate Kits (undermount style)

| NAME                                                     | SKU**    | BTUs (LP/NG)        | LENGTH | WIDTH  | HEIGHT | FIRE MEDIA |
|----------------------------------------------------------|----------|---------------------|--------|--------|--------|------------|
| 20" Round Crystal Fire® Plus Burner Insert and Plate Kit | BP20RD-A | 55,000*             | 21.06" | 21.06" | 4.82"  | 15 lbs     |
| 24" Round Crystal Fire® Plus Burner Insert and Plate Kit | BP24RD-A | 55,000*             | 24"    | 24"    | 4.82"  | 20 lbs     |
| 30" Round Crystal Fire® Plus Burner Insert and Plate Kit | BP30RD-A | 105,000/<br>106,000 | 32"    | 32"    | 4.82"  | 25 lbs     |
| 36" Round Crystal Fire® Plus Burner Insert and Plate Kit | BP36RD-A | 105,000/<br>106,000 | 36"    | 36"    | 4.82"  | 50 lbs     |
| 42" Round Crystal Fire® Plus Burner Insert and Plate Kit | BP42RD-A | 105,000/<br>106,000 | 42"    | 42"    | 4.82"  | 70 lbs     |
| 48" Round Crystal Fire® Plus Burner Insert and Plate Kit | BP48RD-A | 105,000/<br>106,000 | 48"    | 48"    | 4.82"  | 90 lbs     |

\*Booster orifice available to increase BTU capacity if desired and approved for finishing structure. Glass wind guard required if booster orifice used with any OGC gas fire pit table.

\*\*Burner plate kits include corresponding burner insert and burner plate. Burner insert can be purchased on its own if desired. Contact OGC for burner insert specifications.



CFP30-K



BP20RD-A



## Square Burners (overmount style)

| NAME                                | SKU       | BTUs (LP/NG) | LENGTH | WIDTH  | HEIGHT | FIRE MEDIA |
|-------------------------------------|-----------|--------------|--------|--------|--------|------------|
| 24" x 24" Crystal Fire® Plus Burner | CFP2424-K | 55,000*      | 25.75" | 25.75" | 4.63"  | 20 lbs     |

## Square Burner Insert and Plate Kits (undermount style)

| NAME                                                     | SKU**   | BTUs (LP/NG)        | LENGTH | WIDTH | HEIGHT | FIRE MEDIA |
|----------------------------------------------------------|---------|---------------------|--------|-------|--------|------------|
| 24" x 24" Crystal Fire® Plus Burner Insert and Plate Kit | BP24S-A | 55,000*             | 24"    | 24"   | 4.2"   | 30 lbs     |
| 30" x 30" Crystal Fire® Plus Burner Insert and Plate Kit | BP30S-A | 55,000*             | 30"    | 24"   | 4.2"   | 45 lbs     |
| 36" x 36" Crystal Fire® Plus Burner Insert and Plate Kit | BP36S-A | 105,000/<br>106,000 | 36"    | 36"   | 4.2"   | 65 lbs     |
| 42" x 42" Crystal Fire® Plus Burner Insert and Plate Kit | BP42S-A | 105,000/<br>106,000 | 42"    | 42"   | 4.2"   | 90 lbs     |

\*Booster orifice available to increase BTU capacity if desired and approved for finishing structure. Glass wind guard required if booster orifice used with any OGC gas fire pit table.

\*\*Burner plate kits include corresponding burner insert and burner plate. Burner insert can be purchased on its own if desired. Contact OGC for burner insert specifications.



CFP2424-K



BP24S-A

## Controls



VCSV-CP



VCSV-DIY-CP

- If flame is not sensed for any reason, the flow of gas to the burner will safely shut down
- Adjustable flame operation
- Black powder-coated panel with black plastic knob and sparker
- For use with liquid propane or natural gas
- Optional gas key available
- Variable Control Valve System (VCSV-CP) included with every standard table Crystal Fire® Plus burner and gas fire pit table (Dimensions: 6.375" H x 3.5" W)
- DIY control panel for use on custom or hardscape block applications (Dimensions: 9.5" L x 3" W x 4" H)
- Order DIY control panel for use with manual ignition (VCSV-DIY-CP) or direct spark ignition (DSI-DIY-CP)

## Ventilation



VENT BLOCK BLACK




21005

- Crystal Fire® Plus burners require proper ventilation for any DIY or field-installed application
- Black ventilation block (VENT BLOCK BLACK) is made of black powder-coated stainless steel (Dimensions: 8.5" L x 4" W x 3.88" H)
- Ventilation plate (21005) is made of brushed stainless steel (Dimensions: 12" L x 3" W" x <1" H)

# Get the complete kit with our Bronson Block collection.

## The ultimate DIY project.

See pages 15 and 16 for more information.





## Crystal Fire® Kits

Build your own gas fire pit with a do-it-yourself gas fire pit kit. Includes Crystal Fire® Plus burner insert, burner plate, control panel, two ventilation blocks, and clear tempered glass gems. Choose between round or square shapes. Paver blocks not included. Made in USA with US and imported parts.



VENT BLOCK BLACK



VCSV-DIY-CP



CFG-D



BP42RD-A

## Specifications

| NAME                                                   | SKU         | BURNER INCLUDED | BTUs (LP/NG)    | INCLUDED CLEAR GLASS GEMS |
|--------------------------------------------------------|-------------|-----------------|-----------------|---------------------------|
| <b>ROUND KITS</b>                                      |             |                 |                 |                           |
| 24" Round Do-it-Yourself Crystal Fire® Plus Burner Kit | DIY-24RD-K  | BP24RD-A        | 55,000          | 24 lbs                    |
| 36" Round Do-it-Yourself Crystal Fire® Plus Burner Kit | DIY-36RD-K  | BP36RD-A        | 105,000/106,000 | 36 lbs                    |
| 42" Round Do-it-Yourself Crystal Fire® Plus Burner Kit | DIY-42RD-K  | BP42RD-A        | 105,000/106,000 | 60 lbs                    |
| 48" Round Do-it-Yourself Crystal Fire® Plus Burner Kit | DIY-48RD-K  | BP48RD-A        | 105,000/106,000 | 96 lbs                    |
| <b>SQUARE KITS</b>                                     |             |                 |                 |                           |
| 24" x 24" Do-it-Yourself Crystal Fire® Plus Burner Kit | DIY-2424S-K | BP24S-A         | 55,000          | 24 lbs                    |
| 30" x 30" Do-it-Yourself Crystal Fire® Plus Burner Kit | DIY-3030S-K | BP30S-A         | 55,000          | 36 lbs                    |
| 36" x 36" Do-it-Yourself Crystal Fire® Plus Burner Kit | DIY-3636S-K | BP36S-A         | 105,000/106,000 | 48 lbs                    |
| 42" x 42" Do-it-Yourself Crystal Fire® Plus Burner Kit | DIY-4242S-K | BP42S-A         | 105,000/106,000 | 96 lbs                    |

- Build your own gas fire pit with a do-it-yourself gas fire pit kit
- Includes Crystal Fire® Plus burner insert, burner plate, control panel, two ventilation blocks, and clear tempered glass gems
- Choose between round or square shapes
- Paver blocks not included
- Made in USA with US and imported parts



Review or print the following documents, highlighting the following:  
- Extracts and information about the Growth and Change in the  
- Information on the fire and safety services. A full page of the  
- Information on the fire and safety services. A full page of the



**Crystal Fire**<sup>PLUS</sup> 

**| CONTRACT & COMMERCIAL**



## Overmount Styles



## Undermount Styles



- Direct spark ignition (DSI) system with on/off switch operation
- Flame can be automatically ignited with a single control either on the fire pit or nearby surface
- If flame is not sensed for any reason, the flow of gas to the burner will safely shut down
- DSI system comes set up to run on 110V but can also be used on optional battery operation (CF-DSI-BP)
- Order specific for liquid propane or natural gas (not field-convertible)
- Includes red emergency stop button
- Switch bypass (CF-DSI-SB) included with burner for safe and controlled user operation
- Optional timer, wall switch, and other control panel configurations sold separately (see page 54 for control options)
- Ventilation required for field-installed burner enclosures
- Installation should be completed by a certified gas technician
- Patent pending
- UL and ULC listed

See page 44 for manual ignition (VCSV) burners.



Burner with included components.



CFP1224DSILP-B  
CFP1224DSING-B



BP2424DSILP-B  
BP2424DSING-B

## Linear Burners (overmount style)

| NAME                                          | SKU (LP/NG)                         | BTUs (LP/NG)       | LENGTH | WIDTH | HEIGHT | MAXIMUM FIRE MEDIA |
|-----------------------------------------------|-------------------------------------|--------------------|--------|-------|--------|--------------------|
| 24" x 12" Crystal Fire® Plus Burner with DSI  | CFP1224DSILP-B/<br>CFP1224DSING-B   | 55,000             | 25.63" | 13.5" | 14.33" | 15 lbs             |
| 42" x 12" Crystal Fire® Plus Burner with DSI  | CFP1242DSILP-B/<br>CFP1242DSING-B   | 65,000/<br>80,000* | 42.6"  | 13.5" | 14.33" | 20 lbs             |
| 64" x 12" Crystal Fire® Plus Burner with DSI  | CFP1264DSILP-B/<br>CFP1264DSING-B   | 100,000            | 64.3"  | 13.5" | 14.33" | 25 lbs             |
| 72" x 12" Crystal Fire® Plus Burner with DSI  | CFP1272DSILP-B/<br>CFP1272DSING-B   | 100,000            | 72"    | 13.5" | 14.33" | 30 lbs             |
| 84" x 12" Crystal Fire® Plus Burner with DSI  | CFP1284DSILP-B/<br>CFP1284DSING-B   | 120,000            | 84"    | 13.5" | 14.33" | 35 lbs             |
| 96" x 12" Crystal Fire® Plus Burner with DSI  | CFP1296DSILP-B/<br>CFP1296DSING-B   | 130,000            | 96"    | 13.5" | 14.33" | 40 lbs             |
| 108" x 12" Crystal Fire® Plus Burner with DSI | CFP12108DSILP-B/<br>CFP12108DSING-B | 140,000            | 108"   | 13.5" | 14.33" | 45 lbs             |
| 120" x 12" Crystal Fire® Plus Burner with DSI | CFP12120DSILP-B/<br>CFP12120DSING-B | 140,000            | 120"   | 13.5" | 14.33" | 50 lbs             |

## Linear Burner Insert and Plate Kits (undermount style)

| NAME                                                               | SKU (LP/NG)                       | BTUs (LP/NG)       | LENGTH | WIDTH  | HEIGHT | MAXIMUM FIRE MEDIA |
|--------------------------------------------------------------------|-----------------------------------|--------------------|--------|--------|--------|--------------------|
| 24" x 24" Crystal Fire® Plus Burner Insert and Plate Kit with DSI  | BP2424DSILP-B/<br>BP2424DSING-B   | 55,000             | 25.63" | 23.75" | 12.43" | 15 lbs             |
| 42" x 24" Crystal Fire® Plus Burner Insert and Plate Kit with DSI  | BP2442DSILP-B/<br>BP2442DSING-B   | 60,000/<br>80,000* | 42.6"  | 23.75" | 12.43" | 20 lbs             |
| 64" x 24" Crystal Fire® Plus Burner Insert and Plate Kit with DSI  | BP2464DSILP-B/<br>BP2464DSING-B   | 100,000            | 64.3"  | 23.75" | 12.43" | 25 lbs             |
| 72" x 24" Crystal Fire® Plus Burner Insert and Plate Kit with DSI  | BP2472DSILP-B/<br>BP2472DSING-B   | 100,000            | 72"    | 23.75" | 12.43" | 30 lbs             |
| 84" x 24" Crystal Fire® Plus Burner Insert and Plate Kit with DSI  | BP2484DSILP-B/<br>BP2484DSING-B   | 120,000            | 84"    | 23.75" | 12.43" | 35 lbs             |
| 96" x 24" Crystal Fire® Plus Burner Insert and Plate Kit with DSI  | BP2496DSILP-B/<br>BP2496DSING-B   | 130,000            | 96"    | 23.75" | 12.43" | 40 lbs             |
| 108" x 24" Crystal Fire® Plus Burner Insert and Plate Kit with DSI | BP24108DSILP-B/<br>BP24108DSING-B | 140,000            | 108"   | 23.75" | 12.43" | 45 lbs             |
| 120" x 24" Crystal Fire® Plus Burner Insert and Plate Kit with DSI | BP24120DSILP-B/<br>BP24120DSING-B | 140,000            | 120"   | 23.75" | 12.43" | 50 lbs             |

\*Shipped with #40 orifice installed that reduces the high rate on propane to 65k BTU/hr.. The burners ship with the #34 orifice included for hard-piped applications to achieve maximum consumption rate of 80k BTU/hr.



### Round Burners (overmount style)

| NAME                                         | SKU (LP/NG)               | BTUs (LP/NG) | LENGTH | WIDTH  | HEIGHT | MAXIMUM FIRE MEDIA |
|----------------------------------------------|---------------------------|--------------|--------|--------|--------|--------------------|
| 20" Round Crystal Fire® Plus Burner with DSI | CFP20DSILP/<br>CFP20DSING | 55,000*      | 21.06" | 21.06" | 11.71" | 10 lbs             |
| 30" Round Crystal Fire® Plus Burner with DSI | CFP30DSILP/<br>CFP30DSING | 150,000      | 32"    | 32"    | 11.2"  | 25 lbs             |

### Round Burner Insert and Plate Kits (undermount style)

| NAME                                                            | SKU** (LP/NG)                   | BTUs (LP/NG) | LENGTH  | WIDTH   | HEIGHT | MAXIMUM FIRE MEDIA |
|-----------------------------------------------------------------|---------------------------------|--------------|---------|---------|--------|--------------------|
| 20" Round Crystal Fire® Plus Burner Insert & Plate Kit with DSI | BP20RDDSILP-A/<br>BP20RDDSING-A | 55,000*      | 21.06 " | 21.06 " | 15.3"  | 15 lbs             |
| 24" Round Crystal Fire® Plus Burner Insert & Plate Kit with DSI | BP24RDDSILP-A/<br>BP24RDDSING-A | 55,000*      | 24"     | 24"     | 15.3"  | 20 lbs             |
| 30" Round Crystal Fire® Plus Burner Insert & Plate Kit with DSI | BP30RDDSILP-A/<br>BP30RDDSING-A | 150,000      | 32"     | 32"     | 14.61" | 25 lbs             |
| 36" Round Crystal Fire® Plus Burner Insert & Plate Kit with DSI | BP36RDDSILP-A/<br>BP36RDDSING-A | 150,000      | 36"     | 36"     | 14.61" | 50 lbs             |
| 42" Round Crystal Fire® Plus Burner Insert & Plate Kit with DSI | BP42RDDSILP-A/<br>BP42RDDSING-A | 150,000      | 42"     | 42"     | 14.61" | 70 lbs             |
| 48" Round Crystal Fire® Plus Burner Insert & Plate Kit with DSI | BP48RDDSILP-A/<br>BP48RDDSING-A | 150,000      | 48"     | 48"     | 14.61" | 90 lbs             |

\*Booster orifice available to increase BTU capacity if desired and approved for finishing structure. Glass wind guard required if booster orifice used with any OGC gas fire pit table.  
 \*\*Burner plate kits include corresponding burner insert and burner plate. Burner insert can be purchased on its own if desired. Contact OGC for burner insert specifications.



CFP20DSILP  
CFP20DSING



BP20RDDSILP-A  
BP20RDDSING-A

CFP2424DSILP  
CFP2424DSING

BP24SDSILP-A  
BP24SDSING-A

## Square Burners (overmount style)

| NAME                                         | SKU (LP/NG)                   | BTUs (LP/NG) | LENGTH | WIDTH  | HEIGHT | MAXIMUM FIRE MEDIA |
|----------------------------------------------|-------------------------------|--------------|--------|--------|--------|--------------------|
| 24" x 24" Crystal Fire® Plus Burner with DSI | CFP2424DSILP/<br>CFP2424DSING | 55,000*      | 25.75" | 25.75" | 14.71" | 20 lbs             |

## Square Burner Insert and Plate Kits (undermount style)

| NAME                                                            | SKU** (LP/NG)                 | BTUs (LP/NG) | LENGTH | WIDTH | HEIGHT | MAXIMUM FIRE MEDIA |
|-----------------------------------------------------------------|-------------------------------|--------------|--------|-------|--------|--------------------|
| 24" x 24" Crystal Fire® Plus Burner Insert & Plate Kit with DSI | BP24SDSILP-A/<br>BP24SDSING-A | 55,000*      | 24"    | 24"   | 14.66" | 30 lbs             |
| 30" x 30" Crystal Fire® Plus Burner Insert & Plate Kit with DSI | BP30SDSILP-A/<br>BP30SDSING-A | 55,000*      | 30"    | 30"   | 14.66" | 45 lbs             |
| 36" x 36" Crystal Fire® Plus Burner Insert & Plate Kit with DSI | BP36SDSILP-A/<br>BP36SDSING-A | 150,000      | 36"    | 36"   | 14.66" | 65 lbs             |
| 42" x 42" Crystal Fire® Plus Burner Insert & Plate Kit with DSI | BP42SDSILP-A/<br>BP42SDSING-A | 150,000      | 42"    | 42"   | 14.66" | 90 lbs             |

\*Booster orifice available to increase BTU capacity if desired and approved for finishing structure. Glass wind guard required if booster orifice used with any OGC gas fire pit table.

\*\*Burner plate kits include corresponding burner insert and burner plate. Burner insert can be purchased on its own if desired. Contact OGC for burner insert specifications.

1

2

3

4

## Timers



4HRTC



CF-DSI-60MT

- Available in 1-hour and 4-hour options
- Timer replaces controls for direct spark ignition system
- Timer is built into control panel
- Black powder-coated panel with white timer dial
- Dimensions: 6.375" L x 3.5" W

## Emergency Stop Button



CFP-ESO-CP



- Immediately shuts off flame when pressed
- Red button included with direct spark ignition system
- Black powder-coated panel with red plastic emergency stop button
- Dimensions: 4.5" L x 2.625" W

## On/Off Switch with Emergency Stop Button



WSES-CP



- On/Off wall switch with emergency stop button
- Replaces controls for direct spark ignition system
- For applications away from the appliance
- Black powder-coated panel with black switch
- Dimensions: 4.5" L x 4.525" W

## Timer with Emergency Stop Button



4HRTES-CP



- Four-hour timer with emergency stop button
- Replaces controls for direct spark ignition system
- For applications away from the appliance
- Black powder-coated panel with white timer dial
- Dimensions: 4.5" L x 4.625" W







## | REFERENCES

## Linear Accessories



**Glass Wind Guard**

-  GG-1242
-  GG-1264



**Folding Wind Guard**

-  FWG-1242



**Grey Glass Cover**

-  1242GGC



**Stainless Steel Cover**

-  SS1242BC
-  SS1264BC



**Protective Cover**

-  SKU listed with product.



**CVL-48(xx)**

- 
- 
- 
- 



**CV-54(xx)**

- 
- 
- 
-  CVR275715



**CV-72(xx)**

-  GG-1264
-  CVR7528



**CVL-84(xx)**



**CVL-96(xx)**



**CR-1242-K**

- 
- 
- 
- 
-  CVR6332



**Havenwood Collection**

- 
- 
- 
- 
-  CVR6332



**MCR-1242-BLK-K**

- 
- 
- 
- 
-  CVR6332



**MG-1242-BLSM-K**

- 
- 
- 
- 
-  CVR6332



**UPT-1242-CGR**

- 
- 
- 
- 
-  CVR6549



**UPT-1242**

- 
- 
- 
- 
-  CVR6549



**KW-1242-K**

- 
- 
- 
- 
-  CVR8355



**Midnight Mist  
MM**



**White  
WT**



**Earthstone  
ES**



**Natural Grey  
NG**



**Latte  
LT**



**Linen  
LN**



BRK-1224-19-K



KW-1224-19-K



Havenwood  
Collection



DAR-1224-K



DAR-1224-EBG-K




PROV-1224-SS



## Rectangular Accessories



Glass Wind Guard




Folding Wind Guard



Grey Glass Cover



Protective Cover



BRON5151-K



CV-2424(xx)



SIERRA-2424-M-K



CVS-36(xx)



CVS-42(xx)



CVS-42(xx)



Midnight Mist  
MM



White  
WT



Earthstone  
ES



Natural Grey  
NG



Latte  
LT




Linen  
LN


## Square Accessories



Glass Wind Guard




Grey Glass Cover



Ceramic Log Set



Protective Cover



## Round Accessories



**Glass Wind Guard**

-  GG-20R
-  GG-30R



**Grey Glass Cover**

-  20-R-GGC
-  30-R-GGC



**Ceramic Log Set**

-  CF20-LOGSET



**Black Glass Cover**

-  CFT-GLASS



**Lazy Susan Ring**

-  LAZYSUSANRING



**Protective Cover**

-  SKU listed with product.



**BC-20-MNB**

- 
- 
- 
- 
- 
-  CVR50



**BC-20-WO**

- 
- 
- 
- 
- 
-  CVR50



**BRON52-K**

- 
- 
- 
- 
- 
-  CVR55



**CIR-42-SOCG**

- 
- 
- 
- 
- 
-  CVR42



**CIR-42-RGCG**

- 
- 
- 
- 
- 
-  CVR42



**CIR-42-FSBR**

- 
- 
- 
- 
- 
-  CVR42



**CIR-48-RGCG**

- 
- 
- 
- 
- 
-  CVR50



**CIR-48-FSBR**

- 
- 
- 
- 
- 
-  CVR50



**CV-20(xx)**

- 
- 
- 
- 
- 
-  CVR36



**CVB-36(xx)**

- 
- 
- 
- 
- 



**CV-30(xx)**

- 
- 
- 
-  CVR42



**CV-30E(xx)**

- 
- 
- 
-  CVR42



**CVB-48(xx)**

- 
- 
- 



**CVB-54(xx)**

- 
- 
- 



**CVB-60(xx)**

- 
- 
- 



**CVC-36(xx)**

- 
- 
- 



**CVC-42(xx)**

- 
- 
- 



**CVC-48(xx)**

- 
- 
- 



CVC-60(xx)



CVC-72(xx)



REVRBL-42-K



REVRBL-48-K



REVSBL-42-K



REVBBL-42-K



REVBBL-48-K



REVSBR-42-K



REVRCH-42-K



REVRCH-48-K



REVSC-42-K



REVRWH-42-K



REVRWH-48-K



REVBWH-42-K



REVBWH-48-K



REVSWH-42-K



SF-32-K



SF-32-GRY-K





## Tempered Glass

Tempered glass is used for all glass wind guards, burner covers, and fire glass. It has been heat-treated and is safe to use with our Crystal Fire® Plus burners. Untempered glass or glass that has not been heat-treated can explode when it reaches high temperatures and is not safe to use with gas fire pit tables.



## Stucco

Stucco is used on our Uptown Black gas fire pit table. Stucco is a low-maintenance and durable outdoor finish.



## Supercast™ Concrete

Supercast is a proprietary blend of fiberglass and concrete to provide durability and strength. It is stronger and weighs less than traditional concrete. We have a variety of standard colors and finish looks.



## Everblend™ Concrete

Everblend is a process and material developed in-house and manufactured exclusively at The Outdoor GreatRoom Company. It is a weatherproof, concrete finish over a fiber cement and steel structure. The durability can be compared to any glass fiber reinforced concrete but is lighterweight for easier handling and installation.



## Teak

Teak is a special wood that provides a beautiful golden-brown color and features resistance to splitting and cracking as well as weather resistance. Teak can be treated with a special oil to maintain the golden-brown color or can naturally change into a more silvery-gray patina over time.



## Stainless Steel

Crystal Fire® Plus burners, outdoor kitchen accessories, and finish trims are made from #304 stainless steel. #304 stainless steel is a high quality, commercial-grade metal with superior corrosion and rust resistance.



## Steel Framing

Steel framing is used to build many of our gas fire pit tables and outdoor fireplaces. The framing is G90 galvanized steel which provides strong corrosion and rust resistance in most applications.



## Fiberock®

Fiberock backerboard is water, mold, and mildew resistant, making it durable for our fire pit tables and outdoor fireplaces. This eco-friendly board is made from 97% recycled materials and is ready for stone, tile or other finishing materials because it is solvent, adhesive and resin free.



## Rip-Stop Polyester

Polyester is used for all of the tan protective covers. The fabric provides one-way breathability: keeping exterior water away yet allowing interior moisture out. The covers feature tear-resistant, rip-stop laminating to further reinforce its strength and protection for the outdoors.



## Tangent

Tangent is a Poly Wood material used on some of outdoor fire pit tables. It is a material made from recycled high-density polyethylene (HDPE) plastic, popular in outdoor furniture due to its low maintenance, durability, and weather resistance.



## Composite Material

Brooks and Kenwood is a material made from recycled high-density polyethylene (HDPE) plastic, popular in outdoor furniture due to its low maintenance, durability, and weather resistance.



## Aluminum

Several of our fire pit tables use Aluminum, a lightweight and durable material that can hold up to warm sunlight, sea salt spray, snow, and other harsh weather conditions. Choose from a variety of colors to help finish your outdoor look.

| PRODUCT CATEGORY                                          | WARRANTY INFORMATION                                                                                                                                                                                                                                                                                                                                                                                                                 |
|-----------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| CRYSTAL FIRE® PLUS BURNER                                 | <ul style="list-style-type: none"> <li>Limited lifetime warranty of 10 years on all stainless steel burners installed in a residential setting, and 5 years on all stainless steel burners installed in a commercial setting.</li> <li>Three-year warranty on ignition &amp; electronic components installed in a residential setting. One-year warranty on ignition &amp; electronic components in a commercial setting.</li> </ul> |
| GAS FIRE PIT TABLE                                        | <ul style="list-style-type: none"> <li>Three- year structural warranty on all fire pit table bases and tops.</li> </ul>                                                                                                                                                                                                                                                                                                              |
| RTF FIREPLACES & FIRE PITS                                | <ul style="list-style-type: none"> <li>Five-year structural warranty on all fireplace/fire pit enclosures. Contact finish installer on any finish warranty claims.</li> </ul>                                                                                                                                                                                                                                                        |
| ACCESSORIES                                               | <ul style="list-style-type: none"> <li>One-year warranty on protective covers.</li> <li>90-day warranty on glass or glass and folding wind guards.</li> </ul>                                                                                                                                                                                                                                                                        |
| Supercast Glass Fiber Reinforced Concrete (GFRC) Products | <ul style="list-style-type: none"> <li>One year warranty on structure and finish. Non-structural hairline cracks (less than 1/8" width and/or depth) are considered normal and shall not be considered a manufacturing defect.</li> </ul>                                                                                                                                                                                            |

For full details on our warranty policy go to: [outdoorrooms.com/pages/product-support\\_warranties](https://outdoorrooms.com/pages/product-support_warranties)

## Crystal Fire® Plus Burners and Gas Fire Pit Tables

### Are these burners and fire pits UL listed? What does that mean?

Yes, all of our burners are UL and ULC tested and listed. This means they have passed numerous tests to ensure safe operation meet current ANSI standards. They have undergone extensive wind, rain, and clearance tests.

### Can I roast marshmallows over my fire table or burner?

Yes you can; however, this appliance is UL listed as a decorative gas appliance, not a cooking appliance. Make sure that combustible items do not end up in the burner, as it will clog the burner ports and prevent proper operation.

### Are there different Crystal Fire® Plus burner models?

We have 22+ different Crystal Fire® Plus burners and burner kits in stock. All of these can be purchased as one complete unit or individual components. See pages 41-47 for our offering of burners, sizes, controls, etc.

### What type of fuel can I use?

You can choose from either Liquid Propane (LP), or Natural Gas (NG). Most Crystal Fire® Plus burners and stocked fire tables come set-up for LP; however, a NG conversion kit included with each unit. If converting to NG, a certified gas technician should do the installation. When ordering an electronic ignition burner, you must specify LP or NG.

### Can commercial burners be used in residential applications?

Yes, many homeowners desire an electronic ignition burner system as it allows them to control the burner at a switch away from the burner, as well as use optional upgrades like remote controls.

### How many BTUs per hour are produced?

The BTU rating for each burner varies by size and fuel type. For exact BTU ratings, consult the burner manual.

### Can I use my OGC fire table on a wood deck?

Yes, all OGC fire pits & fire tables are okay to use on a wood deck if clearances are met. Crystal Fire® Plus burners are UL and ULC tested and listed and are used in all of our outdoor fire pits. They are okay to use on concrete patios, wood decks, composite decks, etc.

### What regular maintenance should be performed?

Regularly covering and cleaning your Crystal Fire® Plus burner will extend the life of the product and keep it performing at its best. Clean all loose debris, check fittings and tighten if necessary, ensure all gas lines are intact and free from obstructions, replace batteries in sparker if needed. Consult your manual for more information.

### Is media included with the burners or fire tables?

Yes, we include clear tempered fire glass gems with each Crystal Fire® Plus burner unless otherwise noted. Various lava rock, crushed glass, and colored glass are also available.

### If I purchase a burner for my own project, what else is needed?

That depends on the project and can vary from additional controls, media, etc. You will need to specify the fuel source (LP or NG) used if it is a commercial. We recommend working with your local OGC dealer to determine what is needed for your project. You may also contact us at [sales@outdoorrooms.com](mailto:sales@outdoorrooms.com).

### What happens to my burner or fire table when it rains?

If the burner or fire table is uncovered, water will drain through the perimeter of the burner pan. Water will not drain through the burner neck or build up in the burner — it will safely drain out the bottom of the fire table. All fire tables and burners are constructed of outdoor-rated, durable materials.

### Do I need to cover my fire table when not in use?

It is not mandatory to cover the fire table, but is recommended. Our tables are constructed of materials made to withstand outdoor exposure; however, we do recommend covering if not using for extended periods. This will prevent any unwanted debris from falling onto the burner. There are optional protective covers available.

### What is the difference between a commercial burner and a residential burner?

Commercial-rated burners are often required for commercial applications (hotels, restaurants, etc.). The OGC commercial burners are identical to the residential burners except they include electronic ignition (DSI), and emergency shut off switch, and need to be ordered specifically for NG or LP. In addition, they have more options available for controls either at the burner or away from the burner.

**For more troubleshooting materials, visit**  
[www.outdoorrooms.com/product-support](http://www.outdoorrooms.com/product-support)



## Address

9583 217th St W Suite 100  
Lakeville, MN 55044

## Phone

Direct: (952) 658-6730  
Toll Free: 1 (866) 303-4028  
Fax: (952) 658-6731

## Email

Sales and Support: [sales@outdoorrooms.com](mailto:sales@outdoorrooms.com)  
Customer Service and Orders: [orders@outdoorrooms.com](mailto:orders@outdoorrooms.com)  
Marketing: [marketing@outdoorrooms.com](mailto:marketing@outdoorrooms.com)

## Website

[outdoorrooms.com](http://outdoorrooms.com)

Information as of January 2026. Subject to change.



the **outdoor**  
**greatroom**  
company



[outdoorrooms.com](http://outdoorrooms.com)