

# THE OUTDOOR PLUS™

AMERICAN MADE FIRE & WATER FEATURES



PRODUCT CATALOG

## FIRE PITS & TABLES

[THEOUTDOORPLUS.COM](http://THEOUTDOORPLUS.COM)

MADE IN THE  
**USA** 

# WELCOME

Welcome to The Outdoor Plus — we are a U.S.-based manufacturer that specializes exclusively in the design and production of **superior-quality** fire pits and fire tables. Founded in 2011 on the principles of innovation, craftsmanship, and uncompromising quality, we have gained the trust of pool builders, architects, designers, and discerning homeowners across the nation.

One of the pillars of our brand is our commitment to local manufacturing. Every product that bears the name “The Outdoor Plus” is designed, engineered, and manufactured right here in the United States. We take immense pride in contributing to the American economy and upholding the high standard that make U.S. manufacturing the benchmark for quality worldwide.

## CUSTOMIZATION

From standard options to bespoke solutions, we cater to your exact specifications.

## INNOVATION

We continuously evolve our design and technology to offer cutting-edge ignition system and features.

## SAFETY

All our products undergo rigorous testing to ensure they not only meet, but exceed all industry safety standards.

## LIFETIME GUARANTEES

Quality isn't just a buzzword for us; it's a promise that's backed by a lifetime warranty on our burners.



**IGNITE YOUR IMAGINATION,  
FUEL YOUR OUTDOOR DREAMS,  
WITH AMERICAN-MADE SOLUTIONS.**

# TABLE OF CONTENTS

## SERVICES & MORE INFORMATION

- 06 PHOTOGRAPHY CONTEST INFORMATION
- 08 THE OUTDOOR PLUS CUSTOM SERVICES
- 10 MATERIALS & FINISHES

## STANDARD FIRE PITS

- 14 DEL MAR FIRE PIT
- 18 REGAL FIRE PIT
- 28 UNITY FIRE PIT
- 38 FLORENCE FIRE PIT
- 44 CORONADO FIRE PIT

## 56 CABO FIRE PIT COLLECTION

- 58 CABO SQUARE FIRE PIT
- 64 CABO LINEAR FIRE PIT
- 70 CATALINA FIRE PIT
- 74 CARMEN FIRE PIT
- 82 NEWPORT FIRE TABLE
- 88 LA PINTA FIRE TABLE
- 92 MESA FIRE TABLE
- 102 BEVERLEY FIRE TABLE
- 108 ALAMEDA FIRE TABLE
- 118 SANTA CRUZ FIRE TABLE
- 120 EAVES FIRE PIT
- 126 QUAD FIRE PIT

## 134 FULL SUITE COLLECTION

- 136 **NEW** BRENTWOOD FIRE PIT
- 140 ECLIPSE FIRE PIT
- 142 KAMONA FIRE PIT
- 144 CLASSIC BUS FIRE PIT
- 146 ISLA FIRE PIT
- 148 CESTO FIRE TABLE
- 150 OUTBACK FIRE TABLE
- 152 COASTLINE FIRE TABLE
- 154 PALO FIRE TABLE
- 158 ATLANTIC FIRE PIT
- 166 REDAN FIRE PIT
- 170 SEDONA FIRE PIT
- 172 TACOMA FIRE PIT
- 173 PISMO FIRE PIT
- 178 SEQUOIA FIRE PIT
- 180 FORMA FIRE PIT
- 184 FREMONT FIRE PIT
- 192 PLYMOUTH FIRE PIT
- 194 PLYMOUTH SQUARE FIRE PIT
- 196 CARSON FIRE PIT
- 198 IMPERIAL FIRE PIT
- 202 LA JOLLA FIRE PIT
- 210 BISPO FIRE PIT
- 214 SAN JUAN FIRE PIT

## FULL SUITE COLLECTION

---

**222** MABEL FIRE PIT

**226** SALINAS FIRE PIT

**228** DIXIE FIRE PIT

**230** GALLAWAY FIRE PIT

**232** WHITNEY FIRE PIT

**236** AMINA FIRE PIT

**237** BAYSIDE FIRE PIT

**238** TEMPE FIRE PIT

**240** TIDAL FIRE PIT

**241** VISTA FIRE PIT

**242** DANA FIRE PIT

**243** MERONA FIRE PIT

**244** MARTILLO FIRE PIT

**245** MOONSTONE FIRE PIT

**246** BAJA FIRE PIT

**247** HOLLISTER FIRE PIT

**248** CALABASAS FIRE PIT

**252** LAGUNA FIRE TABLE

**253** GROVE FIRE TABLE

**254** HARBOR FIRE PIT COLLECTION

**255** MONTEREY FIRE TABLE

**256** MODERNO FIRE PIT

**258** BIG SUR FIRE PIT

**259** BILLOW FIRE PIT

**260** SONOMA FIRE PIT

ALBERTA FIRE PIT

AVALON FIRE PIT

### CAZO FIRE PIT COLLECTION

**261** WIDE HAMMERED COPPER

NARROW HAMMERED COPPER

NARROW STAINLESS STEEL

**262** WIDE GFRC CONCRETE

WIDE POWDER COAT

**263** NARROW GFRC CONCRETE

NARROW POWDER COAT

**264** HEIKO FIRE PIT

BALBOA FIRE TABLE

**265** RAMONA SQUARE FIRE PIT

RAMONA LINEAR FIRE PIT

**266** SIENNA FIRE PIT

**267** ANGELUS FIRE TABLE

VERNON FIRE PIT

A modern, two-tiered fire pit with a fire burning inside, set against a desert landscape at sunset. The fire pit is made of light-colored concrete or stone, with a darker base. The fire is bright and lively, with flames reaching up. The background shows a vast, flat desert floor with distant, low mountains under a warm, orange-hued sky. The overall mood is serene and inviting.

TAKE ADVANTAGE OF OUR  
**PHOTOGRAPHY  
CONTEST**

## CONTEST INFORMATION

The Outdoor Plus allows for customers to submit high quality images that best represent our products and product installations for the chance to be selected and receive up to **\$1,000 in credit** for any future purchase.



## IMAGE REQUIREMENTS

- Images submitted for contest eligibility must have a minimum resolution of **2000 x 2000 pixels** (high resolution) and a minimum of **200 dpi**
- Please include the name, company name, phone number and order number of the products featured. You can send this information with your images to our team at **[sales@theoutdoorplus.com](mailto:sales@theoutdoorplus.com)**
- If your images are approved, you may receive up to \$1,000 in credit for any future purchases from The Outdoor Plus



# CUSTOM SERVICES

## WHAT DO WE NEED TO GET STARTED?

At The Outdoor Plus, crafting unique and customized outdoor fire and water features all starts with your vision. When you provide us with three essential pieces of information: materials & dimensions, your pan & burner selection, and choice of finish - our skilled designers and fabricators begin making your idea come to life.

## WHAT DO YOU RECEIVE?

Enjoy the custom fire or water feature of your dreams. A product made by you, for you, to enjoy with friends and family. Outdoor fire features tailored to fit your needs.

## FOUR REASONS TO ORDER

Work with the TOP team to get the best custom services in fire & water products.



**USA-Made  
Products**



**All-in-One  
Manufacturing**



**Produced  
In-House**



**Tested and  
Proven Quality**

## CONTACT US TO GET STARTED!

---



# MATERIALS & FINISHES

## WHAT ARE GFRC CONCRETE & POWER-COATED FINISHES?

### GFRC CONCRETE

GFRC is a glass fiber reinforced concrete material providing a pleasing aesthetic and structural integrity that lasts a lifetime. The outdoor plus provides options for this material during the manufacturing process. Another benefit of gfrc over traditional concrete material is that it offers more flexibility and a higher impact strength tolerance while maintaining the integrity previously mentioned. In addition to these traits, it is highly resistant to any weather or temperature fluctuations making it perfect for outdoor and fire pit use. GFRC, along with other material offered by the outdoor plus can be ordered with some of the color options seen below.

#### GFRC FINISHES

**Ash**  
-ASH

**Black**  
-BLK

**Brown**  
-BRN

**Chestnut**  
-CST

**Chocolate**  
-CHC

**Grey**  
-GRY

**Natural Grey**  
-NGY

**Limestone**  
-BLK

**Vanilla**  
-VAN

**Rustic Moss Stone**  
-RMS

**Rustic Coffee**  
-RCF

**Rustic White**  
-RWH

**Rustic Gray**  
-RGR

**Metallic Slate**  
-MSL

**Metallic Bronze**  
-MBR

**Metallic Copper**  
-MBR

**Metallic Pearl**  
-MPR

**Metallic Silver**  
-MSV

#### BENEFITS OF GFRC

- Longevity
- Design Versatility
- Lightweight Construction
- Minimal Upkeep Required
- High Impact and Weather Resistance

#### PRODUCTS OFFERED IN GFRC CONCRETE



Del Mar Fire Pit



Florence Fire Pit



Coronado Fire Pit

...And More!

## POWDER COAT FINISH

GFRC is a glass fiber reinforced concrete material providing a pleasing aesthetic and structural integrity that lasts a lifetime. The outdoor plus provides options for this material during the manufacturing process. Another benefit of gfrc over traditional concrete material is that it offers more flexibility and a higher impact strength tolerance while maintaining the integrity previously mentioned. In addition to these traits, it is highly resistant to any weather or temperature fluctuations making it perfect for outdoor and fire pit use. GFRC, along with other material offered by the outdoor plus can be ordered with some of the color options seen below.

### POWDER COAT FINISHES

|                            |                             |                     |                              |                              |                                   |                            |                              |                       |                            |                              |                            |
|----------------------------|-----------------------------|---------------------|------------------------------|------------------------------|-----------------------------------|----------------------------|------------------------------|-----------------------|----------------------------|------------------------------|----------------------------|
| <b>White</b><br>-WHT       | <b>Soft White</b><br>-STW   | <b>Mist</b><br>-MST | <b>Crema</b><br>-CEM         | <b>White Vein</b><br>-WHTV   | <b>Athens</b><br>-ATH             | <b>Pewter</b><br>-PEW      | <b>Graphite Grey</b><br>-GGY | <b>Vienna</b><br>-VNA | <b>Gray</b><br>-GRY        | <b>Rock Grey</b><br>-RKY     | <b>Grey Vein</b><br>-GVN   |
| <b>Matte Black</b><br>-ONX | <b>Glossy Black</b><br>-BLK | <b>Java</b><br>-JAV | <b>Empire Bronze</b><br>-EBZ | <b>Trophy Bronze</b><br>-TBZ | <b>Bronze Hammertone</b><br>-BZHT | <b>Copper Vein</b><br>-CPV | <b>Gold Vein</b><br>-GDV     | <b>Roman</b><br>-RMN  | <b>Olive Green</b><br>-OGR | <b>Sapphire Blue</b><br>-SBL | <b>Silver Vein</b><br>-SLV |

#### BENEFITS OF POWDER COAT

- Longevity
- Durability
- Quick Cleaning
- Uniform Coverage
- Corrosion Resistance

#### PRODUCTS OFFERED IN POWDER COAT



Unity Fire Pit



Regal Fire Pit



Coronado Fire Pit

...And More!

# CHOOSING THE RIGHT MATERIALS & FINISHES

HERE ARE **KEY TERMS** TO HELP YOU UNDERSTAND WHAT WE OFFER

## GFRC CONCRETE

Glass Fiber Reinforced Concrete provides a pleasing aesthetic and structural integrity for a lifetime. The Outdoor Plus provides options for this material during the manufacturing process.

### BENEFITS OF GFRC

- Longevity
- Design Versatility
- Lightweight Construction
- Minimal Upkeep Required
- High Impact and Weather Resistance

### PRODUCTS OFFERED IN GFRC CONCRETE

- Del Mar Fire Pit
- Coronado Fire Pit
- Florence Fire Pit
- And More...

### GFRC COLOR OPTIONS

### Our GFRC Concrete Is The **Superior** Choice

GFRC is stronger, lighter, and more durable than traditional precast concrete, which is typically white concrete on the inside that is simply coated on the outside. Because the glass fibers are integrated throughout the material, GFRC resists cracking, holds up better in outdoor environments, allows for more refined detail and smoother finishes, and maintains its color and finish longer.

In short, GFRC delivers a longer lasting, higher quality product that performs beautifully in all climates.



THE OUTDOOR PLUS  
GFRC CONCRETE



OTHER COMPANIES  
PRE-CAST

## POWDER-COAT

Powder-Coating is a sleek and durable material and finish process option that pairs perfectly with outdoor fire pits and tables. The material goes through a type of surface finishing technique that involves applying a dry powder to a substrate, typically metal, and then curing it with heat ensuring that your product stays looking just like the day it was installed

### BENEFITS OF POWDER COAT

- Longevity
- Uniform Coverage
- Durability
- Corrosion Resistance
- Quick Cleaning

### PRODUCTS OFFERED IN POWDER-COAT FINISH

- Unity Fire Pit
- Coronado Fire Pit
- Regal Fire Pit
- And More...

### POWDER-COAT OPTIONS

## STAINLESS STEEL

Stainless steel resists rust, corrosion, and the elements—making it ideal for year-round outdoor use, even in coastal or humid environments. Its sleek, modern finish adds a sophisticated touch to any patio or backyard, while its high heat tolerance ensures long-term structural integrity and safety.

### PRODUCTS OFFERED IN STAINLESS STEEL

- Unity Fire Pit
- Coronado Fire Pit
- Regal Fire Pit
- **And More...**

### BENEFITS OF STAINLESS STEEL

- Durability
- Corrosion & Rust Resistance
- Eco-Friendly
- Minimal Maintenance Required
- High Heat Tolerance

### STAINLESS STEEL

## CORTEN STEEL

Corten Steel is a durable steel material whose properties have allowed it to experience a rise in popularity within architecture and design allowing for continuous changes in its appearance. This change in value is due to the natural oxidation process that the material goes through when it is exponentially exposed to harsher elements and conditions.

### PRODUCTS OFFERED IN CORTEN STEEL

- Unity Fire Pit
- Mesa Fire Table
- Florence Fire Pit
- **And More...**

### BENEFITS OF CORTEN STEEL

- Durability
- Ever-changing Appearance
- Eco - Friendly
- Minimal Maintenance Required
- Strong Material

### CORTEN STEEL APPEARANCE HOW IT CHANGES OVER TIME

<0.5 MO    1.5 MO    6 MO    2 YRS    5 YRS    22 YRS    40 YRS

## COPPER

### HAMMERED & SMOOTH

Copper provides a unique and luxurious touch to your new fire pit or table. With options for either a hammered or smooth texture, plus its timeless reddish - brown hue, this material will add an artisanal look and feel to your outdoor space.

### PRODUCTS OFFERED IN COPPER

- Unity Fire Pit
- Coronado Fire Table
- Regal Fire Pit
- **And More...**

### BENEFITS OF COPPER

- Longevity
- Durable Material with texture
- Unique artisanal look
- Minimal maintenance required
- Excellent Heat Conductivity

### COPPER OPTIONS

HAMMERED TEXTURE

SMOOTH TEXTURE

# DEL MAR

## FIRE PIT

### ELEGANCE MEETS SIMPLICITY IN EVERY FLAME

An exquisite embodiment of understated luxury and timeless design, the Del Mar Fire Pit is a statement piece that amplifies the beauty and atmosphere of any outdoor space it graces. The Del Mar finds its home in a variety of settings— from the rooftops of the most chic bars to the terraces of luxury hotels and exclusive restaurants. Featuring a low-profile design that sits intimately close to the ground, its elegance lies in its simplicity, allowing it to complement rather than overpower your outdoor decor.

### FINISHES

GFRC Concrete

### SIZES

48" | 60" | 72" | 84" | 96"




Scan the QR Code to  
learn more about our  
**Del Mar Fire Pit**

**DEL MAR FIRE PIT**  
60" | GFCR BROWN



# DEL MAR FIRE PIT

IN GFRC CONCRETE



## FINISHES

**Ash**  
-ASH

**Black**  
-BLK

**Brown**  
-BRN

**Chestnut**  
-CST

**Chocolate**  
-CHC

**Gray**  
-GRY

**Natural Gray**  
-NGY

**Limestone**  
-BLK

**Vanilla**  
-VAN

**Rustic Moss Stone**  
-RMS

**Rustic Coffee**  
-RCF

**Rustic White**  
-RWH

**Rustic Gray**  
-RGR

**Metallic Slate**  
-MSL

**Metallic Bronze**  
-MBR

**Metallic Copper**  
-MBR

**Metallic Pearl**  
-MPR

**Metallic Silver**  
-MSV



Scan the QR Code to  
Learn More About Our  
**Color Swatch Guide**

## SIZES

### 48" Del Mar

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 48" x (H) 15" x (W) 28" |
| <b>Burning Area</b>    | (L) 30" x (W) 10"           |
| <b>BTU</b>             | 115,000                     |
| <b>Fire Glass Sugg</b> | 32lbs                       |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-DELGFRC48ML   |
| <b>Spark Glow</b>             | OPT-DELGFRC48SG   |
| <b>Flame Sense</b>            | OPT-DELGFRC48FMSL |
| <b>Fire Glow</b>              | OPT-DELGFRC48FG   |
| <b>Plug &amp; Play</b>        | OPT-DELGFRC48EKIT |
| <b>Low Voltage Electronic</b> | OPT-DELGFRC48E12V |

### 60" Del Mar

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 60" x (H) 15" x (W) 28" |
| <b>Burning Area</b>    | (L) 44" x (W) 12"           |
| <b>BTU</b>             | 140,000                     |
| <b>Fire Glass Sugg</b> | 56lbs                       |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-DELGFRC60ML   |
| <b>Spark Glow</b>             | OPT-DELGFRC60SG   |
| <b>Flame Sense</b>            | OPT-DELGFRC60FMSL |
| <b>Fire Glow</b>              | OPT-DELGFRC60FG   |
| <b>Plug &amp; Play</b>        | OPT-DELGFRC60EKIT |
| <b>Low Voltage Electronic</b> | OPT-DELGFRC60E12V |

### 72" Del Mar

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 72" x (H) 15" x (W) 28" |
| <b>Burning Area</b>    | (L) 56" x (W) 12"           |
| <b>BTU</b>             | 165,000                     |
| <b>Fire Glass Sugg</b> | 71lbs                       |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-DELGFRC72ML   |
| <b>Spark Glow</b>             | OPT-DELGFRC72SG   |
| <b>Flame Sense</b>            | OPT-DELGFRC72FMSL |
| <b>Fire Glow</b>              | OPT-DELGFRC72FG   |
| <b>Plug &amp; Play</b>        | OPT-DELGFRC72EKIT |
| <b>Low Voltage Electronic</b> | OPT-DELGFRC72E12V |

### 84" Del Mar

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 84" x (H) 15" x (W) 28" |
| <b>Burning Area</b>    | (L) 68" x (W) 12"           |
| <b>BTU</b>             | 190,000                     |
| <b>Fire Glass Sugg</b> | 86lbs                       |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-DELGFRC84ML   |
| <b>Spark Glow</b>             | OPT-DELGFRC84SG   |
| <b>Flame Sense</b>            | OPT-DELGFRC84FMSL |
| <b>Fire Glow</b>              | OPT-DELGFRC84FG   |
| <b>Plug &amp; Play</b>        | OPT-DELGFRC84EKIT |
| <b>Low Voltage Electronic</b> | OPT-DELGFRC84E12V |

### 96" Del Mar

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 96" x (H) 15" x (W) 28" |
| <b>Burning Area</b>    | (L) 80" x (W) 12"           |
| <b>BTU</b>             | 215,000                     |
| <b>Fire Glass Sugg</b> | 101lbs                      |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-DELGFRC96ML   |
| <b>Spark Glow</b>             | OPT-DELGFRC96SG   |
| <b>Flame Sense</b>            | OPT-DELGFRC96FMSL |
| <b>Fire Glow</b>              | OPT-DELGFRC96FG   |
| <b>Plug &amp; Play</b>        | OPT-DELGFRC96EKIT |
| <b>Low Voltage Electronic</b> | OPT-DELGFRC96E12V |

## UPGRADES

| ACCESSORIES             | 48" DEL MAR      | 60" DEL MAR      | 72" DEL MAR      | 84" DEL MAR      | 96" DEL MAR      |
|-------------------------|------------------|------------------|------------------|------------------|------------------|
| <b>Bullet Burner</b>    | OPT-B24SST       | OPT-B40SST       | OPT-B48SST       | OPT-B60SST       | OPT-B72SST       |
| <b>Canvas Cover</b>     | OPT-CVR-4828-15H | OPT-CVR-6028-15H | OPT-CVR-7228-15H | OPT-CVR-8428-15H | OPT-CVR-9628-15H |
| <b>Stainless Lid</b>    | OPT-RC1434       | OPT-RC1446       | OPT-RC1458       | OPT-RC1470       | OPT-RC1482       |
| <b>Glass Wind Guard</b> | OPT-WG-3616      | OPT-WG-4816      | OPT-WG-6016      | OPT-WG-7216      | OPT-WG-8416      |

# REGAL

## FIRE PIT

### MODERN LUXURY WITH EVERY IGNITION

The Regal Fire Pit is a symphony of luxurious materials and minimalist design. This fine fire pit isn't just a product; it's an experience, meticulously crafted to add a regal touch to modern homes. Designed with a clean, no-overhang silhouette, the Regal Fire Pit sits low yet commands attention. It captures the essence of modern design; its simplicity being its most grand feature. Like all our fire features, the Regal Fire Pit is proudly designed, engineered, and manufactured in the United States, ensuring unparalleled quality and craftsmanship.

### FINISHES

GFRC Concrete | Powder Coat | Stainless Steel  
Corten Steel | Hammered Copper

### SIZES

48" | 54" | 60"



Scan the QR Code to  
learn more about our  
**Regal Fire Pit**

**REGAL FIRE PIT**  
60" | POWDER COAT BLACK



# REGAL FIRE PIT

IN GFRC CONCRETE



## FINISHES

Ash -ASH      Black -BLK      Brown -BRN      Chestnut -CST      Chocolate -CHC      Gray -GRY      Natural Gray -NGY      Limestone -BLK      Vanilla -VAN

Rustic Moss Stone -RMS      Rustic Coffee -RCF      Rustic White -RWH      Rustic Gray -RGR      Metallic Slate -MSL      Metallic Bronze -MBR      Metallic Copper -MBR      Metallic Pearl -MPR      Metallic Silver -MSV



Scan the QR Code to  
Learn More About Our  
**Color Swatch Guide**

## SIZES

## 48" Regal

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 48" x (H) 13" x (W) 24" |
| <b>Burning Area</b>    | (L) 34" x (W) 10"           |
| <b>BTU</b>             | 115,000                     |
| <b>Fire Glass Sugg</b> | 36lbs                       |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-RGLGFRC48ML   |
| <b>Spark Glow</b>             | OPT-RGLGFRC48SG   |
| <b>Flame Sense</b>            | OPT-RGLGFRC48FSML |
| <b>Fire Glow</b>              | OPT-RGLGFRC48FG   |
| <b>Plug &amp; Play</b>        | OPT-RGLGFRC48EKIT |
| <b>Low Voltage Electronic</b> | OPT-RGLGFRC48E12V |

## 54" Regal

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 54" x (H) 13" x (W) 24" |
| <b>Burning Area</b>    | (L) 40" x (W) 10"           |
| <b>BTU</b>             | 135,000                     |
| <b>Fire Glass Sugg</b> | 42lbs                       |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-RGLGFRC54ML   |
| <b>Spark Glow</b>             | OPT-RGLGFRC54SG   |
| <b>Flame Sense</b>            | OPT-RGLGFRC54FSML |
| <b>Fire Glow</b>              | OPT-RGLGFRC54FG   |
| <b>Plug &amp; Play</b>        | OPT-RGLGFRC54EKIT |
| <b>Low Voltage Electronic</b> | OPT-RGLGFRC54E12V |

## 60" Regal

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 60" x (H) 13" x (W) 24" |
| <b>Burning Area</b>    | (L) 48" x (W) 10"           |
| <b>BTU</b>             | 165,000                     |
| <b>Fire Glass Sugg</b> | 50lbs                       |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-RGLGFRC60ML   |
| <b>Spark Glow</b>             | OPT-RGLGFRC60SG   |
| <b>Flame Sense</b>            | OPT-RGLGFRC60FSML |
| <b>Fire Glow</b>              | OPT-RGLGFRC60FG   |
| <b>Plug &amp; Play</b>        | OPT-RGLGFRC60EKIT |
| <b>Low Voltage Electronic</b> | OPT-RGLGFRC60E12V |

## UPGRADES

## ACCESSORIES

## 48" REGAL

## 54" REGAL

## 60" REGAL

|                         |                  |                  |                  |
|-------------------------|------------------|------------------|------------------|
| <b>Bullet Burner</b>    | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       |
| <b>Canvas Cover</b>     | OPT-CVR-4824-13H | OPT-CVR-5424-13H | OPT-CVR-6024-13H |
| <b>Stainless Lid</b>    | OPT-RC1236       | OPT-RC1242       | OPT-RC1250       |
| <b>Glass Wind Guard</b> | OPT-WG-3814      | OPT-WG-4414      | OPT-WG-5214      |

# REGAL FIRE PIT

## IN POWDER COAT



### FINISHES

|                            |                             |                     |                              |                              |                                   |                            |                              |                       |                            |                              |                            |
|----------------------------|-----------------------------|---------------------|------------------------------|------------------------------|-----------------------------------|----------------------------|------------------------------|-----------------------|----------------------------|------------------------------|----------------------------|
| <b>White</b><br>-WHT       | <b>Soft White</b><br>-STW   | <b>Mist</b><br>-MST | <b>Crema</b><br>-CEM         | <b>White Vein</b><br>-WHTV   | <b>Athens</b><br>-ATH             | <b>Pewter</b><br>-PEW      | <b>Graphite Grey</b><br>-GGY | <b>Vienna</b><br>-VNA | <b>Gray</b><br>-GRY        | <b>Rock Grey</b><br>-RKY     | <b>Grey Vein</b><br>-GVN   |
| <b>Matte Black</b><br>-ONX | <b>Glossy Black</b><br>-BLK | <b>Java</b><br>-JAV | <b>Empire Bronze</b><br>-EBZ | <b>Trophy Bronze</b><br>-TBZ | <b>Bronze Hammertone</b><br>-BZHT | <b>Copper Vein</b><br>-CPV | <b>Gold Vein</b><br>-GDV     | <b>Roman</b><br>-RMN  | <b>Olive Green</b><br>-OGR | <b>Sapphire Blue</b><br>-SBL | <b>Silver Vein</b><br>-SLV |



Scan the QR Code to  
Learn More About Our  
**Color Swatch Guide**

## SIZES

## 48" Regal

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 48" x (H) 13" x (W) 24" |
| <b>Burning Area</b>    | (L) 34" x (W) 10"           |
| <b>BTU</b>             | 115,000                     |
| <b>Fire Glass Sugg</b> | 36lbs                       |

|                               |                 |
|-------------------------------|-----------------|
| <b>Match Lit</b>              | OPT-RGLPC48ML   |
| <b>Spark Glow</b>             | OPT-RGLPC48SG   |
| <b>Flame Sense</b>            | OPT-RGLPC48FSML |
| <b>Fire Glow</b>              | OPT-RGLPC48FG   |
| <b>Plug &amp; Play</b>        | OPT-RGLPC48EKIT |
| <b>Low Voltage Electronic</b> | OPT-RGLPC48E12V |

## 54" Regal

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 54" x (H) 13" x (W) 24" |
| <b>Burning Area</b>    | (L) 40" x (W) 10"           |
| <b>BTU</b>             | 135,000                     |
| <b>Fire Glass Sugg</b> | 42lbs                       |

|                               |                 |
|-------------------------------|-----------------|
| <b>Match Lit</b>              | OPT-RGLPC54ML   |
| <b>Spark Glow</b>             | OPT-RGLPC54SG   |
| <b>Flame Sense</b>            | OPT-RGLPC54FSML |
| <b>Fire Glow</b>              | OPT-RGLPC54FG   |
| <b>Plug &amp; Play</b>        | OPT-RGLPC54EKIT |
| <b>Low Voltage Electronic</b> | OPT-RGLPC54E12V |

## 60" Regal

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 60" x (H) 13" x (W) 24" |
| <b>Burning Area</b>    | (L) 48" x (W) 10"           |
| <b>BTU</b>             | 165,000                     |
| <b>Fire Glass Sugg</b> | 50lbs                       |

|                               |                 |
|-------------------------------|-----------------|
| <b>Match Lit</b>              | OPT-RGLPC60ML   |
| <b>Spark Glow</b>             | OPT-RGLPC60SG   |
| <b>Flame Sense</b>            | OPT-RGLPC60FSML |
| <b>Fire Glow</b>              | OPT-RGLPC60FG   |
| <b>Plug &amp; Play</b>        | OPT-RGLPC60EKIT |
| <b>Low Voltage Electronic</b> | OPT-RGLPC60E12V |

## UPGRADES

## ACCESSORIES

## 48" REGAL

## 54" REGAL

## 60" REGAL

|                         |                  |                  |                  |
|-------------------------|------------------|------------------|------------------|
| <b>Bullet Burner</b>    | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       |
| <b>Canvas Cover</b>     | OPT-CVR-4824-13H | OPT-CVR-5424-13H | OPT-CVR-6024-13H |
| <b>Stainless Lid</b>    | OPT-RC1236       | OPT-RC1242       | OPT-RC1250       |
| <b>Glass Wind Guard</b> | OPT-WG-3814      | OPT-WG-4414      | OPT-WG-5214      |

# REGAL FIRE PIT

## IN CORTEN STEEL



### SIZES

#### 48" Regal

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 13" x (W) 24" |
| Burning Area    | (L) 34" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 36lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-RGLCS48ML   |
| Spark Glow             | OPT-RGLCS48SG   |
| Flame Sense            | OPT-RGLCS48FSML |
| Fire Glow              | OPT-RGLCS48FG   |
| Plug & Play            | OPT-RGLCS48EKIT |
| Low Voltage Electronic | OPT-RGLCS48E12V |

#### 54" Regal

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 54" x (H) 13" x (W) 24" |
| Burning Area    | (L) 40" x (W) 10"           |
| BTU             | 135,000                     |
| Fire Glass Sugg | 42lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-RGLCS54ML   |
| Spark Glow             | OPT-RGLCS54SG   |
| Flame Sense            | OPT-RGLCS54FSML |
| Fire Glow              | OPT-RGLCS54FG   |
| Plug & Play            | OPT-RGLCS54EKIT |
| Low Voltage Electronic | OPT-RGLCS54E12V |

#### 60" Regal

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 13" x (W) 24" |
| Burning Area    | (L) 48" x (W) 10"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 50lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-RGLCS60ML   |
| Spark Glow             | OPT-RGLCS60SG   |
| Flame Sense            | OPT-RGLCS60FSML |
| Fire Glow              | OPT-RGLCS60FG   |
| Plug & Play            | OPT-RGLCS60EKIT |
| Low Voltage Electronic | OPT-RGLCS60E12V |

### UPGRADES

#### ACCESSORIES

#### 48" REGAL

#### 54" REGAL

#### 60" REGAL

|                  |                  |                  |                  |
|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       |
| Canvas Cover     | OPT-CVR-4824-13H | OPT-CVR-5424-13H | OPT-CVR-6024-13H |
| Stainless Lid    | OPT-RC1236       | OPT-RC1242       | OPT-RC1250       |
| Glass Wind Guard | OPT-WG-3814      | OPT-WG-4414      | OPT-WG-5214      |

# REGAL FIRE PIT

## IN STAINLESS STEEL



### SIZES

#### 48" Regal

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 13" x (W) 24" |
| Burning Area    | (L) 34" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 36lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-RGLSS48ML   |
| Spark Glow             | OPT-RGLSS48SG   |
| Flame Sense            | OPT-RGLSS48FSML |
| Fire Glow              | OPT-RGLSS48FG   |
| Plug & Play            | OPT-RGLSS48EKIT |
| Low Voltage Electronic | OPT-RGLSS48E12V |

#### 54" Regal

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 54" x (H) 13" x (W) 24" |
| Burning Area    | (L) 40" x (W) 10"           |
| BTU             | 135,000                     |
| Fire Glass Sugg | 42lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-RGLSS54ML   |
| Spark Glow             | OPT-RGLSS54SG   |
| Flame Sense            | OPT-RGLSS54FSML |
| Fire Glow              | OPT-RGLSS54FG   |
| Plug & Play            | OPT-RGLSS54EKIT |
| Low Voltage Electronic | OPT-RGLSS54E12V |

#### 60" Regal

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 13" x (W) 24" |
| Burning Area    | (L) 48" x (W) 10"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 50lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-RGLSS60ML   |
| Spark Glow             | OPT-RGLSS60SG   |
| Flame Sense            | OPT-RGLSS60FSML |
| Fire Glow              | OPT-RGLSS60FG   |
| Plug & Play            | OPT-RGLSS60EKIT |
| Low Voltage Electronic | OPT-RGLSS60E12V |

### UPGRADES

#### ACCESSORIES

#### 48" REGAL


#### 54" REGAL

#### 60" REGAL

|                  |                  |                  |                  |
|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       |
| Canvas Cover     | OPT-CVR-4824-13H | OPT-CVR-5424-13H | OPT-CVR-6024-13H |
| Stainless Lid    | OPT-RC1236       | OPT-RC1242       | OPT-RC1250       |
| Glass Wind Guard | OPT-WG-3814      | OPT-WG-4414      | OPT-WG-5214      |

# REGAL FIRE PIT

## IN HAMMERED COPPER



### SIZES

#### 48" Regal

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 13" x (W) 24" |
| Burning Area    | (L) 34" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 36lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-RGLHCP48ML   |
| Spark Glow             | OPT-RGLHCP48SG   |
| Flame Sense            | OPT-RGLHCP48FSML |
| Fire Glow              | OPT-RGLHCP48FG   |
| Plug & Play            | OPT-RGLHCP48EKIT |
| Low Voltage Electronic | OPT-RGLHCP48E12V |

#### 54" Regal

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 54" x (H) 13" x (W) 24" |
| Burning Area    | (L) 40" x (W) 10"           |
| BTU             | 135,000                     |
| Fire Glass Sugg | 42lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-RGLHCP54ML   |
| Spark Glow             | OPT-RGLHCP54SG   |
| Flame Sense            | OPT-RGLHCP54FSML |
| Fire Glow              | OPT-RGLHCP54FG   |
| Plug & Play            | OPT-RGLHCP54EKIT |
| Low Voltage Electronic | OPT-RGLHCP54E12V |

#### 60" Regal

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 13" x (W) 24" |
| Burning Area    | (L) 48" x (W) 10"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 50lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-RGLHCP60ML   |
| Spark Glow             | OPT-RGLHCP60SG   |
| Flame Sense            | OPT-RGLHCP60FSML |
| Fire Glow              | OPT-RGLHCP60FG   |
| Plug & Play            | OPT-RGLHCP60EKIT |
| Low Voltage Electronic | OPT-RGLHCP60E12V |

### UPGRADES

#### ACCESSORIES

#### 48" REGAL

#### 54" REGAL

#### 60" REGAL

|                  |                  |                  |                  |
|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       |
| Canvas Cover     | OPT-CVR-4824-13H | OPT-CVR-5424-13H | OPT-CVR-6024-13H |
| Stainless Lid    | OPT-RC1236       | OPT-RC1242       | OPT-RC1250       |
| Glass Wind Guard | OPT-WG-3814      | OPT-WG-4414      | OPT-WG-5214      |



LEARN MORE AT [THEOUTDOORPLUS.COM](https://theoutdoorplus.com)

# UNITY

## FIRE PIT

### THE ESSENCE OF ELEGANCE

Discover the Unity Fire Pit—a luxuriously crafted, low-profile metal marvel designed to gather people together in an ambiance of warmth and sophistication. Offering more than just a flame, it's a symbol of harmony that elevates every shared moment into a luxurious experience.

### FINISHES

Powder Coat | Stainless Steel | Corten Steel | Hammered Copper

### SIZES

48" | 60" | 72"



Scan the QR Code to  
learn more about our  
**Unity Fire Pit**

**UNITY FIRE PIT**  
48" | 18" TALL | CORTEN STEEL



# UNITY FIRE PIT

## IN POWDER COAT



### FINISHES

|                            |                             |                     |                              |                              |                                   |                            |                              |                       |                            |                              |                            |
|----------------------------|-----------------------------|---------------------|------------------------------|------------------------------|-----------------------------------|----------------------------|------------------------------|-----------------------|----------------------------|------------------------------|----------------------------|
| <b>White</b><br>-WHT       | <b>Soft White</b><br>-STW   | <b>Mist</b><br>-MST | <b>Crema</b><br>-CEM         | <b>White Vein</b><br>-WHTV   | <b>Athens</b><br>-ATH             | <b>Pewter</b><br>-PEW      | <b>Graphite Grey</b><br>-GGY | <b>Vienna</b><br>-VNA | <b>Gray</b><br>-GRY        | <b>Rock Grey</b><br>-RKY     | <b>Grey Vein</b><br>-GVN   |
| <b>Matte Black</b><br>-ONX | <b>Glossy Black</b><br>-BLK | <b>Java</b><br>-JAV | <b>Empire Bronze</b><br>-EBZ | <b>Trophy Bronze</b><br>-TBZ | <b>Bronze Hammertone</b><br>-BZHT | <b>Copper Vein</b><br>-CPV | <b>Gold Vein</b><br>-GDV     | <b>Roman</b><br>-RMN  | <b>Olive Green</b><br>-OGR | <b>Sapphire Blue</b><br>-SBL | <b>Silver Vein</b><br>-SLV |



Scan the QR Code to  
Learn More About Our  
**Color Swatch Guide**

## SIZES

### 48" Unity | 18" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 48" x (H) 18" |
| Burning Area    | (D) 25"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 52lbs             |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-UNYPC4818ML   |
| Spark Glow             | OPT-UNYPC4818SG   |
| Flame Sense            | OPT-UNYPC4818FSML |
| Fire Glow              | OPT-UNYPC4818FG   |
| Plug & Play            | OPT-UNYPC4818EKIT |
| Low Voltage Electronic | OPT-UNYPC4818E12V |

### 60" Unity | 18" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 60" x (H) 18" |
| Burning Area    | (D) 37"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 113lbs            |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-UNYPC6018ML   |
| Spark Glow             | OPT-UNYPC6018SG   |
| Flame Sense            | OPT-UNYPC6018FSML |
| Fire Glow              | OPT-UNYPC6018FG   |
| Plug & Play            | OPT-UNYPC6018EKIT |
| Low Voltage Electronic | OPT-UNYPC6018E12V |

### 72" Unity | 18" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 72" x (H) 18" |
| Burning Area    | (D) 43"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 152lbs            |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-UNYPC7218ML   |
| Spark Glow             | OPT-UNYPC7218SG   |
| Flame Sense            | OPT-UNYPC7218FSML |
| Fire Glow              | OPT-UNYPC7218FG   |
| Plug & Play            | OPT-UNYPC7218EKIT |
| Low Voltage Electronic | OPT-UNYPC7218E12V |

### 48" Unity | 24" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 48" x (H) 24" |
| Burning Area    | (D) 25"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 52lbs             |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-UNYPC4824ML   |
| Spark Glow             | OPT-UNYPC4824SG   |
| Flame Sense            | OPT-UNYPC4824FSML |
| Fire Glow              | OPT-UNYPC4824FG   |
| Plug & Play            | OPT-UNYPC4824EKIT |
| Low Voltage Electronic | OPT-UNYPC4824E12V |

### 60" Unity | 24" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 60" x (H) 24" |
| Burning Area    | (D) 37"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 113lbs            |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-UNYPC6024ML   |
| Spark Glow             | OPT-UNYPC6024SG   |
| Flame Sense            | OPT-UNYPC6024FSML |
| Fire Glow              | OPT-UNYPC6024FG   |
| Plug & Play            | OPT-UNYPC6024EKIT |
| Low Voltage Electronic | OPT-UNYPC6024E12V |

### 72" Unity | 24" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 72" x (H) 24" |
| Burning Area    | (D) 43"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 152lbs            |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-UNYPC7224ML   |
| Spark Glow             | OPT-UNYPC7224SG   |
| Flame Sense            | OPT-UNYPC7224FSML |
| Fire Glow              | OPT-UNYPC7224FG   |
| Plug & Play            | OPT-UNYPC7224EKIT |
| Low Voltage Electronic | OPT-UNYPC7224E12V |

## UPGRADES

| ACCESSORIES        | 48" UNITY       | 60" UNITY       | 72" UNITY       |
|--------------------|-----------------|-----------------|-----------------|
| Bullet Burner      | OPT-BRDSS12     | OPT-BRDSS18     | OPT-BRDSS24     |
| Canvas Cover   18H | OPT-CVR-48R-18H | OPT-CVR-60R-18H | OPT-CVR-72R-18H |
| Canvas Cover   24H | OPT-CVR-48R-24H | OPT-CVR-60R-24H | OPT-CVR-72R-24H |
| Stainless Lid      | OPT-27RC        | OPT-39RC        | OPT-45RC        |

# **UNITY** FIRE PIT

**STAINLESS STEEL**



## SIZES

### 48" Unity | 18" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 48" x (H) 18" |
| Burning Area    | (D) 25"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 52lbs             |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-UNYSS4818ML   |
| Spark Glow             | OPT-UNYSS4818SG   |
| Flame Sense            | OPT-UNYSS4818FSML |
| Fire Glow              | OPT-UNYSS4818FG   |
| Plug & Play            | OPT-UNYSS4818EKIT |
| Low Voltage Electronic | OPT-UNYSS4818E12V |

### 60" Unity | 18" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 60" x (H) 18" |
| Burning Area    | (D) 37"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 113lbs            |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-UNYSS6018ML   |
| Spark Glow             | OPT-UNYSS6018SG   |
| Flame Sense            | OPT-UNYSS6018FSML |
| Fire Glow              | OPT-UNYSS6018FG   |
| Plug & Play            | OPT-UNYSS6018EKIT |
| Low Voltage Electronic | OPT-UNYSS6018E12V |

### 72" Unity | 18" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 72" x (H) 18" |
| Burning Area    | (D) 43"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 152lbs            |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-UNYSS7218ML   |
| Spark Glow             | OPT-UNYSS7218SG   |
| Flame Sense            | OPT-UNYSS7218FSML |
| Fire Glow              | OPT-UNYSS7218FG   |
| Plug & Play            | OPT-UNYSS7218EKIT |
| Low Voltage Electronic | OPT-UNYSS7218E12V |

### 48" Unity | 24" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 48" x (H) 24" |
| Burning Area    | (D) 25"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 52lbs             |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-UNYSS4824ML   |
| Spark Glow             | OPT-UNYSS4824SG   |
| Flame Sense            | OPT-UNYSS4824FSML |
| Fire Glow              | OPT-UNYSS4824FG   |
| Plug & Play            | OPT-UNYSS4824EKIT |
| Low Voltage Electronic | OPT-UNYSS4824E12V |

### 60" Unity | 24" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 60" x (H) 24" |
| Burning Area    | (D) 37"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 113lbs            |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-UNYSS6024ML   |
| Spark Glow             | OPT-UNYSS6024SG   |
| Flame Sense            | OPT-UNYSS6024FSML |
| Fire Glow              | OPT-UNYSS6024FG   |
| Plug & Play            | OPT-UNYSS6024EKIT |
| Low Voltage Electronic | OPT-UNYSS6024E12V |

### 72" Unity | 24" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 72" x (H) 24" |
| Burning Area    | (D) 43"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 152lbs            |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-UNYSS7224ML   |
| Spark Glow             | OPT-UNYSS7224SG   |
| Flame Sense            | OPT-UNYSS7224FSML |
| Fire Glow              | OPT-UNYSS7224FG   |
| Plug & Play            | OPT-UNYSS7224EKIT |
| Low Voltage Electronic | OPT-UNYSS7224E12V |

## UPGRADES

### ACCESSORIES

#### 48" UNITY

#### 60" UNITY

#### 72" UNITY

|                    |                 |                 |                 |
|--------------------|-----------------|-----------------|-----------------|
| Bullet Burner      | OPT-BRDSS12     | OPT-BRDSS18     | OPT-BRDSS24     |
| Canvas Cover   18H | OPT-CVR-48R-18H | OPT-CVR-60R-18H | OPT-CVR-72R-18H |
| Canvas Cover   24H | OPT-CVR-48R-24H | OPT-CVR-60R-24H | OPT-CVR-72R-24H |
| Stainless Lid      | OPT-27RC        | OPT-39RC        | OPT-45RC        |

# UNITY FIRE PIT

CORTEN STEEL



## SIZES

### 48" Unity | 18" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 48" x (H) 18" |
| Burning Area    | (D) 25"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 52lbs             |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-UNYCS4818ML   |
| Spark Glow             | OPT-UNYCS4818SG   |
| Flame Sense            | OPT-UNYCS4818FSML |
| Fire Glow              | OPT-UNYCS4818FG   |
| Plug & Play            | OPT-UNYCS4818EKIT |
| Low Voltage Electronic | OPT-UNYCS4818E12V |

### 60" Unity | 18" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 60" x (H) 18" |
| Burning Area    | (D) 37"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 113lbs            |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-UNYCS6018ML   |
| Spark Glow             | OPT-UNYCS6018SG   |
| Flame Sense            | OPT-UNYCS6018FSML |
| Fire Glow              | OPT-UNYCS6018FG   |
| Plug & Play            | OPT-UNYCS6018EKIT |
| Low Voltage Electronic | OPT-UNYCS6018E12V |

### 72" Unity | 18" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 72" x (H) 18" |
| Burning Area    | (D) 43"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 152lbs            |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-UNYCS7218ML   |
| Spark Glow             | OPT-UNYCS7218SG   |
| Flame Sense            | OPT-UNYCS7218FSML |
| Fire Glow              | OPT-UNYCS7218FG   |
| Plug & Play            | OPT-UNYCS7218EKIT |
| Low Voltage Electronic | OPT-UNYCS7218E12V |

### 48" Unity | 24" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 48" x (H) 24" |
| Burning Area    | (D) 25"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 52lbs             |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-UNYCS4824ML   |
| Spark Glow             | OPT-UNYCS4824SG   |
| Flame Sense            | OPT-UNYCS4824FSML |
| Fire Glow              | OPT-UNYCS4824FG   |
| Plug & Play            | OPT-UNYCS4824EKIT |
| Low Voltage Electronic | OPT-UNYCS4824E12V |

### 60" Unity | 24" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 60" x (H) 24" |
| Burning Area    | (D) 37"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 113lbs            |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-UNYCS6024ML   |
| Spark Glow             | OPT-UNYCS6024SG   |
| Flame Sense            | OPT-UNYCS6024FSML |
| Fire Glow              | OPT-UNYCS6024FG   |
| Plug & Play            | OPT-UNYCS6024EKIT |
| Low Voltage Electronic | OPT-UNYCS6024E12V |

### 72" Unity | 24" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 72" x (H) 24" |
| Burning Area    | (D) 43"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 152lbs            |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-UNYCS7224ML   |
| Spark Glow             | OPT-UNYCS7224SG   |
| Flame Sense            | OPT-UNYCS7224FSML |
| Fire Glow              | OPT-UNYCS7224FG   |
| Plug & Play            | OPT-UNYCS7224EKIT |
| Low Voltage Electronic | OPT-UNYCS7224E12V |

## UPGRADES

### ACCESSORIES

#### 48" UNITY

#### 60" UNITY

#### 72" UNITY

|                    |                 |                 |                 |
|--------------------|-----------------|-----------------|-----------------|
| Bullet Burner      | OPT-BRDSS12     | OPT-BRDSS18     | OPT-BRDSS24     |
| Canvas Cover   18H | OPT-CVR-48R-18H | OPT-CVR-60R-18H | OPT-CVR-72R-18H |
| Canvas Cover   24H | OPT-CVR-48R-24H | OPT-CVR-60R-24H | OPT-CVR-72R-24H |
| Stainless Lid      | OPT-27RC        | OPT-39RC        | OPT-45RC        |

# UNITY FIRE PIT

## HAMMERED COPPER



## SIZES

### 48" Unity | 18" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 48" x (H) 18" |
| Burning Area    | (D) 25"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 52lbs             |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-UNYHCP4818ML   |
| Spark Glow             | OPT-UNYHCP4818SG   |
| Flame Sense            | OPT-UNYHCP4818FSML |
| Fire Glow              | OPT-UNYHCP4818FG   |
| Plug & Play            | OPT-UNYHCP4818EKIT |
| Low Voltage Electronic | OPT-UNYHCP4818E12V |

### 60" Unity | 18" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 60" x (H) 18" |
| Burning Area    | (D) 37"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 113lbs            |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-UNYHCP6018ML   |
| Spark Glow             | OPT-UNYHCP6018SG   |
| Flame Sense            | OPT-UNYHCP6018FSML |
| Fire Glow              | OPT-UNYHCP6018FG   |
| Plug & Play            | OPT-UNYHCP6018EKIT |
| Low Voltage Electronic | OPT-UNYHCP6018E12V |

### 72" Unity | 18" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 72" x (H) 18" |
| Burning Area    | (D) 43"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 152lbs            |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-UNYHCP7218ML   |
| Spark Glow             | OPT-UNYHCP7218SG   |
| Flame Sense            | OPT-UNYHCP7218FSML |
| Fire Glow              | OPT-UNYHCP7218FG   |
| Plug & Play            | OPT-UNYHCP7218EKIT |
| Low Voltage Electronic | OPT-UNYHCP7218E12V |

### 48" Unity | 24" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 48" x (H) 24" |
| Burning Area    | (D) 25"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 52lbs             |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-UNYHCP4824ML   |
| Spark Glow             | OPT-UNYHCP4824SG   |
| Flame Sense            | OPT-UNYHCP4824FSML |
| Fire Glow              | OPT-UNYHCP4824FG   |
| Plug & Play            | OPT-UNYHCP4824EKIT |
| Low Voltage Electronic | OPT-UNYHCP4824E12V |

### 60" Unity | 24" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 60" x (H) 24" |
| Burning Area    | (D) 37"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 113lbs            |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-UNYHCP6024ML   |
| Spark Glow             | OPT-UNYHCP6024SG   |
| Flame Sense            | OPT-UNYHCP6024FSML |
| Fire Glow              | OPT-UNYHCP6024FG   |
| Plug & Play            | OPT-UNYHCP6024EKIT |
| Low Voltage Electronic | OPT-UNYHCP6024E12V |

### 72" Unity | 24" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 72" x (H) 24" |
| Burning Area    | (D) 43"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 152lbs            |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-UNYHCP7224ML   |
| Spark Glow             | OPT-UNYHCP7224SG   |
| Flame Sense            | OPT-UNYHCP7224FSML |
| Fire Glow              | OPT-UNYHCP7224FG   |
| Plug & Play            | OPT-UNYHCP7224EKIT |
| Low Voltage Electronic | OPT-UNYHCP7224E12V |

## UPGRADES

### ACCESSORIES

#### 48" UNITY

#### 60" UNITY

#### 72" UNITY

|                    |                 |                 |                 |
|--------------------|-----------------|-----------------|-----------------|
| Bullet Burner      | OPT-BRDSS12     | OPT-BRDSS18     | OPT-BRDSS24     |
| Canvas Cover   18H | OPT-CVR-48R-18H | OPT-CVR-60R-18H | OPT-CVR-72R-18H |
| Canvas Cover   24H | OPT-CVR-48R-24H | OPT-CVR-60R-24H | OPT-CVR-72R-24H |
| Stainless Lid      | OPT-27RC        | OPT-39RC        | OPT-45RC        |

# FLORENCE

## FIRE PIT

### WHERE TIMELESS BEAUTY MEETS MODERN CRAFTSMANSHIP

Introducing the Florence Fire Pit—an American-made masterpiece crafted from the finest GFRC Concrete. Transcend the ordinary with this captivating centerpiece. Perfect for anyone seeking elegance, the Florence Fire Pit elevates every gathering into an epic, unforgettable experience.

#### FINISHES

GFRC Concrete

#### SIZES

32" | 46" | 54" | 72"



Scan the QR Code to  
learn more about our  
**Florence Fire Pit**

**FLORENCE FIRE PIT**  
72" | 20" TALL | GFRG RUSTIC COFFEE



# FLORENCE FIRE PIT

IN GFRG CONCRETE



## FINISHES

**Ash**  
-ASH

**Black**  
-BLK

**Brown**  
-BRN

**Chestnut**  
-CST

**Chocolate**  
-CHC

**Gray**  
-GRY

**Natural Gray**  
-NGY

**Limestone**  
-BLK

**Vanilla**  
-VAN

**Rustic Moss Stone**  
-RMS

**Rustic Coffee**  
-RCF

**Rustic White**  
-RWH

**Rustic Gray**  
-RGR

**Metallic Slate**  
-MSL

**Metallic Bronze**  
-MBR

**Metallic Copper**  
-MBR

**Metallic Pearl**  
-MPR

**Metallic Silver**  
-MSV



Scan the QR Code to  
Learn More About Our  
**Color Swatch Guide**

## SIZES

**46" Florence | 20" Tall****Dimensions** (D) 46" x (H) 20"**Burning Area** (D) 21"**BTU** 105,000**Fire Glass Sugg** 37lbs**Match Lit** OPT-FLOGFRC4620ML**Spark Glow** OPT-FLOGFRC4620SG**Flame Sense** OPT-FLOGFRC4620FSML**Fire Glow** OPT-FLOGFRC4620FG**Plug & Play** OPT-FLOGFRC4620EKIT**Low Voltage Electronic** OPT-FLOGFRC4620E12V**54" Florence | 20" Tall****Dimensions** (D) 54" x (H) 20"**Burning Area** (D) 30"**BTU** 105,000**Fire Glass Sugg** 74lbs**Match Lit** OPT-FLOGFRC5420ML**Spark Glow** OPT-FLOGFRC5420SG**Flame Sense** OPT-FLOGFRC5420FSML**Fire Glow** OPT-FLOGFRC5420FG**Plug & Play** OPT-FLOGFRC5420EKIT**Low Voltage Electronic** OPT-FLOGFRC5420E12V**72" Florence | 20" Tall****Dimensions** (D) 72" x (H) 20"**Burning Area** (D) 48"**BTU** 165,000**Fire Glass Sugg** 189lbs**Match Lit** OPT-FLOGFRC7220ML**Spark Glow** OPT-FLOGFRC7220SG**Flame Sense** OPT-FLOGFRC7220FSML**Fire Glow** OPT-FLOGFRC7220FG**Plug & Play** OPT-FLOGFRC7220EKIT**Low Voltage Electronic** OPT-FLOGFRC7220E12V

## UPGRADES

**ACCESSORIES** **46" FLORENCE | 20" TALL** **54" FLORENCE | 20" TALL** **72" FLORENCE | 20" TALL****Bullet Burner** OPT-BRDSS12

OPT-BRDSS12

OPT-BRDSS24

**Canvas Cover** OPT-CVR-46R-20H

OPT-CVR-54R-20H

OPT-CVR-72R-20H

**Stainless Lid** OPT-23RC

OPT-32RC

OPT-50RC

# FLORENCE FIRE PIT

## IN GFRC CONCRETE



### 12" TALL

#### 12" Tall Florence

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 42" x (H) 12" |
| Burning Area    | (D) 25"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 52lbs             |

|                        |                     |
|------------------------|---------------------|
| Match Lit              | OPT-FLOGFRC4212ML   |
| Spark Glow             | OPT-FLOGFRC4212SG   |
| Flame Sense            | OPT-FLOGFRC4212FSML |
| Fire Glow              | OPT-FLOGFRC4212FG   |
| Plug & Play            | OPT-FLOGFRC4212EKIT |
| Low Voltage Electronic | OPT-FLOGFRC4212E12V |



### 18" TALL

#### 18" Tall Florence

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 32" x (H) 18" |
| Burning Area    | (D) 24"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 48lbs             |

|                        |                     |
|------------------------|---------------------|
| Match Lit              | OPT-FLOGFRC3218ML   |
| Spark Glow             | OPT-FLOGFRC3218SG   |
| Flame Sense            | OPT-FLOGFRC3218FSML |
| Fire Glow              | OPT-FLOGFRC3218FG   |
| Plug & Play            | OPT-FLOGFRC3218EKIT |
| Low Voltage Electronic | OPT-FLOGFRC3218E12V |

# FLORENCE FIRE PIT

## IN GFRC CONCRETE

### 24" TALL

#### 24" Tall Florence

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 42" x (H) 24" |
| Burning Area    | (D) 24"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 48lbs             |

|                        |                     |
|------------------------|---------------------|
| Match Lit              | OPT-FLOGFRC4224ML   |
| Spark Glow             | OPT-FLOGFRC4224SG   |
| Flame Sense            | OPT-FLOGFRC4224FSML |
| Fire Glow              | OPT-FLOGFRC4224FG   |
| Plug & Play            | OPT-FLOGFRC4224EKIT |
| Low Voltage Electronic | OPT-FLOGFRC4224E12V |



### UPGRADES

| ACCESSORIES   | 32" FLORENCE   18" TALL | 42" FLORENCE   12" TALL | 42" FLORENCE   24" TALL |
|---------------|-------------------------|-------------------------|-------------------------|
| Bullet Burner | OPT-BRDSS12             | OPT-BRDSS12             | OPT-BRDSS12             |
| Canvas Cover  | OPT-CVR-32R-18H         | OPT-CVR-42R-12H         | OPT-CVR-42R-24H         |
| Stainless Lid | OPT-26RC                | OPT-27RC                | OPT-26RC                |

# CORONADO

## FIRE PIT

### A MASTERPIECE FROM EVERY ANGLE

Experience the Coronado Fire Pit—an American-made spectacle of design and craftsmanship that owns the room and commands the space. With its modern simplicity and stunning appearance, this fire pit transforms any outdoor area into a luxurious haven, captivating the eye from every angle.

### FINISHES

GFRC Concrete Wood Grain | Powder Coat | Stainless Steel  
Corten Steel | Hammered Copper

### SIZES

48" | 60" | 72" | 84" | 96" | 108" | 120"



Scan the QR Code to  
learn more about our  
**Coronado Fire Pit**



**CORONADO FIRE PIT**  
46" | POWDER COAT GRAY



# CORONADO FIRE PIT

IN GFRC WOOD GRAIN



## FINISHES

Oak  
-OAK

Ivory  
-IVY

Ebony  
-EBN



Scan the QR Code to  
Learn More About Our  
**Color Swatch Guide**

## SIZES

### 48" Coronado

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 15" x (W) 28" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-CORWG48ML   |
| Spark Glow             | OPT-CORWG48SG   |
| Flame Sense            | OPT-CORWG48FSML |
| Fire Glow              | OPT-CORWG48FG   |
| Plug & Play            | OPT-CORWG48EKIT |
| Low Voltage Electronic | OPT-CORWG48E12V |

## SIZES

## 60" Coronado

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 15" x (W) 28" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-CORWG60ML   |
| Spark Glow             | OPT-CORWG60SG   |
| Flame Sense            | OPT-CORWG60FSML |
| Fire Glow              | OPT-CORWG60FG   |
| Plug & Play            | OPT-CORWG60EKIT |
| Low Voltage Electronic | OPT-CORWG60E12V |

## 72" Coronado

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 15" x (W) 28" |
| Burning Area    | (L) 54" x (W) 10"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 57lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-CORWG72ML   |
| Spark Glow             | OPT-CORWG72SG   |
| Flame Sense            | OPT-CORWG72FSML |
| Fire Glow              | OPT-CORWG72FG   |
| Plug & Play            | OPT-CORWG72EKIT |
| Low Voltage Electronic | OPT-CORWG72E12V |

## 84" Coronado

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 15" x (W) 28" |
| Burning Area    | (L) 66" x (W) 10"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 69lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-CORWG84ML   |
| Spark Glow             | OPT-CORWG84SG   |
| Flame Sense            | OPT-CORWG84FSML |
| Fire Glow              | OPT-CORWG84FG   |
| Plug & Play            | OPT-CORWG84EKIT |
| Low Voltage Electronic | OPT-CORWG84E12V |

## 96" Coronado

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 96" x (H) 15" x (W) 28" |
| Burning Area    | (L) 78" x (W) 10"           |
| BTU             | 215,000                     |
| Fire Glass Sugg | 82lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-CORWG96ML   |
| Spark Glow             | OPT-CORWG96SG   |
| Flame Sense            | OPT-CORWG96FSML |
| Fire Glow              | OPT-CORWG96FG   |
| Plug & Play            | OPT-CORWG96EKIT |
| Low Voltage Electronic | OPT-CORWG96E12V |

## 108" Coronado

|                 |                              |
|-----------------|------------------------------|
| Dimensions      | (L) 108" x (H) 15" x (W) 28" |
| Burning Area    | (L) 90" x (W) 10"            |
| BTU             | 240,000                      |
| Fire Glass Sugg | 94lbs                        |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-CORWG108ML   |
| Spark Glow             | OPT-CORWG108SG   |
| Flame Sense            | OPT-CORWG108FSML |
| Fire Glow              | OPT-CORWG108FG   |
| Plug & Play            | OPT-CORWG108EKIT |
| Low Voltage Electronic | OPT-CORWG108E12V |

## 120" Coronado

|                 |                              |
|-----------------|------------------------------|
| Dimensions      | (L) 120" x (H) 15" x (W) 28" |
| Burning Area    | (L) 102" x (W) 10"           |
| BTU             | 265,000                      |
| Fire Glass Sugg | 107lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-CORWG120ML   |
| Spark Glow             | OPT-CORWG120SG   |
| Flame Sense            | OPT-CORWG120FSML |
| Fire Glow              | OPT-CORWG120FG   |
| Plug & Play            | OPT-CORWG120EKIT |
| Low Voltage Electronic | OPT-CORWG120E12V |

## UPGRADES

## ACCESSORIES 48" CORONADO 60" CORONADO 72" CORONADO 84" CORONADO 96" CORONADO 108" CORONADO 120" CORONADO

|                  |                  |                  |                  |                  |                  |                   |                   |
|------------------|------------------|------------------|------------------|------------------|------------------|-------------------|-------------------|
| Bullet Burner    | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       | OPT-B60SST       | OPT-B72SST       | OPT-B84SST        | OPT-B96SST        |
| Canvas Cover     | OPT-CVR-4828-15H | OPT-CVR-6028-15H | OPT-CVR-7228-15H | OPT-CVR-8428-15H | OPT-CVR-9628-15H | OPT-CVR-10828-15H | OPT-CVR-12028-15H |
| Stainless Lid    | OPT-RC1232       | OPT-RC1244       | OPT-RC1256       | OPT-RC1268       | OPT-RC1280       | OPT-RC1292        | OPT-RC12104       |
| Glass Wind Guard | OPT-WG-3414      | OPT-WG-4614      | OPT-WG-5814      | OPT-WG-7014      | OPT-WG-8214      | OPT-WG-9414       | OPT-WG-10614      |

# CORONADO FIRE PIT

IN POWDER COAT



## FINISHES

|                            |                             |                     |                              |                              |                                   |                            |                              |                       |                            |                              |                            |
|----------------------------|-----------------------------|---------------------|------------------------------|------------------------------|-----------------------------------|----------------------------|------------------------------|-----------------------|----------------------------|------------------------------|----------------------------|
| <b>White</b><br>-WHT       | <b>Soft White</b><br>-STW   | <b>Mist</b><br>-MST | <b>Crema</b><br>-CEM         | <b>White Vein</b><br>-WHTV   | <b>Athens</b><br>-ATH             | <b>Pewter</b><br>-PEW      | <b>Graphite Grey</b><br>-GGY | <b>Vienna</b><br>-VNA | <b>Gray</b><br>-GRY        | <b>Rock Grey</b><br>-RKY     | <b>Grey Vein</b><br>-GVN   |
| <b>Matte Black</b><br>-ONX | <b>Glossy Black</b><br>-BLK | <b>Java</b><br>-JAV | <b>Empire Bronze</b><br>-EBZ | <b>Trophy Bronze</b><br>-TBZ | <b>Bronze Hammertone</b><br>-BZHT | <b>Copper Vein</b><br>-CPV | <b>Gold Vein</b><br>-GDV     | <b>Roman</b><br>-RMN  | <b>Olive Green</b><br>-OGR | <b>Sapphire Blue</b><br>-SBL | <b>Silver Vein</b><br>-SLV |



Scan the QR Code to  
Learn More About Our  
**Color Swatch Guide**

## SIZES

## 48" Coronado

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 48" x (H) 15" x (W) 28" |
| <b>Burning Area</b>    | (L) 30" x (W) 10"           |
| <b>BTU</b>             | 115,000                     |
| <b>Fire Glass Sugg</b> | 32lbs                       |

|                               |                 |
|-------------------------------|-----------------|
| <b>Match Lit</b>              | OPT-CORPC48ML   |
| <b>Spark Glow</b>             | OPT-CORPC48SG   |
| <b>Flame Sense</b>            | OPT-CORPC48FSML |
| <b>Fire Glow</b>              | OPT-CORPC48FG   |
| <b>Plug &amp; Play</b>        | OPT-CORPC48EKIT |
| <b>Low Voltage Electronic</b> | OPT-CORPC48E12V |

## 60" Coronado

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 60" x (H) 15" x (W) 28" |
| <b>Burning Area</b>    | (L) 42" x (W) 10"           |
| <b>BTU</b>             | 140,000                     |
| <b>Fire Glass Sugg</b> | 44lbs                       |

|                               |                 |
|-------------------------------|-----------------|
| <b>Match Lit</b>              | OPT-CORPC60ML   |
| <b>Spark Glow</b>             | OPT-CORPC60SG   |
| <b>Flame Sense</b>            | OPT-CORPC60FSML |
| <b>Fire Glow</b>              | OPT-CORPC60FG   |
| <b>Plug &amp; Play</b>        | OPT-CORPC60EKIT |
| <b>Low Voltage Electronic</b> | OPT-CORPC60E12V |

## 72" Coronado

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 72" x (H) 15" x (W) 28" |
| <b>Burning Area</b>    | (L) 54" x (W) 10"           |
| <b>BTU</b>             | 165,000                     |
| <b>Fire Glass Sugg</b> | 57lbs                       |

|                               |                 |
|-------------------------------|-----------------|
| <b>Match Lit</b>              | OPT-CORPC72ML   |
| <b>Spark Glow</b>             | OPT-CORPC72SG   |
| <b>Flame Sense</b>            | OPT-CORPC72FSML |
| <b>Fire Glow</b>              | OPT-CORPC72FG   |
| <b>Plug &amp; Play</b>        | OPT-CORPC72EKIT |
| <b>Low Voltage Electronic</b> | OPT-CORPC72E12V |

## 84" Coronado

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 84" x (H) 15" x (W) 28" |
| <b>Burning Area</b>    | (L) 66" x (W) 10"           |
| <b>BTU</b>             | 175,000                     |
| <b>Fire Glass Sugg</b> | 69lbs                       |

|                               |                 |
|-------------------------------|-----------------|
| <b>Match Lit</b>              | OPT-CORPC84ML   |
| <b>Spark Glow</b>             | OPT-CORPC84SG   |
| <b>Flame Sense</b>            | OPT-CORPC84FSML |
| <b>Fire Glow</b>              | OPT-CORPC84FG   |
| <b>Plug &amp; Play</b>        | OPT-CORPC84EKIT |
| <b>Low Voltage Electronic</b> | OPT-CORPC84E12V |

## 96" Coronado

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 96" x (H) 15" x (W) 28" |
| <b>Burning Area</b>    | (L) 78" x (W) 10"           |
| <b>BTU</b>             | 215,000                     |
| <b>Fire Glass Sugg</b> | 82lbs                       |

|                               |                 |
|-------------------------------|-----------------|
| <b>Match Lit</b>              | OPT-CORPC96ML   |
| <b>Spark Glow</b>             | OPT-CORPC96SG   |
| <b>Flame Sense</b>            | OPT-CORPC96FSML |
| <b>Fire Glow</b>              | OPT-CORPC96FG   |
| <b>Plug &amp; Play</b>        | OPT-CORPC96EKIT |
| <b>Low Voltage Electronic</b> | OPT-CORPC96E12V |

## 108" Coronado

|                        |                              |
|------------------------|------------------------------|
| <b>Dimensions</b>      | (L) 108" x (H) 15" x (W) 28" |
| <b>Burning Area</b>    | (L) 90" x (W) 10"            |
| <b>BTU</b>             | 240,000                      |
| <b>Fire Glass Sugg</b> | 94lbs                        |

|                               |                  |
|-------------------------------|------------------|
| <b>Match Lit</b>              | OPT-CORPC108ML   |
| <b>Spark Glow</b>             | OPT-CORPC108SG   |
| <b>Flame Sense</b>            | OPT-CORPC108FSML |
| <b>Fire Glow</b>              | OPT-CORPC108FG   |
| <b>Plug &amp; Play</b>        | OPT-CORPC108EKIT |
| <b>Low Voltage Electronic</b> | OPT-CORPC108E12V |

## UPGRADES

## ACCESSORIES 48" CORONADO 60" CORONADO 72" CORONADO 84" CORONADO 96" CORONADO 108" CORONADO

|                         |                  |                  |                  |                  |                  |                   |
|-------------------------|------------------|------------------|------------------|------------------|------------------|-------------------|
| <b>Bullet Burner</b>    | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       | OPT-B60SST       | OPT-B72SST       | OPT-B84SST        |
| <b>Canvas Cover</b>     | OPT-CVR-4828-15H | OPT-CVR-6028-15H | OPT-CVR-7228-15H | OPT-CVR-8428-15H | OPT-CVR-9628-15H | OPT-CVR-10828-15H |
| <b>Stainless Lid</b>    | OPT-RC1232       | OPT-RC1244       | OPT-RC1256       | OPT-RC1268       | OPT-RC1280       | OPT-RC1292        |
| <b>Glass Wind Guard</b> | OPT-WG-3414      | OPT-WG-4614      | OPT-WG-5814      | OPT-WG-7014      | OPT-WG-8214      | OPT-WG-9414       |

# CORONADO FIRE PIT

IN STAINLESS STEEL



## SIZES

## 48" Coronado

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 15" x (W) 28" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-CORSS48ML   |
| Spark Glow             | OPT-CORSS48SG   |
| Flame Sense            | OPT-CORSS48FSML |
| Fire Glow              | OPT-CORSS48FG   |
| Plug & Play            | OPT-CORSS48EKIT |
| Low Voltage Electronic | OPT-CORSS48E12V |

## 60" Coronado

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 15" x (W) 28" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-CORSS60ML   |
| Spark Glow             | OPT-CORSS60SG   |
| Flame Sense            | OPT-CORSS60FSML |
| Fire Glow              | OPT-CORSS60FG   |
| Plug & Play            | OPT-CORSS60EKIT |
| Low Voltage Electronic | OPT-CORSS60E12V |

## 72" Coronado

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 15" x (W) 28" |
| Burning Area    | (L) 54" x (W) 10"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 57lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-CORSS72ML   |
| Spark Glow             | OPT-CORSS72SG   |
| Flame Sense            | OPT-CORSS72FSML |
| Fire Glow              | OPT-CORSS72FG   |
| Plug & Play            | OPT-CORSS72EKIT |
| Low Voltage Electronic | OPT-CORSS72E12V |

## 84" Coronado

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 15" x (W) 28" |
| Burning Area    | (L) 66" x (W) 10"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 69lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-CORSS84ML   |
| Spark Glow             | OPT-CORSS84SG   |
| Flame Sense            | OPT-CORSS84FSML |
| Fire Glow              | OPT-CORSS84FG   |
| Plug & Play            | OPT-CORSS84EKIT |
| Low Voltage Electronic | OPT-CORSS84E12V |

## 96" Coronado

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 96" x (H) 15" x (W) 28" |
| Burning Area    | (L) 78" x (W) 10"           |
| BTU             | 215,000                     |
| Fire Glass Sugg | 82lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-CORSS96ML   |
| Spark Glow             | OPT-CORSS96SG   |
| Flame Sense            | OPT-CORSS96FSML |
| Fire Glow              | OPT-CORSS96FG   |
| Plug & Play            | OPT-CORSS96EKIT |
| Low Voltage Electronic | OPT-CORSS96E12V |

## 108" Coronado

|                 |                              |
|-----------------|------------------------------|
| Dimensions      | (L) 108" x (H) 15" x (W) 28" |
| Burning Area    | (L) 90" x (W) 10"            |
| BTU             | 240,000                      |
| Fire Glass Sugg | 94lbs                        |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-CORSS108ML   |
| Spark Glow             | OPT-CORSS108SG   |
| Flame Sense            | OPT-CORSS108FSML |
| Fire Glow              | OPT-CORSS108FG   |
| Plug & Play            | OPT-CORSS108EKIT |
| Low Voltage Electronic | OPT-CORSS108E12V |

## UPGRADES

## ACCESSORIES 48" CORONADO 60" CORONADO 72" CORONADO 84" CORONADO 96" CORONADO 108" CORONADO

|                  |                  |                  |                  |                  |                  |                   |
|------------------|------------------|------------------|------------------|------------------|------------------|-------------------|
| Bullet Burner    | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       | OPT-B60SST       | OPT-B72SST       | OPT-B84SST        |
| Canvas Cover     | OPT-CVR-4828-15H | OPT-CVR-6028-15H | OPT-CVR-7228-15H | OPT-CVR-8428-15H | OPT-CVR-9628-15H | OPT-CVR-10828-15H |
| Stainless Lid    | OPT-RC1232       | OPT-RC1244       | OPT-RC1256       | OPT-RC1268       | OPT-RC1280       | OPT-RC1292        |
| Glass Wind Guard | OPT-WG-3414      | OPT-WG-4614      | OPT-WG-5814      | OPT-WG-7014      | OPT-WG-8214      | OPT-WG-9414       |

# CORONADO FIRE PIT

IN CORTEN STEEL



## SIZES

## 48" Coronado

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 15" x (W) 28" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-CORCS48ML   |
| Spark Glow             | OPT-CORCS48SG   |
| Flame Sense            | OPT-CORCS48FSML |
| Fire Glow              | OPT-CORCS48FG   |
| Plug & Play            | OPT-CORCS48EKIT |
| Low Voltage Electronic | OPT-CORCS48E12V |

## 60" Coronado

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 15" x (W) 28" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-CORCS60ML   |
| Spark Glow             | OPT-CORCS60SG   |
| Flame Sense            | OPT-CORCS60FSML |
| Fire Glow              | OPT-CORCS60FG   |
| Plug & Play            | OPT-CORCS60EKIT |
| Low Voltage Electronic | OPT-CORCS60E12V |

## 72" Coronado

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 15" x (W) 28" |
| Burning Area    | (L) 54" x (W) 10"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 57lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-CORCS72ML   |
| Spark Glow             | OPT-CORCS72SG   |
| Flame Sense            | OPT-CORCS72FSML |
| Fire Glow              | OPT-CORCS72FG   |
| Plug & Play            | OPT-CORCS72EKIT |
| Low Voltage Electronic | OPT-CORCS72E12V |

## 84" Coronado

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 15" x (W) 28" |
| Burning Area    | (L) 66" x (W) 10"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 69lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-CORCS84ML   |
| Spark Glow             | OPT-CORCS84SG   |
| Flame Sense            | OPT-CORCS84FSML |
| Fire Glow              | OPT-CORCS84FG   |
| Plug & Play            | OPT-CORCS84EKIT |
| Low Voltage Electronic | OPT-CORCS84E12V |

## 96" Coronado

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 96" x (H) 15" x (W) 28" |
| Burning Area    | (L) 78" x (W) 10"           |
| BTU             | 215,000                     |
| Fire Glass Sugg | 82lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-CORCS96ML   |
| Spark Glow             | OPT-CORCS96SG   |
| Flame Sense            | OPT-CORCS96FSML |
| Fire Glow              | OPT-CORCS96FG   |
| Plug & Play            | OPT-CORCS96EKIT |
| Low Voltage Electronic | OPT-CORCS96E12V |

## 108" Coronado

|                 |                              |
|-----------------|------------------------------|
| Dimensions      | (L) 108" x (H) 15" x (W) 28" |
| Burning Area    | (L) 90" x (W) 10"            |
| BTU             | 240,000                      |
| Fire Glass Sugg | 94lbs                        |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-CORCS108ML   |
| Spark Glow             | OPT-CORCS108SG   |
| Flame Sense            | OPT-CORCS108FSML |
| Fire Glow              | OPT-CORCS108FG   |
| Plug & Play            | OPT-CORCS108EKIT |
| Low Voltage Electronic | OPT-CORCS108E12V |

## UPGRADES

## ACCESSORIES 48" CORONADO 60" CORONADO 72" CORONADO 84" CORONADO 96" CORONADO 108" CORONADO

|                  |                  |                  |                  |                  |                  |                   |
|------------------|------------------|------------------|------------------|------------------|------------------|-------------------|
| Bullet Burner    | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       | OPT-B60SST       | OPT-B72SST       | OPT-B96SST        |
| Canvas Cover     | OPT-CVR-4828-15H | OPT-CVR-6028-15H | OPT-CVR-7228-15H | OPT-CVR-8428-15H | OPT-CVR-9628-15H | OPT-CVR-10828-15H |
| Stainless Lid    | OPT-RC1232       | OPT-RC1244       | OPT-RC1256       | OPT-RC1268       | OPT-RC1280       | OPT-RC1292        |
| Glass Wind Guard | OPT-WG-3414      | OPT-WG-4614      | OPT-WG-5814      | OPT-WG-7014      | OPT-WG-8214      | OPT-WG-9414       |

# CORONADO FIRE PIT

IN HAMMERED COPPER



## SIZES

## 48" Coronado

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 15" x (W) 28" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-CORHCP48ML   |
| Spark Glow             | OPT-CORHCP48SG   |
| Flame Sense            | OPT-CORHCP48FSML |
| Fire Glow              | OPT-CORHCP48FG   |
| Plug & Play            | OPT-CORHCP48EKIT |
| Low Voltage Electronic | OPT-CORHCP48E12V |

## 60" Coronado

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 15" x (W) 28" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-CORHCP60ML   |
| Spark Glow             | OPT-CORHCP60SG   |
| Flame Sense            | OPT-CORHCP60FSML |
| Fire Glow              | OPT-CORHCP60FG   |
| Plug & Play            | OPT-CORHCP60EKIT |
| Low Voltage Electronic | OPT-CORHCP60E12V |

## 72" Coronado

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 15" x (W) 28" |
| Burning Area    | (L) 54" x (W) 10"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 57lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-CORHCP72ML   |
| Spark Glow             | OPT-CORHCP72SG   |
| Flame Sense            | OPT-CORHCP72FSML |
| Fire Glow              | OPT-CORHCP72FG   |
| Plug & Play            | OPT-CORHCP72EKIT |
| Low Voltage Electronic | OPT-CORHCP72E12V |

## 84" Coronado

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 15" x (W) 28" |
| Burning Area    | (L) 66" x (W) 10"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 69lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-CORHCP84ML   |
| Spark Glow             | OPT-CORHCP84SG   |
| Flame Sense            | OPT-CORHCP84FSML |
| Fire Glow              | OPT-CORHCP84FG   |
| Plug & Play            | OPT-CORHCP84EKIT |
| Low Voltage Electronic | OPT-CORHCP84E12V |

## 96" Coronado

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 96" x (H) 15" x (W) 28" |
| Burning Area    | (L) 78" x (W) 10"           |
| BTU             | 215,000                     |
| Fire Glass Sugg | 82lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-CORHCP96ML   |
| Spark Glow             | OPT-CORHCP96SG   |
| Flame Sense            | OPT-CORHCP96FSML |
| Fire Glow              | OPT-CORHCP96FG   |
| Plug & Play            | OPT-CORHCP96EKIT |
| Low Voltage Electronic | OPT-CORHCP96E12V |

## 108" Coronado

|                 |                              |
|-----------------|------------------------------|
| Dimensions      | (L) 108" x (H) 15" x (W) 28" |
| Burning Area    | (L) 90" x (W) 10"            |
| BTU             | 240,000                      |
| Fire Glass Sugg | 94lbs                        |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-CORHCP108ML   |
| Spark Glow             | OPT-CORHCP108SG   |
| Flame Sense            | OPT-CORHCP108FSML |
| Fire Glow              | OPT-CORHCP108FG   |
| Plug & Play            | OPT-CORHCP108EKIT |
| Low Voltage Electronic | OPT-CORHCP108E12V |

## UPGRADES

## ACCESSORIES 48" CORONADO 60" CORONADO 72" CORONADO 84" CORONADO 96" CORONADO 108" CORONADO

|                  |                  |                  |                  |                  |                  |                   |
|------------------|------------------|------------------|------------------|------------------|------------------|-------------------|
| Bullet Burner    | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       | OPT-B60SST       | OPT-B72SST       | OPT-B96SST        |
| Canvas Cover     | OPT-CVR-4828-15H | OPT-CVR-6028-15H | OPT-CVR-7228-15H | OPT-CVR-8428-15H | OPT-CVR-9628-15H | OPT-CVR-10828-15H |
| Stainless Lid    | OPT-RC1232       | OPT-RC1244       | OPT-RC1256       | OPT-RC1268       | OPT-RC1280       | OPT-RC1292        |
| Glass Wind Guard | OPT-WG-3414      | OPT-WG-4614      | OPT-WG-5814      | OPT-WG-7014      | OPT-WG-8214      | OPT-WG-9414       |

# CABO FIRE PITS

## FULL COLLECTION

### CAPTURING THE SPOTLIGHT, ONE FLAME AT A TIME

The Cabo Fire Pit Collection—an American-Made marvel in modern outdoor luxury. With both square and linear designs, featured on “The Agency,” a Netflix Series, this low-profile centerpiece is the choice of high-end real estate connoisseurs. Experience sophisticated outdoor living with the Cabo Fire Pit, where form meets function in stunning fashion.

### FINISHES

GFRC Concrete | Powder Coat | Stainless Steel  
Corten Steel | Hammered Copper

### SIZES

SQUARE 36" | 48" | 60"

LINEAR 54" | 66" | 90"



Scan the QR Code to  
learn more about our  
**Cabo Fire Pit Collection**

**CABO FIRE PIT**  
SQUARE | 60" | CORTEN STEEL



# CABO SQUARE FIRE PIT

IN GFRG CONCRETE



## FINISHES

**Ash**  
-ASH

**Black**  
-BLK

**Brown**  
-BRN

**Chestnut**  
-CST

**Chocolate**  
-CHC

**Gray**  
-GRY

**Natural Gray**  
-NGY

**Limestone**  
-BLK

**Vanilla**  
-VAN

**Rustic Moss Stone**  
-RMS

**Rustic Coffee**  
-RCF

**Rustic White**  
-RWH

**Rustic Gray**  
-RGR

**Metallic Slate**  
-MSL

**Metallic Bronze**  
-MBR

**Metallic Copper**  
-MBR

**Metallic Pearl**  
-MPR

**Metallic Silver**  
-MSV



Scan the QR Code to  
Learn More About Our  
**Color Swatch Guide**

SIZES

36" Cabo | Square

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 36" x (H) 16" x (W) 36" |
| Burning Area    | (L) 20" x (W) 20"           |
| BTU             | 105,000                     |
| Fire Glass Sugg | 42lbs                       |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-CBSQGFRC36ML   |
| Spark Glow             | OPT-CBSQGFRC36SG   |
| Flame Sense            | OPT-CBSQGFRC36FSML |
| Fire Glow              | OPT-CBSQGFRC36FG   |
| Plug & Play            | OPT-CBSQGFRC36EKIT |
| Low Voltage Electronic | OPT-CBSQGFRC36E12V |

48" Cabo | Square

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 16" x (W) 48" |
| Burning Area    | (L) 28" x (W) 28"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 82lbs                       |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-CBSQGFRC48ML   |
| Spark Glow             | OPT-CBSQGFRC48SG   |
| Flame Sense            | OPT-CBSQGFRC48FSML |
| Fire Glow              | OPT-CBSQGFRC48FG   |
| Plug & Play            | OPT-CBSQGFRC48EKIT |
| Low Voltage Electronic | OPT-CBSQGFRC48E12V |

UPGRADES

| ACCESSORIES      | 36" CABO   SQUARE | 48" CABO   SQUARE |
|------------------|-------------------|-------------------|
| Bullet Burner    | OPT-B12SST        | OPT-B18SST        |
| Canvas Cover     | OPT-CVR-3636-16H  | OPT-CVR-4848-16H  |
| Stainless Lid    | OPT-22SC          | OPT-30SC          |
| Glass Wind Guard | OPT-WG-2424       | OPT-WG-3232       |

# CABO SQUARE FIRE PIT

## IN POWDER COAT



### FINISHES

|                            |                             |                     |                              |                              |                                   |                            |                              |                       |                            |                              |                            |
|----------------------------|-----------------------------|---------------------|------------------------------|------------------------------|-----------------------------------|----------------------------|------------------------------|-----------------------|----------------------------|------------------------------|----------------------------|
| <b>White</b><br>-WHT       | <b>Soft White</b><br>-STW   | <b>Mist</b><br>-MST | <b>Crema</b><br>-CEM         | <b>White Vein</b><br>-WHTV   | <b>Athens</b><br>-ATH             | <b>Pewter</b><br>-PEW      | <b>Graphite Grey</b><br>-GGY | <b>Vienna</b><br>-VNA | <b>Gray</b><br>-GRY        | <b>Rock Grey</b><br>-RKY     | <b>Grey Vein</b><br>-GVN   |
| <b>Matte Black</b><br>-ONX | <b>Glossy Black</b><br>-BLK | <b>Java</b><br>-JAV | <b>Empire Bronze</b><br>-EBZ | <b>Trophy Bronze</b><br>-TBZ | <b>Bronze Hammertone</b><br>-BZHT | <b>Copper Vein</b><br>-CPV | <b>Gold Vein</b><br>-GDV     | <b>Roman</b><br>-RMN  | <b>Olive Green</b><br>-OGR | <b>Sapphire Blue</b><br>-SBL | <b>Silver Vein</b><br>-SLV |



Scan the QR Code to  
Learn More About Our  
**Color Swatch Guide**

## SIZES

## 36" Cabo Square

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 36" x (H) 16" x (W) 36" |
| Burning Area    | (L) 20" x (W) 20"           |
| BTU             | 105,000                     |
| Fire Glass Sugg | 42lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-CBSQPC36ML   |
| Spark Glow             | OPT-CBSQPC36SG   |
| Flame Sense            | OPT-CBSQPC36FSML |
| Fire Glow              | OPT-CBSQPC36FG   |
| Plug & Play            | OPT-CBSQPC36EKIT |
| Low Voltage Electronic | OPT-CBSQPC36E12V |

## 48" Cabo Square

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 16" x (W) 48" |
| Burning Area    | (L) 28" x (W) 28"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 82lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-CBSQPC48ML   |
| Spark Glow             | OPT-CBSQPC48SG   |
| Flame Sense            | OPT-CBSQPC48FSML |
| Fire Glow              | OPT-CBSQPC48FG   |
| Plug & Play            | OPT-CBSQPC48EKIT |
| Low Voltage Electronic | OPT-CBSQPC48E12V |

## 60" Cabo Square

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 16" x (W) 60" |
| Burning Area    | (L) 40" x (W) 40"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 168lbs                      |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-CBSQPC60ML   |
| Spark Glow             | OPT-CBSQPC60SG   |
| Flame Sense            | OPT-CBSQPC60FSML |
| Fire Glow              | OPT-CBSQPC60FG   |
| Plug & Play            | OPT-CBSQPC60EKIT |
| Low Voltage Electronic | OPT-CBSQPC60E12V |

## UPGRADES

| ACCESSORIES      | 36" CABO SQUARE  | 48" CABO SQUARE  | 60" CABO SQUARE  |
|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-B12SST       | OPT-B18SST       | OPT-BRDSS24      |
| Canvas Cover     | OPT-CVR-3636-16H | OPT-CVR-4848-16H | OPT-CVR-6060-16H |
| Stainless Lid    | OPT-22SC         | OPT-30SC         | OPT-42SC         |
| Glass Wind Guard | OPT-WG-2424      | OPT-WG-3232      | OPT-WG-4444      |

## CABO SQUARE FIRE PIT IN STAINLESS STEEL



### SIZES

#### 36" Cabo | Square

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 36" x (H) 16" x (W) 36" |
| Burning Area    | (L) 20" x (W) 20"           |
| BTU             | 105,000                     |
| Fire Glass Sugg | 42lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-CBSQSS36ML   |
| Spark Glow             | OPT-CBSQSS36SG   |
| Flame Sense            | OPT-CBSQSS36FSML |
| Fire Glow              | OPT-CBSQSS36FG   |
| Plug & Play            | OPT-CBSQSS36EKIT |
| Low Voltage Electronic | OPT-CBSQSS36E12V |

#### 48" Cabo | Square

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 16" x (W) 48" |
| Burning Area    | (L) 28" x (W) 28"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 82lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-CBSQSS48ML   |
| Spark Glow             | OPT-CBSQSS48SG   |
| Flame Sense            | OPT-CBSQSS48FSML |
| Fire Glow              | OPT-CBSQSS48FG   |
| Plug & Play            | OPT-CBSQSS48EKIT |
| Low Voltage Electronic | OPT-CBSQSS48E12V |

#### 60" Cabo | Square

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 16" x (W) 60" |
| Burning Area    | (L) 40" x (W) 40"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 168lbs                      |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-CBSQSS60ML   |
| Spark Glow             | OPT-CBSQSS60SG   |
| Flame Sense            | OPT-CBSQSS60FSML |
| Fire Glow              | OPT-CBSQSS60FG   |
| Plug & Play            | OPT-CBSQSS60EKIT |
| Low Voltage Electronic | OPT-CBSQSS60E12V |

## CABO SQUARE FIRE PIT IN CORTEN STEEL



### SIZES

#### 36" Cabo | Square

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 36" x (H) 16" x (W) 36" |
| Burning Area    | (L) 20" x (W) 20"           |
| BTU             | 105,000                     |
| Fire Glass Sugg | 42lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-CBSQCS36ML   |
| Spark Glow             | OPT-CBSQCS36SG   |
| Flame Sense            | OPT-CBSQCS36FSML |
| Fire Glow              | OPT-CBSQCS36FG   |
| Plug & Play            | OPT-CBSQCS36EKIT |
| Low Voltage Electronic | OPT-CBSQCS36E12V |

#### 48" Cabo | Square

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 16" x (W) 48" |
| Burning Area    | (L) 28" x (W) 28"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 82lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-CBSQCS48ML   |
| Spark Glow             | OPT-CBSQCS48SG   |
| Flame Sense            | OPT-CBSQCS48FSML |
| Fire Glow              | OPT-CBSQCS48FG   |
| Plug & Play            | OPT-CBSQCS48EKIT |
| Low Voltage Electronic | OPT-CBSQCS48E12V |

#### 60" Cabo Square

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 16" x (W) 60" |
| Burning Area    | (L) 40" x (W) 40"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 168lbs                      |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-CBSQCS60ML   |
| Spark Glow             | OPT-CBSQCS60SG   |
| Flame Sense            | OPT-CBSQCS60FSML |
| Fire Glow              | OPT-CBSQCS60FG   |
| Plug & Play            | OPT-CBSQCS60EKIT |
| Low Voltage Electronic | OPT-CBSQCS60E12V |

# CABO SQUARE FIRE PIT IN HAMMERED COPPER



## SIZES

### 36" Cabo | Square

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 36" x (H) 16" x (W) 36" |
| Burning Area    | (L) 20" x (W) 20"           |
| BTU             | 105,000                     |
| Fire Glass Sugg | 42lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-CBSQHCP36ML   |
| Spark Glow             | OPT-CBSQHCP36SG   |
| Flame Sense            | OPT-CBSQHCP36FSML |
| Fire Glow              | OPT-CBSQHCP36FG   |
| Plug & Play            | OPT-CBSQHCP36EKIT |
| Low Voltage Electronic | OPT-CBSQHCP36E12V |

### 48" Cabo | Square

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 16" x (W) 48" |
| Burning Area    | (L) 28" x (W) 28"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 82lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-CBSQHCP48ML   |
| Spark Glow             | OPT-CBSQHCP48SG   |
| Flame Sense            | OPT-CBSQHCP48FSML |
| Fire Glow              | OPT-CBSQHCP48FG   |
| Plug & Play            | OPT-CBSQHCP48EKIT |
| Low Voltage Electronic | OPT-CBSQHCP48E12V |

### 60" Cabo | Square

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 16" x (W) 60" |
| Burning Area    | (L) 40" x (W) 40"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 168lbs                      |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-CBSQHCP60ML   |
| Spark Glow             | OPT-CBSQHCP60SG   |
| Flame Sense            | OPT-CBSQHCP60FSML |
| Fire Glow              | OPT-CBSQHCP60FG   |
| Plug & Play            | OPT-CBSQHCP60EKIT |
| Low Voltage Electronic | OPT-CBSQHCP60E12V |

## UPGRADES

### ACCESSORIES

### 36" CABO | SQUARE

### 48" CABO | SQUARE

### 60" CABO | SQUARE

|                  |                  |                  |                  |
|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-B12SST       | OPT-B18SST       | OPT-BRDSS24      |
| Canvas Cover     | OPT-CVR-3636-16H | OPT-CVR-4848-16H | OPT-CVR-6060-16H |
| Stainless Lid    | OPT-22SC         | OPT-30SC         | OPT-42SC         |
| Glass Wind Guard | OPT-WG-2424      | OPT-WG-3232      | OPT-WG-4444      |

# CABO LINEAR FIRE PIT

## IN GFRG CONCRETE



### FINISHES

**Ash**  
-ASH

**Black**  
-BLK

**Brown**  
-BRN

**Chestnut**  
-CST

**Chocolate**  
-CHC

**Gray**  
-GRY

**Natural Gray**  
-NGY

**Limestone**  
-BLK

**Vanilla**  
-VAN

**Rustic Moss Stone**  
-RMS

**Rustic Coffee**  
-RCF

**Rustic White**  
-RWH

**Rustic Gray**  
-RGR

**Metallic Slate**  
-MSL

**Metallic Bronze**  
-MBR

**Metallic Copper**  
-MBR

**Metallic Pearl**  
-MPR

**Metallic Silver**  
-MSV



Scan the QR Code to  
Learn More About Our  
**Color Swatch Guide**

## SIZES

## 56" Cabo | Linear

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 56" x (H) 16" x (W) 38" |
| <b>Burning Area</b>    | (L) 36" x (W) 16"           |
| <b>BTU</b>             | 127,000                     |
| <b>Fire Glass Sugg</b> | 61lbs                       |

|                               |                    |
|-------------------------------|--------------------|
| <b>Match Lit</b>              | OPT-CBLNGFRC56ML   |
| <b>Spark Glow</b>             | OPT-CBLNGFRC56SG   |
| <b>Flame Sense</b>            | OPT-CBLNGFRC56FSML |
| <b>Fire Glow</b>              | OPT-CBLNGFRC56FG   |
| <b>Plug &amp; Play</b>        | OPT-CBLNGFRC56EKIT |
| <b>Low Voltage Electronic</b> | OPT-CBLNGFRC56E12V |

## 66" Cabo | Linear

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 66" x (H) 16" x (W) 38" |
| <b>Burning Area</b>    | (L) 36" x (W) 16"           |
| <b>BTU</b>             | 127,000                     |
| <b>Fire Glass Sugg</b> | 75lbs                       |

|                               |                    |
|-------------------------------|--------------------|
| <b>Match Lit</b>              | OPT-CBLNGFRC66ML   |
| <b>Spark Glow</b>             | OPT-CBLNGFRC66SG   |
| <b>Flame Sense</b>            | OPT-CBLNGFRC66FSML |
| <b>Fire Glow</b>              | OPT-CBLNGFRC66FG   |
| <b>Plug &amp; Play</b>        | OPT-CBLNGFRC66EKIT |
| <b>Low Voltage Electronic</b> | OPT-CBLNGFRC66E12V |

## 90" Cabo | Linear

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 90" x (H) 16" x (W) 38" |
| <b>Burning Area</b>    | (L) 66" x (W) 16"           |
| <b>BTU</b>             | 190,000                     |
| <b>Fire Glass Sugg</b> | 111lbs                      |

|                               |                    |
|-------------------------------|--------------------|
| <b>Match Lit</b>              | OPT-CBLNGFRC90ML   |
| <b>Spark Glow</b>             | OPT-CBLNGFRC90SG   |
| <b>Flame Sense</b>            | OPT-CBLNGFRC90FSML |
| <b>Fire Glow</b>              | OPT-CBLNGFRC90FG   |
| <b>Plug &amp; Play</b>        | OPT-CBLNGFRC90EKIT |
| <b>Low Voltage Electronic</b> | OPT-CBLNGFRC90E12V |

## UPGRADES

| ACCESSORIES             | 56" CABO   LINEAR | 66" CABO   LINEAR | 90" CABO   LINEAR |
|-------------------------|-------------------|-------------------|-------------------|
| <b>Bullet Burner</b>    | OPT-B30SST        | OPT-B30SST        | OPT-B60SST        |
| <b>Canvas Cover</b>     | OPT-CVR-5638-16H  | OPT-CVR-6638-16H  | OPT-CVR-9038-16H  |
| <b>Stainless Lid</b>    | OPT-RC1838        | OPT-RC1838        | OPT-RC1868        |
| <b>Glass Wind Guard</b> | OPT-WG-4020       | OPT-WG-4020       | OPT-WG-7020       |

# CABO LINEAR FIRE PIT

## IN POWDER COAT



### FINISHES

|                            |                             |                     |                              |                              |                                   |                            |                              |                       |                            |                              |                            |
|----------------------------|-----------------------------|---------------------|------------------------------|------------------------------|-----------------------------------|----------------------------|------------------------------|-----------------------|----------------------------|------------------------------|----------------------------|
| <b>White</b><br>-WHT       | <b>Soft White</b><br>-STW   | <b>Mist</b><br>-MST | <b>Crema</b><br>-CEM         | <b>White Vein</b><br>-WHTV   | <b>Athens</b><br>-ATH             | <b>Pewter</b><br>-PEW      | <b>Graphite Grey</b><br>-GGY | <b>Vienna</b><br>-VNA | <b>Gray</b><br>-GRY        | <b>Rock Grey</b><br>-RKY     | <b>Grey Vein</b><br>-GVN   |
| <b>Matte Black</b><br>-ONX | <b>Glossy Black</b><br>-BLK | <b>Java</b><br>-JAV | <b>Empire Bronze</b><br>-EBZ | <b>Trophy Bronze</b><br>-TBZ | <b>Bronze Hammertone</b><br>-BZHT | <b>Copper Vein</b><br>-CPV | <b>Gold Vein</b><br>-GDV     | <b>Roman</b><br>-RMN  | <b>Olive Green</b><br>-OGR | <b>Sapphire Blue</b><br>-SBL | <b>Silver Vein</b><br>-SLV |



Scan the QR Code to  
Learn More About Our  
**Color Swatch Guide**

## SIZES

## 56" Cabo | Linear

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 56" x (H) 16" x (W) 38" |
| Burning Area    | (L) 36" x (W) 16"           |
| BTU             | 127,000                     |
| Fire Glass Sugg | 61lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-CBLNPC56ML   |
| Spark Glow             | OPT-CBLNPC56SG   |
| Flame Sense            | OPT-CBLNPC56FSML |
| Fire Glow              | OPT-CBLNPC56FG   |
| Plug & Play            | OPT-CBLNPC56EKIT |
| Low Voltage Electronic | OPT-CBLNPC56E12V |

## 66" Cabo | Linear

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 66" x (H) 16" x (W) 38" |
| Burning Area    | (L) 36" x (W) 16"           |
| BTU             | 127,000                     |
| Fire Glass Sugg | 75lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-CBLNPC66ML   |
| Spark Glow             | OPT-CBLNPC66SG   |
| Flame Sense            | OPT-CBLNPC66FSML |
| Fire Glow              | OPT-CBLNPC66FG   |
| Plug & Play            | OPT-CBLNPC66EKIT |
| Low Voltage Electronic | OPT-CBLNPC66E12V |

## 90" Cabo | Linear

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 90" x (H) 16" x (W) 38" |
| Burning Area    | (L) 66" x (W) 16"           |
| BTU             | 190,000                     |
| Fire Glass Sugg | 111lbs                      |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-CBLNPC90ML   |
| Spark Glow             | OPT-CBLNPC90SG   |
| Flame Sense            | OPT-CBLNPC90FSML |
| Fire Glow              | OPT-CBLNPC90FG   |
| Plug & Play            | OPT-CBLNPC90EKIT |
| Low Voltage Electronic | OPT-CBLNPC90E12V |

## UPGRADES

| ACCESSORIES      | 56" CABO   LINEAR | 66" CABO   LINEAR | 90" CABO   LINEAR |
|------------------|-------------------|-------------------|-------------------|
| Bullet Burner    | OPT-B30SST        | OPT-B30SST        | OPT-B60SST        |
| Canvas Cover     | OPT-CVR-5638-16H  | OPT-CVR-6638-16H  | OPT-CVR-9038-16H  |
| Stainless Lid    | OPT-RC1838        | OPT-RC1850        | OPT-RC1868        |
| Glass Wind Guard | OPT-WG-4020       | OPT-WG-4020       | OPT-WG-7020       |

## CABO LINEAR FIRE PIT IN STAINLESS STEEL



### SIZES

#### 56" Cabo | Linear

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 56" x (H) 16" x (W) 38" |
| Burning Area    | (L) 36" x (W) 16"           |
| BTU             | 127,000                     |
| Fire Glass Sugg | 61lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-CBLNSS56ML   |
| Spark Glow             | OPT-CBLNSS56SG   |
| Flame Sense            | OPT-CBLNSS56FSML |
| Fire Glow              | OPT-CBLNSS56FG   |
| Plug & Play            | OPT-CBLNSS56EKIT |
| Low Voltage Electronic | OPT-CBLNSS56E12V |

#### 66" Cabo | Linear

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 66" x (H) 16" x (W) 38" |
| Burning Area    | (L) 36" x (W) 16"           |
| BTU             | 127,000                     |
| Fire Glass Sugg | 75lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-CBLNSS66ML   |
| Spark Glow             | OPT-CBLNSS66SG   |
| Flame Sense            | OPT-CBLNSS66FSML |
| Fire Glow              | OPT-CBLNSS66FG   |
| Plug & Play            | OPT-CBLNSS66EKIT |
| Low Voltage Electronic | OPT-CBLNSS66E12V |

#### 90" Cabo | Linear

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 90" x (H) 16" x (W) 38" |
| Burning Area    | (L) 66" x (W) 16"           |
| BTU             | 190,000                     |
| Fire Glass Sugg | 111lbs                      |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-CBLNSS90ML   |
| Spark Glow             | OPT-CBLNSS90SG   |
| Flame Sense            | OPT-CBLNSS90FSML |
| Fire Glow              | OPT-CBLNSS90FG   |
| Plug & Play            | OPT-CBLNSS90EKIT |
| Low Voltage Electronic | OPT-CBLNSS90E12V |

## CABO LINEAR FIRE PIT IN CORTEN STEEL



### SIZES

#### 56" Cabo | Linear

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 56" x (H) 16" x (W) 38" |
| Burning Area    | (L) 36" x (W) 16"           |
| BTU             | 127,000                     |
| Fire Glass Sugg | 61lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-CBLNCS56ML   |
| Spark Glow             | OPT-CBLNCS56SG   |
| Flame Sense            | OPT-CBLNCS56FSML |
| Fire Glow              | OPT-CBLNCS56FG   |
| Plug & Play            | OPT-CBLNCS56EKIT |
| Low Voltage Electronic | OPT-CBLNCS56E12V |

#### 66" Cabo | Linear

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 66" x (H) 16" x (W) 38" |
| Burning Area    | (L) 36" x (W) 16"           |
| BTU             | 127,000                     |
| Fire Glass Sugg | 75lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-CBLNCS66ML   |
| Spark Glow             | OPT-CBLNCS66SG   |
| Flame Sense            | OPT-CBLNCS66FSML |
| Fire Glow              | OPT-CBLNCS66FG   |
| Plug & Play            | OPT-CBLNCS66EKIT |
| Low Voltage Electronic | OPT-CBLNCS66E12V |

#### 90" Cabo | Linear

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 90" x (H) 16" x (W) 38" |
| Burning Area    | (L) 66" x (W) 16"           |
| BTU             | 190,000                     |
| Fire Glass Sugg | 111lbs                      |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-CBLNCS90ML   |
| Spark Glow             | OPT-CBLNCS90SG   |
| Flame Sense            | OPT-CBLNCS90FSML |
| Fire Glow              | OPT-CBLNCS90FG   |
| Plug & Play            | OPT-CBLNCS90EKIT |
| Low Voltage Electronic | OPT-CBLNCS90E12V |

# CABO LINEAR FIRE PIT IN HAMMERED COPPER

## SIZES

### 56" Cabo | Linear

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 56" x (H) 16" x (W) 38" |
| Burning Area    | (L) 36" x (W) 16"           |
| BTU             | 127,000                     |
| Fire Glass Sugg | 61lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-CBLNHCP56ML   |
| Spark Glow             | OPT-CBLNHCP56SG   |
| Flame Sense            | OPT-CBLNHCP56FSML |
| Fire Glow              | OPT-CBLNHCP56FG   |
| Plug & Play            | OPT-CBLNHCP56EKIT |
| Low Voltage Electronic | OPT-CBLNHCP56E12V |



### 66" Cabo | Linear

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 66" x (H) 16" x (W) 38" |
| Burning Area    | (L) 36" x (W) 16"           |
| BTU             | 127,000                     |
| Fire Glass Sugg | 75lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-CBLNHCP66ML   |
| Spark Glow             | OPT-CBLNHCP66SG   |
| Flame Sense            | OPT-CBLNHCP66FSML |
| Fire Glow              | OPT-CBLNHCP66FG   |
| Plug & Play            | OPT-CBLNHCP66EKIT |
| Low Voltage Electronic | OPT-CBLNHCP66E12V |



### 90" Cabo | Linear

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 90" x (H) 16" x (W) 38" |
| Burning Area    | (L) 66" x (W) 16"           |
| BTU             | 190,000                     |
| Fire Glass Sugg | 111lbs                      |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-CBLNHCP90ML   |
| Spark Glow             | OPT-CBLNHCP90SG   |
| Flame Sense            | OPT-CBLNHCP90FSML |
| Fire Glow              | OPT-CBLNHCP90FG   |
| Plug & Play            | OPT-CBLNHCP90EKIT |
| Low Voltage Electronic | OPT-CBLNHCP90E12V |

## UPGRADES

| ACCESSORIES      | 56" CABO   LINEAR | 66" CABO   LINEAR | 90" CABO   LINEAR |
|------------------|-------------------|-------------------|-------------------|
| Bullet Burner    | OPT-B30SST        | OPT-B30SST        | OPT-B60SST        |
| Canvas Cover     | OPT-CVR-5638-16H  | OPT-CVR-6638-16H  | OPT-CVR-9038-16H  |
| Stainless Lid    | OPT-RC1838        | OPT-RC1850        | OPT-RC1868        |
| Glass Wind Guard | OPT-WG-4020       | OPT-WG-4020       | OPT-WG-7020       |

# CATALINA

## FIRE PIT

### THE ULTIMATE DINING EXPERIENCE AWAITS

Elevate your restaurant's outdoor dining experience with the Catalina Fire Pit. Thoughtfully designed with generous length and width, this fire pit offers a two-in-one solution: unparalleled warmth for your guests and a spacious ledge to accommodate drinks or even seating. Create an inviting, luxurious atmosphere that keeps your guests coming back for more, all in one exquisite, American-made centerpiece.

### FINISHES

GFRC Concrete Wood Grain

### SIZES

48" | 60" | 72" | 84" | 96" | 108" | 120"



Scan the QR Code to  
learn more about our  
**Catalina Fire Pit**

**CATALINA FIRE PIT**  
120" | REIC WOOD GRAIN OAK



# CATALINA FIRE PIT

IN GFRC WOOD GRAIN



## FINISHES

Oak  
-OAK

Ivory  
-IVY

Ebony  
-EBN



Scan the QR Code to  
Learn More About Our  
**Color Swatch Guide**

## SIZES

### 48" Catalina

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 28" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-CTLWG48ML   |
| Spark Glow             | OPT-CTLWG48SG   |
| Flame Sense            | OPT-CTLWG48FSML |
| Fire Glow              | OPT-CTLWG48FG   |
| Plug & Play            | OPT-CTLWG48EKIT |
| Low Voltage Electronic | OPT-CTLWG48E12V |

## SIZES

## 60" Catalina

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 60" x (H) 24" x (W) 28" |
| <b>Burning Area</b>    | (L) 42" x (W) 10"           |
| <b>BTU</b>             | 140,000                     |
| <b>Fire Glass Sugg</b> | 44lbs                       |

|                               |                 |
|-------------------------------|-----------------|
| <b>Match Lit</b>              | OPT-CTLWG60ML   |
| <b>Spark Glow</b>             | OPT-CTLWG60SG   |
| <b>Flame Sense</b>            | OPT-CTLWG60FSML |
| <b>Fire Glow</b>              | OPT-CTLWG60FG   |
| <b>Plug &amp; Play</b>        | OPT-CTLWG60EKIT |
| <b>Low Voltage Electronic</b> | OPT-CTLWG60E12V |

## 72" Catalina

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 72" x (H) 24" x (W) 28" |
| <b>Burning Area</b>    | (L) 54" x (W) 10"           |
| <b>BTU</b>             | 165,000                     |
| <b>Fire Glass Sugg</b> | 57lbs                       |

|                               |                 |
|-------------------------------|-----------------|
| <b>Match Lit</b>              | OPT-CTLWG72ML   |
| <b>Spark Glow</b>             | OPT-CTLWG72SG   |
| <b>Flame Sense</b>            | OPT-CTLWG72FSML |
| <b>Fire Glow</b>              | OPT-CTLWG72FG   |
| <b>Plug &amp; Play</b>        | OPT-CTLWG72EKIT |
| <b>Low Voltage Electronic</b> | OPT-CTLWG72E12V |

## 84" Catalina

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 84" x (H) 24" x (W) 28" |
| <b>Burning Area</b>    | (L) 66" x (W) 10"           |
| <b>BTU</b>             | 175,000                     |
| <b>Fire Glass Sugg</b> | 69lbs                       |

|                               |                 |
|-------------------------------|-----------------|
| <b>Match Lit</b>              | OPT-CTLWG84ML   |
| <b>Spark Glow</b>             | OPT-CTLWG84SG   |
| <b>Flame Sense</b>            | OPT-CTLWG84FSML |
| <b>Fire Glow</b>              | OPT-CTLWG84FG   |
| <b>Plug &amp; Play</b>        | OPT-CTLWG84EKIT |
| <b>Low Voltage Electronic</b> | OPT-CTLWG84E12V |

## 96" Catalina

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 96" x (H) 24" x (W) 28" |
| <b>Burning Area</b>    | (L) 78" x (W) 10"           |
| <b>BTU</b>             | 215,000                     |
| <b>Fire Glass Sugg</b> | 82lbs                       |

|                               |                 |
|-------------------------------|-----------------|
| <b>Match Lit</b>              | OPT-CTLWG96ML   |
| <b>Spark Glow</b>             | OPT-CTLWG96SG   |
| <b>Flame Sense</b>            | OPT-CTLWG96FSML |
| <b>Fire Glow</b>              | OPT-CTLWG96FG   |
| <b>Plug &amp; Play</b>        | OPT-CTLWG96EKIT |
| <b>Low Voltage Electronic</b> | OPT-CTLWG96E12V |

## 108" Catalina

|                        |                              |
|------------------------|------------------------------|
| <b>Dimensions</b>      | (L) 108" x (H) 24" x (W) 28" |
| <b>Burning Area</b>    | (L) 90" x (W) 10"            |
| <b>BTU</b>             | 240,000                      |
| <b>Fire Glass Sugg</b> | 94lbs                        |

|                               |                  |
|-------------------------------|------------------|
| <b>Match Lit</b>              | OPT-CTLWG108ML   |
| <b>Spark Glow</b>             | OPT-CTLWG108SG   |
| <b>Flame Sense</b>            | OPT-CTLWG108FSML |
| <b>Fire Glow</b>              | OPT-CTLWG108FG   |
| <b>Plug &amp; Play</b>        | OPT-CTLWG108EKIT |
| <b>Low Voltage Electronic</b> | OPT-CTLWG108E12V |

## 120" Catalina

|                        |                              |
|------------------------|------------------------------|
| <b>Dimensions</b>      | (L) 120" x (H) 24" x (W) 28" |
| <b>Burning Area</b>    | (L) 102" x (W) 10"           |
| <b>BTU</b>             | 265,000                      |
| <b>Fire Glass Sugg</b> | 107lbs                       |

|                               |                  |
|-------------------------------|------------------|
| <b>Match Lit</b>              | OPT-CTLWG120ML   |
| <b>Spark Glow</b>             | OPT-CTLWG120SG   |
| <b>Flame Sense</b>            | OPT-CTLWG120FSML |
| <b>Fire Glow</b>              | OPT-CTLWG120FG   |
| <b>Plug &amp; Play</b>        | OPT-CTLWG120EKIT |
| <b>Low Voltage Electronic</b> | OPT-CTLWG120E12V |

## UPGRADES

| ACCESSORIES             | 48" CATALINA     | 60" CATALINA     | 72" CATALINA     | 84" CATALINA     | 96" CATALINA     | 108" CATALINA     | 120" CATALINA     |
|-------------------------|------------------|------------------|------------------|------------------|------------------|-------------------|-------------------|
| <b>Bullet Burner</b>    | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       | OPT-B60SST       | OPT-B72SST       | OPT-B84SST        | OPT-B96SST        |
| <b>Canvas Cover</b>     | OPT-CVR-4828-24H | OPT-CVR-6028-24H | OPT-CVR-7228-24H | OPT-CVR-8428-24H | OPT-CVR-9628-24H | OPT-CVR-10828-24H | OPT-CVR-12028-24H |
| <b>Stainless Lid</b>    | OPT-RC1232       | OPT-RC1244       | OPT-RC1256       | OPT-RC1268       | OPT-RC1280       | OPT-RC1292        | OPT-RC12104       |
| <b>Glass Wind Guard</b> | OPT-WG-3414      | OPT-WG-4614      | OPT-WG-5814      | OPT-WG-7014      | OPT-WG-8214      | OPT-WG-9414       | OPT-WG-10614      |

# CARMEN

## FIRE PIT

### THE HEART OF EVERY SEASON

The Carmen Fire Pit, your four-season companion for both intimate family evenings and lively gatherings with friends. Its unique tall and thin design features a spacious ledge, perfect for drinks and snacks, offering a blend of aesthetics and utility. Don't just adapt to the seasons—celebrate them with the Carmen Fire Pit, the ultimate American-made centerpiece for your outdoor living space.

### FINISHES

GFRC Concrete | Powder Coat | Stainless Steel  
Corten Steel | Hammered Copper

### SIZES

72" (16" Tall) | 72" (24" Tall)



Scan the QR Code to  
learn more about our  
**Carmen Fire Pit**



# CARMEN FIRE PIT

IN GFRG CONCRETE



## FINISHES

**Ash**  
-ASH

**Black**  
-BLK

**Brown**  
-BRN

**Chestnut**  
-CST

**Chocolate**  
-CHC

**Gray**  
-GRY

**Natural Gray**  
-NGY

**Limestone**  
-BLK

**Vanilla**  
-VAN

**Rustic Moss Stone**  
-RMS

**Rustic Coffee**  
-RCF

**Rustic White**  
-RWH

**Rustic Gray**  
-RGR

**Metallic Slate**  
-MSL

**Metallic Bronze**  
-MBR

**Metallic Copper**  
-MBR

**Metallic Pearl**  
-MPR

**Metallic Silver**  
-MSV



Scan the QR Code to  
Learn More About Our  
**Color Swatch Guide**

## SIZES

## 72" Carmen | 16" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 16" x (W) 16" |
| Burning Area    | (L) 52" x (W) 8"            |
| BTU             | 40,000                      |
| Fire Glass Sugg | 44lbs                       |

|                        |                     |
|------------------------|---------------------|
| Match Lit              | OPT-CRMGFRC7216ML   |
| Spark Glow             | OPT-CRMGFRC7216SG   |
| Flame Sense            | OPT-CRMGFRC7216FSML |
| Fire Glow              | OPT-CRMGFRC7216FG   |
| Plug & Play            | OPT-CRMGFRC7216EKIT |
| Low Voltage Electronic | OPT-CRMGFRC7216E12V |

## 72" Carmen | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 16" |
| Burning Area    | (L) 52" x (W) 8"            |
| BTU             | 40,000                      |
| Fire Glass Sugg | 44lbs                       |

|                        |                     |
|------------------------|---------------------|
| Match Lit              | OPT-CRMGFRC7224ML   |
| Spark Glow             | OPT-CRMGFRC7224SG   |
| Flame Sense            | OPT-CRMGFRC7224FSML |
| Fire Glow              | OPT-CRMGFRC7224FG   |
| Plug & Play            | OPT-CRMGFRC7224EKIT |
| Low Voltage Electronic | OPT-CRMGFRC7224E12V |

## UPGRADES

## ACCESSORIES

## 72" CARMEN | 16" TALL

## 72" CARMEN | 24" TALL

|                  |                  |                  |
|------------------|------------------|------------------|
| Bullet Burner    | OPT-B44SST       | OPT-B44SST       |
| Canvas Cover     | OPT-CVR-7216-16H | OPT-CVR-7216-24H |
| Stainless Lid    | OPT-RC1054       | OPT-RC1054       |
| Glass Wind Guard | OPT-WG-5612      | OPT-WG-5612      |

# CARMEN FIRE TABLE

## IN POWDER COAT



### FINISHES

|                            |                             |                     |                              |                              |                                   |                            |                              |                       |                            |                              |                            |
|----------------------------|-----------------------------|---------------------|------------------------------|------------------------------|-----------------------------------|----------------------------|------------------------------|-----------------------|----------------------------|------------------------------|----------------------------|
| <b>White</b><br>-WHT       | <b>Soft White</b><br>-STW   | <b>Mist</b><br>-MST | <b>Crema</b><br>-CEM         | <b>White Vein</b><br>-WHTV   | <b>Athens</b><br>-ATH             | <b>Pewter</b><br>-PEW      | <b>Graphite Grey</b><br>-GGY | <b>Vienna</b><br>-VNA | <b>Gray</b><br>-GRY        | <b>Rock Grey</b><br>-RKY     | <b>Grey Vein</b><br>-GVN   |
| <b>Matte Black</b><br>-ONX | <b>Glossy Black</b><br>-BLK | <b>Java</b><br>-JAV | <b>Empire Bronze</b><br>-EBZ | <b>Trophy Bronze</b><br>-TBZ | <b>Bronze Hammertone</b><br>-BZHT | <b>Copper Vein</b><br>-CPV | <b>Gold Vein</b><br>-GDV     | <b>Roman</b><br>-RMN  | <b>Olive Green</b><br>-OGR | <b>Sapphire Blue</b><br>-SBL | <b>Silver Vein</b><br>-SLV |



Scan the QR Code to  
Learn More About Our  
**Color Swatch Guide**

## SIZES

## 72" Carmen | 16" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 16" x (W) 16" |
| Burning Area    | (L) 52" x (W) 8"            |
| BTU             | 40,000                      |
| Fire Glass Sugg | 44lbs                       |

|                        |                     |
|------------------------|---------------------|
| Match Lit              | OPT-CRMGFRC7216ML   |
| Spark Glow             | OPT-CRMGFRC7216SG   |
| Flame Sense            | OPT-CRMGFRC7216FSML |
| Fire Glow              | OPT-CRMGFRC7216FG   |
| Plug & Play            | OPT-CRMGFRC7216EKIT |
| Low Voltage Electronic | OPT-CRMGFRC7216E12V |

## 72" Carmen | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 16" |
| Burning Area    | (L) 52" x (W) 8"            |
| BTU             | 40,000                      |
| Fire Glass Sugg | 44lbs                       |

|                        |                     |
|------------------------|---------------------|
| Match Lit              | OPT-CRMGFRC7224ML   |
| Spark Glow             | OPT-CRMGFRC7224SG   |
| Flame Sense            | OPT-CRMGFRC7224FSML |
| Fire Glow              | OPT-CRMGFRC7224FG   |
| Plug & Play            | OPT-CRMGFRC7224EKIT |
| Low Voltage Electronic | OPT-CRMGFRC7224E12V |

## UPGRADES

## ACCESSORIES

## 72" CARMEN | 16" TALL

## 72" CARMEN | 24" TALL

|                  |                  |                  |
|------------------|------------------|------------------|
| Bullet Burner    | OPT-B44SST       | OPT-B44SST       |
| Canvas Cover     | OPT-CVR-7216-16H | OPT-CVR-7216-24H |
| Stainless Lid    | OPT-RC1054       | OPT-RC1054       |
| Glass Wind Guard | OPT-WG-5612      | OPT-WG-5612      |

# CARMEN FIRE PIT

## IN STAINLESS STEEL



### SIZES

#### 72" Carmen | 16" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 16" x (W) 16" |
| Burning Area    | (L) 52" x (W) 8"            |
| BTU             | 40,000                      |
| Fire Glass Sugg | 44lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-CRMSS7216ML   |
| Spark Glow             | OPT-CRMSS7216SG   |
| Flame Sense            | OPT-CRMSS7216FSML |
| Fire Glow              | OPT-CRMSS7216FG   |
| Plug & Play            | OPT-CRMSS7216EKIT |
| Low Voltage Electronic | OPT-CRMSS7216E12V |

#### 72" Carmen | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 16" |
| Burning Area    | (L) 52" x (W) 8"            |
| BTU             | 40,000                      |
| Fire Glass Sugg | 44lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-CRMSS7224ML   |
| Spark Glow             | OPT-CRMSS7224SG   |
| Flame Sense            | OPT-CRMSS7224FSML |
| Fire Glow              | OPT-CRMSS7224FG   |
| Plug & Play            | OPT-CRMSS7224EKIT |
| Low Voltage Electronic | OPT-CRMSS7216E12V |

# CARMEN FIRE PIT

## IN CORTEN STEEL



### SIZES

#### 72" Carmen | 16" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 16" x (W) 16" |
| Burning Area    | (L) 52" x (W) 8"            |
| BTU             | 40,000                      |
| Fire Glass Sugg | 44lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-CRMCS7216ML   |
| Spark Glow             | OPT-CRMCS7216SG   |
| Flame Sense            | OPT-CRMCS7216FSML |
| Fire Glow              | OPT-CRMCS7216FG   |
| Plug & Play            | OPT-CRMCS7216EKIT |
| Low Voltage Electronic | OPT-CRMCS7216E12V |

#### 72" Carmen | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 16" |
| Burning Area    | (L) 52" x (W) 8"            |
| BTU             | 40,000                      |
| Fire Glass Sugg | 44lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-CRMCS7224ML   |
| Spark Glow             | OPT-CRMCS7224SG   |
| Flame Sense            | OPT-CRMCS7224FSML |
| Fire Glow              | OPT-CRMCS7224FG   |
| Plug & Play            | OPT-CRMCS7224EKIT |
| Low Voltage Electronic | OPT-CRMCS7216E12V |

# CARMEN FIRE PIT

## IN HAMMERED COPPER



### SIZES

#### 72" Carmen | 16" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 16" x (W) 16" |
| Burning Area    | (L) 52" x (W) 8"            |
| BTU             | 40,000                      |
| Fire Glass Sugg | 44lbs                       |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-CRMCPR7216ML   |
| Spark Glow             | OPT-CRMCPR7216SG   |
| Flame Sense            | OPT-CRMCPR7216FSML |
| Fire Glow              | OPT-CRMCPR7216FG   |
| Plug & Play            | OPT-CRMCPR7216EKIT |
| Low Voltage Electronic | OPT-CRMCPR7216E12V |

#### 72" Carmen | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 16" |
| Burning Area    | (L) 52" x (W) 8"            |
| BTU             | 40,000                      |
| Fire Glass Sugg | 44lbs                       |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-CRMCPR7224ML   |
| Spark Glow             | OPT-CRMCPR7224SG   |
| Flame Sense            | OPT-CRMCPR7224FSML |
| Fire Glow              | OPT-CRMCPR7224FG   |
| Plug & Play            | OPT-CRMCPR7224EKIT |
| Low Voltage Electronic | OPT-CRMCPR7216E12V |



### UPGRADES

| ACCESSORIES      | 72" CARMEN   16" TALL | 72" CARMEN   24" TALL |
|------------------|-----------------------|-----------------------|
| Bullet Burner    | OPT-B44SST            | OPT-B44SST            |
| Canvas Cover     | OPT-CVR-7216-16H      | OPT-CVR-7216-24H      |
| Stainless Lid    | OPT-RC1054            | OPT-RC1054            |
| Glass Wind Guard | OPT-WG-5612           | OPT-WG-5612           |

# NEWPORT FIRE TABLE

## COMMAND YOUR SPACE WITH THE NEWPORT FIRE TABLE

Turn your restaurant's outdoor area into a masterpiece of elegance and brand recognition with the Newport Fire Table. Made from top-tier GFRC Concrete and fully customizable, this American-made fire table effortlessly accommodates larger groups, setting the stage for memorable dining experiences. Add your restaurant's logo for a tailored, established presence that commands and owns the space. The Newport Fire Table isn't just a piece of furniture; it's a powerful statement of luxury and exclusivity.

### FINISHES

GFRC Concrete | Powder Coat


### SIZES

72" | 120" | 144"



Scan the QR Code to  
learn more about our  
**Newport Fire Table**

**NEWPORT FIRE TABLE**  
CUSTOM SIZE | GFRG CONCRETE



# NEWPORT FIRE TABLE

IN GFRC CONCRETE



## FINISHES

Ash -ASH      Black -BLK      Brown -BRN      Chestnut -CST      Chocolate -CHC      Gray -GRY      Natural Gray -NGY      Limestone -BLK      Vanilla -VAN

Rustic Moss Stone -RMS      Rustic Coffee -RCF      Rustic White -RWH      Rustic Gray -RGR      Metallic Slate -MSL      Metallic Bronze -MBR      Metallic Copper -MBR      Metallic Pearl -MPR      Metallic Silver -MSV



Scan the QR Code to  
Learn More About Our  
**Color Swatch Guide**

## SIZES

## 72" Newport

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 30" x (W) 36" |
| Burning Area    | (L) 48" x (W) 12"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 66lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-NWPGFRC72ML   |
| Spark Glow             | OPT-NWPGFRC72SG   |
| Flame Sense            | OPT-NWPGFRC72FSML |
| Fire Glow              | OPT-NWPGFRC72FG   |
| Plug & Play            | OPT-NWPGFRC72EKIT |
| Low Voltage Electronic | OPT-NWPGFRC72E12V |

## 120" Newport

|                 |                              |
|-----------------|------------------------------|
| Dimensions      | (L) 120" x (H) 30" x (W) 48" |
| Burning Area    | (L) 78" x (W) 12"            |
| BTU             | 215,000                      |
| Fire Glass Sugg | 98lbs                        |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-NWPGFRC120ML   |
| Spark Glow             | OPT-NWPGFRC120SG   |
| Flame Sense            | OPT-NWPGFRC120FSML |
| Fire Glow              | OPT-NWPGFRC120FG   |
| Plug & Play            | OPT-NWPGFRC120EKIT |
| Low Voltage Electronic | OPT-NWPGFRC120E12V |

## 144" Newport

|                 |                              |
|-----------------|------------------------------|
| Dimensions      | (L) 144" x (H) 30" x (W) 48" |
| Burning Area    | (L) 102" x (W) 12"           |
| BTU             | 265,000                      |
| Fire Glass Sugg | 128lbs                       |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-NWPGFRC144ML   |
| Spark Glow             | OPT-NWPGFRC144SG   |
| Flame Sense            | OPT-NWPGFRC144FSML |
| Fire Glow              | OPT-NWPGFRC144FG   |
| Plug & Play            | OPT-NWPGFRC144EKIT |
| Low Voltage Electronic | OPT-NWPGFRC144E12V |

## UPGRADES

## ACCESSORIES

## 72" NEWPORT

## 120" NEWPORT

## 144" NEWPORT

|                  |                  |                  |                  |
|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-B42SST       | OPT-B72SST       | OPT-B96SST       |
| Canvas Cover     | OPT-CVR-7236-30H | OPT-CVR-7248-30H | OPT-CVR-7248-30H |
| Stainless Lid    | OPT-RC1450       | OPT-RC1480       | OPT-RC14104      |
| Glass Wind Guard | OPT-WG-5216      | OPT-WG-8216      | OPT-WG-10616     |

# NEWPORT FIRE TABLE

## IN POWDER COAT



### FINISHES

|                            |                             |                     |                              |                              |                                   |                            |                              |                       |                            |                              |                            |
|----------------------------|-----------------------------|---------------------|------------------------------|------------------------------|-----------------------------------|----------------------------|------------------------------|-----------------------|----------------------------|------------------------------|----------------------------|
| <b>White</b><br>-WHT       | <b>Soft White</b><br>-STW   | <b>Mist</b><br>-MST | <b>Crema</b><br>-CEM         | <b>White Vein</b><br>-WHTV   | <b>Athens</b><br>-ATH             | <b>Pewter</b><br>-PEW      | <b>Graphite Grey</b><br>-GGY | <b>Vienna</b><br>-VNA | <b>Gray</b><br>-GRY        | <b>Rock Grey</b><br>-RKY     | <b>Grey Vein</b><br>-GVN   |
| <b>Matte Black</b><br>-ONX | <b>Glossy Black</b><br>-BLK | <b>Java</b><br>-JAV | <b>Empire Bronze</b><br>-EBZ | <b>Trophy Bronze</b><br>-TBZ | <b>Bronze Hammertone</b><br>-BZHT | <b>Copper Vein</b><br>-CPV | <b>Gold Vein</b><br>-GDV     | <b>Roman</b><br>-RMN  | <b>Olive Green</b><br>-OGR | <b>Sapphire Blue</b><br>-SBL | <b>Silver Vein</b><br>-SLV |



Scan the QR Code to  
Learn More About Our  
**Color Swatch Guide**

## SIZES

## 72" Newport

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 30" x (W) 36" |
| Burning Area    | (L) 48" x (W) 12"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 66lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-NWPPC72ML   |
| Spark Glow             | OPT-NWPPC72SG   |
| Flame Sense            | OPT-NWPPC72FSML |
| Fire Glow              | OPT-NWPPC72FG   |
| Plug & Play            | OPT-NWPPC72EKIT |
| Low Voltage Electronic | OPT-NWPPC72E12V |

## 120" Newport

|                 |                              |
|-----------------|------------------------------|
| Dimensions      | (L) 120" x (H) 30" x (W) 48" |
| Burning Area    | (L) 78" x (W) 12"            |
| BTU             | 215,000                      |
| Fire Glass Sugg | 98lbs                        |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-NWPPC120ML   |
| Spark Glow             | OPT-NWPPC120SG   |
| Flame Sense            | OPT-NWPPC120FSML |
| Fire Glow              | OPT-NWPPC120FG   |
| Plug & Play            | OPT-NWPPC120EKIT |
| Low Voltage Electronic | OPT-NWPPC120E12V |

## 144" Newport

|                 |                              |
|-----------------|------------------------------|
| Dimensions      | (L) 144" x (H) 30" x (W) 48" |
| Burning Area    | (L) 102" x (W) 12"           |
| BTU             | 265,000                      |
| Fire Glass Sugg | 128lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-NWPPC144ML   |
| Spark Glow             | OPT-NWPPC144SG   |
| Flame Sense            | OPT-NWPPC144FSML |
| Fire Glow              | OPT-NWPPC144FG   |
| Plug & Play            | OPT-NWPPC144EKIT |
| Low Voltage Electronic | OPT-NWPPC144E12V |

## UPGRADES

## ACCESSORIES

## 72" NEWPORT

## 120" NEWPORT

## 144" NEWPORT

|                  |                  |                  |                  |
|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-B42SST       | OPT-B72SST       | OPT-B96SST       |
| Canvas Cover     | OPT-CVR-7236-30H | OPT-CVR-7248-30H | OPT-CVR-7248-30H |
| Stainless Lid    | OPT-RC1450       | OPT-RC1480       | OPT-RC14104      |
| Glass Wind Guard | OPT-WG-5216      | OPT-WG-8216      | OPT-WG-10616     |

# LA PINTA

## FIRE TABLE

### LA PINTA FIRE TABLE: SAIL THE SEAS IN YOUR BACKYARD

Turn your restaurant's outdoor area into a masterpiece of elegance and brand recognition with the Newport Fire Table. Made from top-tier GFRC Concrete and fully customizable, this American-made fire table effortlessly accommodates larger groups, setting the stage for memorable dining experiences. Add your restaurant's logo for a tailored, established presence that commands and owns the space. The Newport Fire Table isn't just a piece of furniture; it's a powerful statement of luxury and exclusivity.

#### FINISHES

Powder Coat

#### SIZES

72"



Scan the QR Code to  
learn more about our  
**La Pinta Fire Table**

**LA PINTA FIRE TABLE**  
72" | STAINLESS STEEL & POWDER COAT BLACK



# LA PINTA FIRE TABLE

## IN POWDER COAT



### FINISHES

|                            |                             |                     |                              |                              |                                   |                            |                              |                       |                            |                              |                            |
|----------------------------|-----------------------------|---------------------|------------------------------|------------------------------|-----------------------------------|----------------------------|------------------------------|-----------------------|----------------------------|------------------------------|----------------------------|
| <b>White</b><br>-WHT       | <b>Soft White</b><br>-STW   | <b>Mist</b><br>-MST | <b>Crema</b><br>-CEM         | <b>White Vein</b><br>-WHTV   | <b>Athens</b><br>-ATH             | <b>Pewter</b><br>-PEW      | <b>Graphite Grey</b><br>-GGY | <b>Vienna</b><br>-VNA | <b>Gray</b><br>-GRY        | <b>Rock Grey</b><br>-RKY     | <b>Grey Vein</b><br>-GVN   |
| <b>Matte Black</b><br>-ONX | <b>Glossy Black</b><br>-BLK | <b>Java</b><br>-JAV | <b>Empire Bronze</b><br>-EBZ | <b>Trophy Bronze</b><br>-TBZ | <b>Bronze Hammertone</b><br>-BZHT | <b>Copper Vein</b><br>-CPV | <b>Gold Vein</b><br>-GDV     | <b>Roman</b><br>-RMN  | <b>Olive Green</b><br>-OGR | <b>Sapphire Blue</b><br>-SBL | <b>Silver Vein</b><br>-SLV |



Scan the QR Code to  
Learn More About Our  
**Color Swatch Guide**

SIZES

72" La Pinta

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 57" x (W) 36" |
| Burning Area    | (L) 52" x (W) 14"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 77lbs                       |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-PNTSSPC72-ML   |
| Spark Glow             | OPT-PNTSSPC72-SG   |
| Flame Sense            | OPT-PNTSSPC72-FSML |
| Fire Glow              | OPT-PNTSSPC72-FG   |
| Plug & Play            | OPT-PNTSSPC72-EKIT |
| Low Voltage Electronic | OPT-PNTSSPC72-E12V |

UPGRADES

|                |                                   |
|----------------|-----------------------------------|
| ACCESSORIES    | 72" LA PINTA                      |
| CANVAS COVER   | OPT-CVR-7236-57H                  |
| SURROUND SOUND | Ask Your Rep For More Information |
| LED LIGHTS     | Ask Your Rep For More Information |



# MESA FIRE TABLE

## MODERN ELEGANCE WITH STYLE

Transform your outdoor living area with the Mesa Fire Table—a sublime blend of simplicity and sophistication. Its uniquely active shape provides the right amount of edge to suit modern homes. Don't settle for ordinary when you can accentuate your outdoor space with this stylish, American-made showstopper. The Mesa Fire Table isn't just another piece of furniture; it's an invitation to a lifestyle.

## FINISHES

Powder Coat | Stainless Steel | Corten Steel | Hammered Copper

## SIZES

48" | 60" | 72" | 84"



Scan the QR Code to  
learn more about our  
**Mesa Fire Table**

**MESA FIRE TABLE**  
72" | CORTEN STEEL



# MESA FIRE TABLE

## IN POWDER COAT



### FINISHES

|                            |                             |                     |                              |                              |                                   |                            |                              |                       |                            |                              |                            |
|----------------------------|-----------------------------|---------------------|------------------------------|------------------------------|-----------------------------------|----------------------------|------------------------------|-----------------------|----------------------------|------------------------------|----------------------------|
| <b>White</b><br>-WHT       | <b>Soft White</b><br>-STW   | <b>Mist</b><br>-MST | <b>Crema</b><br>-CEM         | <b>White Vein</b><br>-WHTV   | <b>Athens</b><br>-ATH             | <b>Pewter</b><br>-PEW      | <b>Graphite Grey</b><br>-GGY | <b>Vienna</b><br>-VNA | <b>Gray</b><br>-GRY        | <b>Rock Grey</b><br>-RKY     | <b>Grey Vein</b><br>-GVN   |
| <b>Matte Black</b><br>-ONX | <b>Glossy Black</b><br>-BLK | <b>Java</b><br>-JAV | <b>Empire Bronze</b><br>-EBZ | <b>Trophy Bronze</b><br>-TBZ | <b>Bronze Hammertone</b><br>-BZHT | <b>Copper Vein</b><br>-CPV | <b>Gold Vein</b><br>-GDV     | <b>Roman</b><br>-RMN  | <b>Olive Green</b><br>-OGR | <b>Sapphire Blue</b><br>-SBL | <b>Silver Vein</b><br>-SLV |



Scan the QR Code to  
Learn More About Our  
**Color Swatch Guide**

## SIZES

## 48" Mesa

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 24" |
| Burning Area    | (L) 36" x (W) 12"           |
| BTU             | 127,000                     |
| Fire Glass Sugg | 46lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-MESAPC48ML   |
| Spark Glow             | OPT-MESAPC48SG   |
| Flame Sense            | OPT-MESAPC48FSML |
| Fire Glow              | OPT-MESAPC48FG   |
| Plug & Play            | OPT-MESAPC48EKIT |
| Low Voltage Electronic | OPT-MESAPC48E12V |

## 60" Mesa

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 24" |
| Burning Area    | (L) 48" x (W) 12"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 61lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-MESAPC60ML   |
| Spark Glow             | OPT-MESAPC60SG   |
| Flame Sense            | OPT-MESAPC60FSML |
| Fire Glow              | OPT-MESAPC60FG   |
| Plug & Play            | OPT-MESAPC60EKIT |
| Low Voltage Electronic | OPT-MESAPC60E12V |

## 72" Mesa

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 24" |
| Burning Area    | (L) 60" x (W) 12"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 76lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-MESAPC72ML   |
| Spark Glow             | OPT-MESAPC72SG   |
| Flame Sense            | OPT-MESAPC72FSML |
| Fire Glow              | OPT-MESAPC72FG   |
| Plug & Play            | OPT-MESAPC72EKIT |
| Low Voltage Electronic | OPT-MESAPC72E12V |

## 84" Mesa

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 24" x (W) 24" |
| Burning Area    | (L) 72" x (W) 12"           |
| BTU             | 215,000                     |
| Fire Glass Sugg | 91lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-MESAPC84ML   |
| Spark Glow             | OPT-MESAPC84SG   |
| Flame Sense            | OPT-MESAPC84FSML |
| Fire Glow              | OPT-MESAPC84FG   |
| Plug & Play            | OPT-MESAPC84EKIT |
| Low Voltage Electronic | OPT-MESAPC84E12V |

## UPGRADES

| ACCESSORIES      | 48" MESA         | 60" MESA         | 72" MESA         | 84" MESA         |
|------------------|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-B30SST       | OPT-B42SST       | OPT-B54SST       | OPT-B66SST       |
| Canvas Cover     | OPT-CVR-4824-24H | OPT-CVR-6024-24H | OPT-CVR-7224-24H | OPT-CVR-8424-24H |
| Stainless Lid    | OPT-RC1438       | OPT-RC1450       | OPT-RC1462       | OPT-RC1474       |
| Glass Wind Guard | OPT-WG-4016      | OPT-WG-5216      | OPT-WG-6416      | OPT-WG-7616      |

# MESA FIRE TABLE

IN STAINLESS STEEL



## SIZES

## 48" Mesa

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 24" |
| Burning Area    | (L) 36" x (W) 12"           |
| BTU             | 127,000                     |
| Fire Glass Sugg | 46lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-MESASS48ML   |
| Spark Glow             | OPT-MESASS48SG   |
| Flame Sense            | OPT-MESASS48FSML |
| Fire Glow              | OPT-MESASS48FG   |
| Plug & Play            | OPT-MESASS48EKIT |
| Low Voltage Electronic | OPT-MESASS48E12V |

## 60" Mesa

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 24" |
| Burning Area    | (L) 48" x (W) 12"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 61lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-MESASS60ML   |
| Spark Glow             | OPT-MESASS60SG   |
| Flame Sense            | OPT-MESASS60FSML |
| Fire Glow              | OPT-MESASS60FG   |
| Plug & Play            | OPT-MESASS60EKIT |
| Low Voltage Electronic | OPT-MESASS60E12V |

## 72" Mesa

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 24" |
| Burning Area    | (L) 60" x (W) 12"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 76lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-MESASS72ML   |
| Spark Glow             | OPT-MESASS72SG   |
| Flame Sense            | OPT-MESASS72FSML |
| Fire Glow              | OPT-MESASS72FG   |
| Plug & Play            | OPT-MESASS72EKIT |
| Low Voltage Electronic | OPT-MESASS72E12V |

## 84" Mesa

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 24" x (W) 24" |
| Burning Area    | (L) 72" x (W) 12"           |
| BTU             | 215,000                     |
| Fire Glass Sugg | 91lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-MESASS84ML   |
| Spark Glow             | OPT-MESASS84SG   |
| Flame Sense            | OPT-MESASS84FSML |
| Fire Glow              | OPT-MESASS84FG   |
| Plug & Play            | OPT-MESASS84EKIT |
| Low Voltage Electronic | OPT-MESASS84E12V |

## UPGRADES

| ACCESSORIES      | 48" MESA         | 60" MESA         | 72" MESA         | 84" MESA         |
|------------------|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-B30SST       | OPT-B42SST       | OPT-B54SST       | OPT-B66SST       |
| Canvas Cover     | OPT-CVR-4824-24H | OPT-CVR-6024-24H | OPT-CVR-7224-24H | OPT-CVR-8424-24H |
| Stainless Lid    | OPT-RC1438       | OPT-RC1450       | OPT-RC1462       | OPT-RC1474       |
| Glass Wind Guard | OPT-WG-4016      | OPT-WG-5216      | OPT-WG-6416      | OPT-WG-7616      |

# MESA FIRE TABLE

IN CORTEN STEEL



## SIZES

### 48" Mesa

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 24" |
| Burning Area    | (L) 36" x (W) 12"           |
| BTU             | 127,000                     |
| Fire Glass Sugg | 46lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-MESACS48ML   |
| Spark Glow             | OPT-MESACS48SG   |
| Flame Sense            | OPT-MESACS48FSML |
| Fire Glow              | OPT-MESACS48FG   |
| Plug & Play            | OPT-MESACS48EKIT |
| Low Voltage Electronic | OPT-MESACS48E12V |

### 60" Mesa

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 24" |
| Burning Area    | (L) 48" x (W) 12"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 61lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-MESACS60ML   |
| Spark Glow             | OPT-MESACS60SG   |
| Flame Sense            | OPT-MESACS60FSML |
| Fire Glow              | OPT-MESACS60FG   |
| Plug & Play            | OPT-MESACS60EKIT |
| Low Voltage Electronic | OPT-MESACS60E12V |

### 72" Mesa

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 24" |
| Burning Area    | (L) 60" x (W) 12"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 76lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-MESACS72ML   |
| Spark Glow             | OPT-MESACS72SG   |
| Flame Sense            | OPT-MESACS72FSML |
| Fire Glow              | OPT-MESACS72FG   |
| Plug & Play            | OPT-MESACS72EKIT |
| Low Voltage Electronic | OPT-MESACS72E12V |

### 84" Mesa

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 24" x (W) 24" |
| Burning Area    | (L) 72" x (W) 12"           |
| BTU             | 215,000                     |
| Fire Glass Sugg | 91lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-MESACS84ML   |
| Spark Glow             | OPT-MESACS84SG   |
| Flame Sense            | OPT-MESACS84FSML |
| Fire Glow              | OPT-MESACS84FG   |
| Plug & Play            | OPT-MESACS84EKIT |
| Low Voltage Electronic | OPT-MESACS84E12V |

## UPGRADES

| ACCESSORIES      | 48" MESA         | 60" MESA         | 72" MESA         | 84" MESA         |
|------------------|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-B30SST       | OPT-B42SST       | OPT-B54SST       | OPT-B66SST       |
| Canvas Cover     | OPT-CVR-4824-24H | OPT-CVR-6024-24H | OPT-CVR-7224-24H | OPT-CVR-8424-24H |
| Stainless Lid    | OPT-RC1438       | OPT-RC1450       | OPT-RC1462       | OPT-RC1474       |
| Glass Wind Guard | OPT-WG-4016      | OPT-WG-5216      | OPT-WG-6416      | OPT-WG-7616      |

# MESA FIRE TABLE

IN HAMMERED COPPER



## SIZES

## 48" Mesa

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 48" x (H) 24" x (W) 24" |
| <b>Burning Area</b>    | (L) 36" x (W) 12"           |
| <b>BTU</b>             | 127,000                     |
| <b>Fire Glass Sugg</b> | 46lbs                       |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-MESAHCP48ML   |
| <b>Spark Glow</b>             | OPT-MESAHCP48SG   |
| <b>Flame Sense</b>            | OPT-MESAHCP48FSML |
| <b>Fire Glow</b>              | OPT-MESAHCP48FG   |
| <b>Plug &amp; Play</b>        | OPT-MESAHCP48EKIT |
| <b>Low Voltage Electronic</b> | OPT-MESAHCP48E12V |

## 60" Mesa

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 60" x (H) 24" x (W) 24" |
| <b>Burning Area</b>    | (L) 48" x (W) 12"           |
| <b>BTU</b>             | 165,000                     |
| <b>Fire Glass Sugg</b> | 61lbs                       |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-MESAHCP60ML   |
| <b>Spark Glow</b>             | OPT-MESAHCP60SG   |
| <b>Flame Sense</b>            | OPT-MESAHCP60FSML |
| <b>Fire Glow</b>              | OPT-MESAHCP60FG   |
| <b>Plug &amp; Play</b>        | OPT-MESAHCP60EKIT |
| <b>Low Voltage Electronic</b> | OPT-MESAHCP60E12V |

## 72" Mesa

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 72" x (H) 24" x (W) 24" |
| <b>Burning Area</b>    | (L) 60" x (W) 12"           |
| <b>BTU</b>             | 175,000                     |
| <b>Fire Glass Sugg</b> | 76lbs                       |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-MESAHCP72ML   |
| <b>Spark Glow</b>             | OPT-MESAHCP72SG   |
| <b>Flame Sense</b>            | OPT-MESAHCP72FSML |
| <b>Fire Glow</b>              | OPT-MESAHCP72FG   |
| <b>Plug &amp; Play</b>        | OPT-MESAHCP72EKIT |
| <b>Low Voltage Electronic</b> | OPT-MESAHCP72E12V |

## 84" Mesa

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 84" x (H) 24" x (W) 24" |
| <b>Burning Area</b>    | (L) 72" x (W) 12"           |
| <b>BTU</b>             | 215,000                     |
| <b>Fire Glass Sugg</b> | 91lbs                       |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-MESAHCP84ML   |
| <b>Spark Glow</b>             | OPT-MESAHCP84SG   |
| <b>Flame Sense</b>            | OPT-MESAHCP84FSML |
| <b>Fire Glow</b>              | OPT-MESAHCP84FG   |
| <b>Plug &amp; Play</b>        | OPT-MESAHCP84EKIT |
| <b>Low Voltage Electronic</b> | OPT-MESAHCP84E12V |

## UPGRADES

| ACCESSORIES             | 48" MESA         | 60" MESA         | 72" MESA         | 84" MESA         |
|-------------------------|------------------|------------------|------------------|------------------|
| <b>Bullet Burner</b>    | OPT-B30SST       | OPT-B42SST       | OPT-B54SST       | OPT-B66SST       |
| <b>Canvas Cover</b>     | OPT-CVR-4824-24H | OPT-CVR-6024-24H | OPT-CVR-7224-24H | OPT-CVR-8424-24H |
| <b>Stainless Lid</b>    | OPT-RC1438       | OPT-RC1450       | OPT-RC1462       | OPT-RC1474       |
| <b>Glass Wind Guard</b> | OPT-WG-4016      | OPT-WG-5216      | OPT-WG-6416      | OPT-WG-7616      |

# BEVERLY

## FIRE TABLE

### BIG LUXURY, COMPACT DESIGN

Designed with modernity and luxury in mind, this round American-made fire pit features a sleek ledge, perfect for enjoying mimosas or hors d'oeuvres. Complete with a hidden propane door, the Beverly effortlessly turns any small space into an intimate, chic setting. Just like its namesake, Beverly Hills, the Beverly Fire Pit brings timeless elegance to limited spaces.

### FINISHES

Powder Coat | Stainless Steel | Corten Steel | Hammered Copper

### SIZES

30" | 36" | 42"



Scan the QR Code to  
learn more about our  
**Beverly Fire Table**

**BEVERLY FIRE TABLE**  
36" POWDER COAT WHITE



# BEVERLY FIRE TABLE

## IN POWDER COAT



### FINISHES

|                            |                             |                     |                              |                              |                                   |                            |                              |                       |                            |                              |                            |
|----------------------------|-----------------------------|---------------------|------------------------------|------------------------------|-----------------------------------|----------------------------|------------------------------|-----------------------|----------------------------|------------------------------|----------------------------|
| <b>White</b><br>-WHT       | <b>Soft White</b><br>-STW   | <b>Mist</b><br>-MST | <b>Crema</b><br>-CEM         | <b>White Vein</b><br>-WHTV   | <b>Athens</b><br>-ATH             | <b>Pewter</b><br>-PEW      | <b>Graphite Grey</b><br>-GGY | <b>Vienna</b><br>-VNA | <b>Gray</b><br>-GRY        | <b>Rock Grey</b><br>-RKY     | <b>Grey Vein</b><br>-GVN   |
| <b>Matte Black</b><br>-ONX | <b>Glossy Black</b><br>-BLK | <b>Java</b><br>-JAV | <b>Empire Bronze</b><br>-EBZ | <b>Trophy Bronze</b><br>-TBZ | <b>Bronze Hammertone</b><br>-BZHT | <b>Copper Vein</b><br>-CPV | <b>Gold Vein</b><br>-GDV     | <b>Roman</b><br>-RMN  | <b>Olive Green</b><br>-OGR | <b>Sapphire Blue</b><br>-SBL | <b>Silver Vein</b><br>-SLV |



Scan the QR Code to  
Learn More About Our  
**Color Swatch Guide**

## SIZES

### 30" Beverly

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 30" x (H) 24" |
| Burning Area    | (D) 13"           |
| BTU             | 65,000            |
| Fire Glass Sugg | 14lbs             |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-BEVPC30ML   |
| Spark Glow             | OPT-BEVPC30SG   |
| Flame Sense            | OPT-BEVPC30FSML |
| Fire Glow              | OPT-BEVPC30FG   |
| Plug & Play            | OPT-BEVPC30EKIT |
| Low Voltage Electronic | OPT-BEVPC30E12V |

### 36" Beverly

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 36" x (H) 24" |
| Burning Area    | (D) 19"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 30lbs             |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-BEVPC36ML   |
| Spark Glow             | OPT-BEVPC36SG   |
| Flame Sense            | OPT-BEVPC36FSML |
| Fire Glow              | OPT-BEVPC36FG   |
| Plug & Play            | OPT-BEVPC36EKIT |
| Low Voltage Electronic | OPT-BEVPC36E12V |

### 42" Beverly

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 42" x (H) 24" |
| Burning Area    | (D) 25"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 52lbs             |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-BEVPC42ML   |
| Spark Glow             | OPT-BEVPC42SG   |
| Flame Sense            | OPT-BEVPC42FSML |
| Fire Glow              | OPT-BEVPC42FG   |
| Plug & Play            | OPT-BEVPC42EKIT |
| Low Voltage Electronic | OPT-BEVPC42E12V |

## UPGRADES

| ACCESSORIES   | 30" BEVERLY     | 36" BEVERLY     | 42" BEVERLY     |
|---------------|-----------------|-----------------|-----------------|
| Bullet Burner | OPT-BRDSS6      | OPT-BRDSS12     | OPT-BRDSS12     |
| Canvas Cover  | OPT-CVR-30R-24H | OPT-CVR-36R-24H | OPT-CVR-42R-24H |
| Stainless Lid | OPT-15RC        | OPT-21RC        | OPT-27RC        |

# BEVERLY FIRE TABLE

## IN STAINLESS STEEL



### SIZES

#### 30" Beverly

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 30" x (H) 24" |
| Burning Area    | (D) 13"           |
| BTU             | 65,000            |
| Fire Glass Sugg | 14lbs             |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-BEVSS30ML   |
| Spark Glow             | OPT-BEVSS30SG   |
| Flame Sense            | OPT-BEVSS30FSML |
| Fire Glow              | OPT-BEVSS30FG   |
| Plug & Play            | OPT-BEVSS30EKIT |
| Low Voltage Electronic | OPT-BEVSS30E12V |

#### 36" Beverly

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 36" x (H) 24" |
| Burning Area    | (D) 19"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 30lbs             |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-BEVSS36ML   |
| Spark Glow             | OPT-BEVSS36SG   |
| Flame Sense            | OPT-BEVSS36FSML |
| Fire Glow              | OPT-BEVSS36FG   |
| Plug & Play            | OPT-BEVSS36EKIT |
| Low Voltage Electronic | OPT-BEVSS36E12V |

#### 42" Beverly

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 42" x (H) 24" |
| Burning Area    | (D) 25"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 52lbs             |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-BEVSS42ML   |
| Spark Glow             | OPT-BEVSS42SG   |
| Flame Sense            | OPT-BEVSS42FSML |
| Fire Glow              | OPT-BEVSS42FG   |
| Plug & Play            | OPT-BEVSS42EKIT |
| Low Voltage Electronic | OPT-BEVSS42E12V |

# BEVERLY FIRE TABLE

## IN CORTEN STEEL



### SIZES

#### 30" Beverly

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 30" x (H) 24" |
| Burning Area    | (D) 13"           |
| BTU             | 65,000            |
| Fire Glass Sugg | 14lbs             |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-BEVCS30ML   |
| Spark Glow             | OPT-BEVCS30SG   |
| Flame Sense            | OPT-BEVCS30FSML |
| Fire Glow              | OPT-BEVCS30FG   |
| Plug & Play            | OPT-BEVCS30EKIT |
| Low Voltage Electronic | OPT-BEVCS30E12V |

#### 36" Beverly

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 36" x (H) 24" |
| Burning Area    | (D) 19"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 30lbs             |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-BEVCS36ML   |
| Spark Glow             | OPT-BEVCS36SG   |
| Flame Sense            | OPT-BEVCS36FSML |
| Fire Glow              | OPT-BEVCS36FG   |
| Plug & Play            | OPT-BEVCS36EKIT |
| Low Voltage Electronic | OPT-BEVCS36E12V |

#### 42" Beverly

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 42" x (H) 24" |
| Burning Area    | (D) 25"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 52lbs             |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-BEVCS42ML   |
| Spark Glow             | OPT-BEVCS42SG   |
| Flame Sense            | OPT-BEVCS42FSML |
| Fire Glow              | OPT-BEVCS42FG   |
| Plug & Play            | OPT-BEVCS42EKIT |
| Low Voltage Electronic | OPT-BEVCS42E12V |

# BEVERLY FIRE TABLE IN HAMMERED COPPER

## SIZES

### 30" Beverly

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 30" x (H) 24" |
| Burning Area    | (D) 13"           |
| BTU             | 65,000            |
| Fire Glass Sugg | 14lbs             |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-BEVHCP30ML   |
| Spark Glow             | OPT-BEVHCP30SG   |
| Flame Sense            | OPT-BEVHCP30FSML |
| Fire Glow              | OPT-BEVHCP30FG   |
| Plug & Play            | OPT-BEVHCP30EKIT |
| Low Voltage Electronic | OPT-BEVHCP30E12V |

### 36" Beverly

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 36" x (H) 24" |
| Burning Area    | (D) 19"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 30lbs             |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-BEVHCP36ML   |
| Spark Glow             | OPT-BEVHCP36SG   |
| Flame Sense            | OPT-BEVHCP36FSML |
| Fire Glow              | OPT-BEVHCP36FG   |
| Plug & Play            | OPT-BEVHCP36EKIT |
| Low Voltage Electronic | OPT-BEVHCP36E12V |

### 42" Beverly

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 42" x (H) 24" |
| Burning Area    | (D) 25"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 52lbs             |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-BEVHCP42ML   |
| Spark Glow             | OPT-BEVHCP42SG   |
| Flame Sense            | OPT-BEVHCP42FSML |
| Fire Glow              | OPT-BEVHCP42FG   |
| Plug & Play            | OPT-BEVHCP42EKIT |
| Low Voltage Electronic | OPT-BEVHCP42E12V |



## UPGRADES

| ACCESSORIES   | 30" BEVERLY     | 36" BEVERLY     | 42" BEVERLY     |
|---------------|-----------------|-----------------|-----------------|
| Bullet Burner | OPT-BRDSS6      | OPT-BRDSS12     | OPT-BRDSS12     |
| Canvas Cover  | OPT-CVR-30R-24H | OPT-CVR-36R-24H | OPT-CVR-42R-24H |
| Stainless Lid | OPT-15RC        | OPT-21RC        | OPT-27RC        |

# ALAMEDA

## FIRE TABLE

### FAMILY GATHERING WITH STYLE

Experience the best of both worlds with the Alameda Fire Table. This American-made marvel is large enough to comfortably seat two families, creating the perfect centerpiece for memorable moments. Its sleek, uninterrupted design features a central fire pit, offering a warm embrace for both summer nights and chilly seasons. Elegance, functionality, and a hearty dose of American craftsmanship make the Alameda the quintessential gathering spot for those who refuse to compromise on style.

### FINISHES

Composite Wood | GFRC Concrete | GFRC Concrete Wood Grain | Powder Coat

### SIZES

60" | 72" | 84" | 96"



Scan the QR Code to  
learn more about our  
**Alameda Fire Table**

**ALAMEDA FIRE TABLE**  
84" | COMPOSITE WOOD AND POWDER COAT GRAY



# ALAMEDA FIRE TABLE

IN COMPOSITE WOOD



## SIZES

## 60" Alameda

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 31" x (W) 44" |
| Burning Area    | (L) 28" x (W) 12"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 22lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-ALMWP60ML   |
| Spark Glow             | OPT-ALMWP60SG   |
| Flame Sense            | OPT-ALMWP60FSML |
| Fire Glow              | OPT-ALMWP60FG   |
| Plug & Play            | OPT-ALMWP60EKIT |
| Low Voltage Electronic | OPT-ALMWP60E12V |

## 72" Alameda

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 31" x (W) 44" |
| Burning Area    | (L) 28" x (W) 12"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 40lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-ALMWP72ML   |
| Spark Glow             | OPT-ALMWP72SG   |
| Flame Sense            | OPT-ALMWP72FSML |
| Fire Glow              | OPT-ALMWP72FG   |
| Plug & Play            | OPT-ALMWP72EKIT |
| Low Voltage Electronic | OPT-ALMWP72E12V |

## 84" Alameda

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 31" x (W) 44" |
| Burning Area    | (L) 50.75" x (W) 13.75"     |
| BTU             | 165,000                     |
| Fire Glass Sugg | 58lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-ALMWP84ML   |
| Spark Glow             | OPT-ALMWP84SG   |
| Flame Sense            | OPT-ALMWP84FSML |
| Fire Glow              | OPT-ALMWP84FG   |
| Plug & Play            | OPT-ALMWP84EKIT |
| Low Voltage Electronic | OPT-ALMWP84E12V |

## 96" Alameda

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 96" x (H) 31" x (W) 44" |
| Burning Area    | (L) 50.75" x (W) 13.75"     |
| BTU             | 165,000                     |
| Fire Glass Sugg | 75lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-ALMWP96ML   |
| Spark Glow             | OPT-ALMWP96SG   |
| Flame Sense            | OPT-ALMWP96FSML |
| Fire Glow              | OPT-ALMWP96FG   |
| Plug & Play            | OPT-ALMWP96EKIT |
| Low Voltage Electronic | OPT-ALMWP96E12V |

## UPGRADES

| ACCESSORIES      | 60" ALAMEDA      | 72" ALAMEDA      | 84" ALAMEDA      | 96" ALAMEDA      |
|------------------|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-B24SST       | OPT-B24SST       | OPT-B48SST       | OPT-B48SST       |
| Canvas Cover     | OPT-CVR-6044-31H | OPT-CVR-7244-31H | OPT-CVR-8444-31H | OPT-CVR-9644-31H |
| Stainless Lid    | OPT-RC3014       | OPT-RC3014       | OPT-RC5215       | OPT-RC5215       |
| Glass Wind Guard | OPT-WG-3216      | OPT-WG-3216      | OPT-WG-5417      | OPT-WG-5417      |

# ALAMEDA FIRE TABLE

## IN POWDER COAT



### FINISHES

|                            |                             |                     |                              |                              |                                   |                            |                              |                       |                            |                              |                            |
|----------------------------|-----------------------------|---------------------|------------------------------|------------------------------|-----------------------------------|----------------------------|------------------------------|-----------------------|----------------------------|------------------------------|----------------------------|
| <b>White</b><br>-WHT       | <b>Soft White</b><br>-STW   | <b>Mist</b><br>-MST | <b>Crema</b><br>-CEM         | <b>White Vein</b><br>-WHTV   | <b>Athens</b><br>-ATH             | <b>Pewter</b><br>-PEW      | <b>Graphite Grey</b><br>-GGY | <b>Vienna</b><br>-VNA | <b>Gray</b><br>-GRY        | <b>Rock Grey</b><br>-RKY     | <b>Grey Vein</b><br>-GVN   |
| <b>Matte Black</b><br>-ONX | <b>Glossy Black</b><br>-BLK | <b>Java</b><br>-JAV | <b>Empire Bronze</b><br>-EBZ | <b>Trophy Bronze</b><br>-TBZ | <b>Bronze Hammertone</b><br>-BZHT | <b>Copper Vein</b><br>-CPV | <b>Gold Vein</b><br>-GDV     | <b>Roman</b><br>-RMN  | <b>Olive Green</b><br>-OGR | <b>Sapphire Blue</b><br>-SBL | <b>Silver Vein</b><br>-SLV |



Scan the QR Code to  
Learn More About Our  
**Color Swatch Guide**

## SIZES

## 60" Alameda

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 31" x (W) 44" |
| Burning Area    | (L) 28" x (W) 12"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 22lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-ALMPC60ML   |
| Spark Glow             | OPT-ALMPC60SG   |
| Flame Sense            | OPT-ALMPC60FSML |
| Fire Glow              | OPT-ALMPC60FG   |
| Plug & Play            | OPT-ALMPC60EKIT |
| Low Voltage Electronic | OPT-ALMPC60E12V |

## 72" Alameda

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 31" x (W) 44" |
| Burning Area    | (L) 28" x (W) 12"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 40lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-ALMPC72ML   |
| Spark Glow             | OPT-ALMPC72SG   |
| Flame Sense            | OPT-ALMPC72FSML |
| Fire Glow              | OPT-ALMPC72FG   |
| Plug & Play            | OPT-ALMPC72EKIT |
| Low Voltage Electronic | OPT-ALMPC72E12V |

## 84" Alameda

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 31" x (W) 44" |
| Burning Area    | (L) 50.75" x (W) 13.75"     |
| BTU             | 165,000                     |
| Fire Glass Sugg | 58lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-ALMWP84ML   |
| Spark Glow             | OPT-ALMWP84SG   |
| Flame Sense            | OPT-ALMWP84FSML |
| Fire Glow              | OPT-ALMWP84FG   |
| Plug & Play            | OPT-ALMWP84EKIT |
| Low Voltage Electronic | OPT-ALMWP84E12V |

## 96" Alameda

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 96" x (H) 31" x (W) 44" |
| Burning Area    | (L) 50.75" x (W) 13.75"     |
| BTU             | 165,000                     |
| Fire Glass Sugg | 75lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-ALMPC96ML   |
| Spark Glow             | OPT-ALMPC96SG   |
| Flame Sense            | OPT-ALMPC96FSML |
| Fire Glow              | OPT-ALMPC96FG   |
| Plug & Play            | OPT-ALMPC96EKIT |
| Low Voltage Electronic | OPT-ALMPC96E12V |

## UPGRADES

| ACCESSORIES      | 60" ALAMEDA      | 72" ALAMEDA      | 84" ALAMEDA      | 96" ALAMEDA      |
|------------------|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-B24SST       | OPT-B24SST       | OPT-B48SST       | OPT-B48SST       |
| Canvas Cover     | OPT-CVR-6044-31H | OPT-CVR-7244-31H | OPT-CVR-8444-31H | OPT-CVR-9644-31H |
| Stainless Lid    | OPT-RC3014       | OPT-RC3014       | OPT-RC5215       | OPT-RC5215       |
| Glass Wind Guard | OPT-WG-3216      | OPT-WG-3216      | OPT-WG-5417      | OPT-WG-5417      |

# ALAMEDA FIRE TABLE

## GFRC CONCRETE TOP | POWDER COAT BASE



LINEAR BURNER

GFRC CONCRETE

POWDER COAT



### GFRC CONCRETE FINISHES

**Ash**  
-ASH

**Black**  
-BLK

**Brown**  
-BRN

**Chestnut**  
-CST

**Chocolate**  
-CHC

**Gray**  
-GRY

**Natural Gray**  
-NGY

**Limestone**  
-LIM

**Vanilla**  
-VAN

**Rustic Moss Stone**  
-RMS

**Rustic Coffee**  
-RCF

**Rustic White**  
-RWH

**Rustic Gray**  
-RGR

**Metallic Slate**  
-MSL

**Metallic Bronze**  
-MBR

**Metallic Copper**  
-MCP

**Metallic Pearl**  
-MPR

**Metallic Silver**  
-MSV

### POWDER COAT FINISHES

**White**  
-WHT

**Soft White**  
-STW

**Mist**  
-MST

**Crema**  
-CEM

**White Vein**  
-WHTV

**Athens**  
-ATH

**Pewter**  
-PEW

**Roman**  
-RMN

**Vienna**  
-VNA

**Gray**  
-GRY

**Rock Grey**  
-RKY

**Grey Vein**  
-GVN

**Matte Black**  
-ONX

**Glossy Black**  
-BLK

**Java**  
-JAV

**Empire Bronze**  
-EBZ

**Trophy Bronze**  
-TBZ

**Bronze Hammertone**  
-BZHT

**Copper Vein**  
-CPV

**Gold Vein**  
-GDV

**Graphite Grey**  
-GGY

**Olive Green**  
-OGR

**Sapphire Blue**  
-SBL

**Silver Vein**  
-SLV

## SIZES

## 60" Alameda

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 60" x (H) 31" x (W) 44" |
| <b>Burning Area</b>    | (L) 28" x (W) 12"           |
| <b>BTU</b>             | 115,000                     |
| <b>Fire Glass Sugg</b> | 22lbs                       |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-ALMGFRC60ML   |
| <b>Spark Glow</b>             | OPT-ALMGFRC60SG   |
| <b>Flame Sense</b>            | OPT-ALMGFRC60FSML |
| <b>Fire Glow</b>              | OPT-ALMGFRC60FG   |
| <b>Plug &amp; Play</b>        | OPT-ALMGFRC60EKIT |
| <b>Low Voltage Electronic</b> | OPT-ALMGFRC60E12V |

## 72" Alameda

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 72" x (H) 31" x (W) 44" |
| <b>Burning Area</b>    | (L) 28" x (W) 12"           |
| <b>BTU</b>             | 115,000                     |
| <b>Fire Glass Sugg</b> | 40lbs                       |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-ALMGFRC72ML   |
| <b>Spark Glow</b>             | OPT-ALMGFRC72SG   |
| <b>Flame Sense</b>            | OPT-ALMGFRC72FSML |
| <b>Fire Glow</b>              | OPT-ALMGFRC72FG   |
| <b>Plug &amp; Play</b>        | OPT-ALMGFRC72EKIT |
| <b>Low Voltage Electronic</b> | OPT-ALMGFRC72E12V |

## 84" Alameda

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 84" x (H) 31" x (W) 44" |
| <b>Burning Area</b>    | (L) 50.75" x (W) 13.75"     |
| <b>BTU</b>             | 165,000                     |
| <b>Fire Glass Sugg</b> | 58lbs                       |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-ALMGFRC84ML   |
| <b>Spark Glow</b>             | OPT-ALMGFRC84SG   |
| <b>Flame Sense</b>            | OPT-ALMGFRC84FSML |
| <b>Fire Glow</b>              | OPT-ALMGFRC84FG   |
| <b>Plug &amp; Play</b>        | OPT-ALMGFRC84EKIT |
| <b>Low Voltage Electronic</b> | OPT-ALMGFRC84E12V |

## 96" Alameda

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 96" x (H) 31" x (W) 44" |
| <b>Burning Area</b>    | (L) 50.75" x (W) 13.75"     |
| <b>BTU</b>             | 165,000                     |
| <b>Fire Glass Sugg</b> | 75lbs                       |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-ALMGFRC84ML   |
| <b>Spark Glow</b>             | OPT-ALMGFRC84SG   |
| <b>Flame Sense</b>            | OPT-ALMGFRC84FSML |
| <b>Fire Glow</b>              | OPT-ALMGFRC84FG   |
| <b>Plug &amp; Play</b>        | OPT-ALMGFRC84EKIT |
| <b>Low Voltage Electronic</b> | OPT-ALMGFRC84E12V |

## UPGRADES

| ACCESSORIES             | 60" ALAMEDA      | 72" ALAMEDA      | 84" ALAMEDA      | 96" ALAMEDA      |
|-------------------------|------------------|------------------|------------------|------------------|
| <b>Bullet Burner</b>    | OPT-B24SST       | OPT-B24SST       | OPT-B48SST       | OPT-B48SST       |
| <b>Canvas Cover</b>     | OPT-CVR-6044-31H | OPT-CVR-7244-31H | OPT-CVR-8444-31H | OPT-CVR-9644-31H |
| <b>Stainless Lid</b>    | OPT-RC3014       | OPT-RC3014       | OPT-RC5215       | OPT-RC5215       |
| <b>Glass Wind Guard</b> | OPT-WG-3216      | OPT-WG-3216      | OPT-WG-5417      | OPT-WG-5417      |

# ALAMEDA FIRE TABLE

## GFRC WOOD GRAIN TOP | POWDER COAT BASE



GFRC WOOD  
GRAIN

POWDER COAT



### GFRC WOOD GRAIN FINISHES

**Oak**  
-OAK

**Ivory**  
-IVY

**Ebony**  
-EBN



Scan the QR Code to  
Learn More About Our  
**Color Swatch Guide**

### POWDER COAT FINISHES

**White**  
-WHT

**Soft White**  
-STW

**Mist**  
-MST

**Crema**  
-CEM

**White Vein**  
-WHTV

**Athens**  
-ATH

**Pewter**  
-PEW

**Roman**  
-RMN

**Vienna**  
-VNA

**Gray**  
-GRY

**Rock Grey**  
-RKY

**Grey Vein**  
-GVN

**Matte Black**  
-ONX

**Glossy Black**  
-BLK

**Java**  
-JAV

**Empire Bronze**  
-EBZ

**Trophy Bronze**  
-TBZ

**Bronze Hammertone**  
-BZHT

**Copper Vein**  
-CPV

**Gold Vein**  
-GDV

**Graphite Grey**  
-GGY

**Olive Green**  
-OGR

**Sapphire Blue**  
-SBL

**Silver Vein**  
-SLV

## SIZES

## 60" Alameda

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 31" x (W) 44" |
| Burning Area    | (L) 28" x (W) 12"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 22lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-ALMWG60ML   |
| Spark Glow             | OPT-ALMWG60SG   |
| Flame Sense            | OPT-ALMWG60FSML |
| Fire Glow              | OPT-ALMWG60FG   |
| Plug & Play            | OPT-ALMWG60EKIT |
| Low Voltage Electronic | OPT-ALMWG60E12V |

## 72" Alameda

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 31" x (W) 44" |
| Burning Area    | (L) 28" x (W) 12"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 40lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-ALMWG72ML   |
| Spark Glow             | OPT-ALMWG72SG   |
| Flame Sense            | OPT-ALMWG72FSML |
| Fire Glow              | OPT-ALMWG72FG   |
| Plug & Play            | OPT-ALMWG72EKIT |
| Low Voltage Electronic | OPT-ALMWG72E12V |

## 84" Alameda

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 31" x (W) 44" |
| Burning Area    | (L) 50.75" x (W) 13.75"     |
| BTU             | 165,000                     |
| Fire Glass Sugg | 58lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-ALMWG84ML   |
| Spark Glow             | OPT-ALMWG84SG   |
| Flame Sense            | OPT-ALMWG84FSML |
| Fire Glow              | OPT-ALMWG84FG   |
| Plug & Play            | OPT-ALMWG84EKIT |
| Low Voltage Electronic | OPT-ALMWG84E12V |

## 96" Alameda

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 96" x (H) 31" x (W) 44" |
| Burning Area    | (L) 50.75" x (W) 13.75"     |
| BTU             | 165,000                     |
| Fire Glass Sugg | 75lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-ALMWG96ML   |
| Spark Glow             | OPT-ALMWG96SG   |
| Flame Sense            | OPT-ALMWG96FSML |
| Fire Glow              | OPT-ALMWG96FG   |
| Plug & Play            | OPT-ALMWG96EKIT |
| Low Voltage Electronic | OPT-ALMWG96E12V |

## UPGRADES

| ACCESSORIES      | 60" ALAMEDA      | 72" ALAMEDA      | 84" ALAMEDA      | 96" ALAMEDA      |
|------------------|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-B24SST       | OPT-B24SST       | OPT-B48SST       | OPT-B48SST       |
| Canvas Cover     | OPT-CVR-6044-31H | OPT-CVR-7244-31H | OPT-CVR-8444-31H | OPT-CVR-9644-31H |
| Stainless Lid    | OPT-RC3014       | OPT-RC3014       | OPT-RC5215       | OPT-RC5215       |
| Glass Wind Guard | OPT-WG-3216      | OPT-WG-3216      | OPT-WG-5417      | OPT-WG-5417      |

# SANTA CRUZ FIRE TABLE

## IN POWDER COAT



### FINISHES

|                            |                             |                     |                              |                              |                                   |                            |                              |                       |                            |                              |                            |
|----------------------------|-----------------------------|---------------------|------------------------------|------------------------------|-----------------------------------|----------------------------|------------------------------|-----------------------|----------------------------|------------------------------|----------------------------|
| <b>White</b><br>-WHT       | <b>Soft White</b><br>-STW   | <b>Mist</b><br>-MST | <b>Crema</b><br>-CEM         | <b>White Vein</b><br>-WHTV   | <b>Athens</b><br>-ATH             | <b>Pewter</b><br>-PEW      | <b>Graphite Grey</b><br>-GGY | <b>Vienna</b><br>-VNA | <b>Gray</b><br>-GRY        | <b>Rock Grey</b><br>-RKY     | <b>Grey Vein</b><br>-GVN   |
| <b>Matte Black</b><br>-ONX | <b>Glossy Black</b><br>-BLK | <b>Java</b><br>-JAV | <b>Empire Bronze</b><br>-EBZ | <b>Trophy Bronze</b><br>-TBZ | <b>Bronze Hammertone</b><br>-BZHT | <b>Copper Vein</b><br>-CPV | <b>Gold Vein</b><br>-GDV     | <b>Roman</b><br>-RMN  | <b>Olive Green</b><br>-OGR | <b>Sapphire Blue</b><br>-SBL | <b>Silver Vein</b><br>-SLV |



Scan the QR Code to  
Learn More About Our  
**Color Swatch Guide**

SIZES

60" Santa Cruz

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 31" x (W) 44" |
| Burning Area    | (L) 28" x (W) 12"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 22lbs                       |

|                        |               |
|------------------------|---------------|
| Match Lit              | OPT-SCZ60ML   |
| Spark Glow             | OPT-SCZ60SG   |
| Flame Sense            | OPT-SCZ60FSML |
| Fire Glow              | OPT-SCZ60FG   |
| Plug & Play            | OPT-SCZ60EKIT |
| Low Voltage Electronic | OPT-SCZ60E12V |

72" Santa Cruz

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 31" x (W) 44" |
| Burning Area    | (L) 28" x (W) 12"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 40lbs                       |

|                        |               |
|------------------------|---------------|
| Match Lit              | OPT-SCZ72ML   |
| Spark Glow             | OPT-SCZ72SG   |
| Flame Sense            | OPT-SCZ72FSML |
| Fire Glow              | OPT-SCZ72FG   |
| Plug & Play            | OPT-SCZ72EKIT |
| Low Voltage Electronic | OPT-SCZ72E12V |

84" Santa Cruz

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 31" x (W) 44" |
| Burning Area    | (L) 50.75" x (W) 13.75"     |
| BTU             | 165,000                     |
| Fire Glass Sugg | 58lbs                       |

|                        |               |
|------------------------|---------------|
| Match Lit              | OPT-SCZ84ML   |
| Spark Glow             | OPT-SCZ84SG   |
| Flame Sense            | OPT-SCZ84FSML |
| Fire Glow              | OPT-SCZ84FG   |
| Plug & Play            | OPT-SCZ84EKIT |
| Low Voltage Electronic | OPT-SCZ84E12V |

96" Santa Cruz

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 96" x (H) 31" x (W) 44" |
| Burning Area    | (L) 50.75" x (W) 13.75"     |
| BTU             | 165,000                     |
| Fire Glass Sugg | 75lbs                       |

|                        |               |
|------------------------|---------------|
| Match Lit              | OPT-SCZ96ML   |
| Spark Glow             | OPT-SCZ96SG   |
| Flame Sense            | OPT-SCZ96FSML |
| Fire Glow              | OPT-SCZ96FG   |
| Plug & Play            | OPT-SCZ96EKIT |
| Low Voltage Electronic | OPT-SCZ96E12V |

UPGRADES

| ACCESSORIES      | 60" SANTA CRUZ   | 72" SANTA CRUZ   | 84" SANTA CRUZ   | 96" SANTA CRUZ   |
|------------------|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-B24SST       | OPT-B24SST       | OPT-B48SST       | OPT-B48SST       |
| Canvas Cover     | OPT-CVR-6044-31H | OPT-CVR-7244-31H | OPT-CVR-8444-31H | OPT-CVR-9644-31H |
| Stainless Lid    | OPT-RC3014       | OPT-RC3014       | OPT-RC5215       | OPT-RC5215       |
| Glass Wind Guard | OPT-WG-3216      | OPT-WG-3216      | OPT-WG-5417      | OPT-WG-5417      |

# EAVES

## FIRE PIT

### MODERN LUXURY WITH EVERY IGNITION

Break away from conventional design with the Eaves Fire Pit—a modern masterpiece in the realm of outdoor luxury. This low-profile, American-made fire pit is designed to integrate seamlessly into walls or ledges, adding a dramatic flair that elevates any space it inhabits. Far more than a simple fire feature, the Eaves transforms your outdoor area into a living work of art. Witness the sublime interplay of fire and architecture, and make every setting epic.

#### FINISHES

Powder Coat | Stainless Steel | Corten Steel | Hammered Copper

#### SIZES

48" | 60" | 72"




Scan the QR Code to  
learn more about our  
**Eaves Fire Pit**

**EAVES FIRE PIT**  
72" | CORTEN STEEL



# EAVES FIRE PIT

## IN POWDER COAT



### FINISHES

|                            |                             |                     |                              |                              |                                   |                            |                              |                       |                            |                              |                            |
|----------------------------|-----------------------------|---------------------|------------------------------|------------------------------|-----------------------------------|----------------------------|------------------------------|-----------------------|----------------------------|------------------------------|----------------------------|
| <b>White</b><br>-WHT       | <b>Soft White</b><br>-STW   | <b>Mist</b><br>-MST | <b>Crema</b><br>-CEM         | <b>White Vein</b><br>-WHTV   | <b>Athens</b><br>-ATH             | <b>Pewter</b><br>-PEW      | <b>Graphite Grey</b><br>-GGY | <b>Vienna</b><br>-VNA | <b>Gray</b><br>-GRY        | <b>Rock Grey</b><br>-RKY     | <b>Grey Vein</b><br>-GVN   |
| <b>Matte Black</b><br>-ONX | <b>Glossy Black</b><br>-BLK | <b>Java</b><br>-JAV | <b>Empire Bronze</b><br>-EBZ | <b>Trophy Bronze</b><br>-TBZ | <b>Bronze Hammertone</b><br>-BZHT | <b>Copper Vein</b><br>-CPV | <b>Gold Vein</b><br>-GDV     | <b>Roman</b><br>-RMN  | <b>Olive Green</b><br>-OGR | <b>Sapphire Blue</b><br>-SBL | <b>Silver Vein</b><br>-SLV |



Scan the QR Code to  
Learn More About Our  
**Color Swatch Guide**

## SIZES

## 48" Eaves

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 10" x (W) 10" |
| Burning Area    | (L) 44" x (W) 6"            |
| BTU             | 140,000                     |
| Fire Glass Sugg | 28lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-EAVPC48ML   |
| Spark Glow             | OPT-EAVPC48SG   |
| Flame Sense            | OPT-EAVPC48FSML |
| Fire Glow              | OPT-EAVPC48FG   |
| Plug & Play            | OPT-EAVPC48EKIT |
| Low Voltage Electronic | OPT-EAVPC48E12V |

## 60" Eaves

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 10" x (W) 10" |
| Burning Area    | (L) 56" x (W) 6"            |
| BTU             | 165,000                     |
| Fire Glass Sugg | 36lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-EAVPC60ML   |
| Spark Glow             | OPT-EAVPC60SG   |
| Flame Sense            | OPT-EAVPC60FSML |
| Fire Glow              | OPT-EAVPC60FG   |
| Plug & Play            | OPT-EAVPC60EKIT |
| Low Voltage Electronic | OPT-EAVPC60E12V |

## 72" Eaves

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 10" x (W) 10" |
| Burning Area    | (L) 68" x (W) 6"            |
| BTU             | 175,000                     |
| Fire Glass Sugg | 43lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-EAVPC72ML   |
| Spark Glow             | OPT-EAVPC72SG   |
| Flame Sense            | OPT-EAVPC72FSML |
| Fire Glow              | OPT-EAVPC72FG   |
| Plug & Play            | OPT-EAVPC72EKIT |
| Low Voltage Electronic | OPT-EAVPC72E12V |

## UPGRADES

| ACCESSORIES   | 48" EAVES        | 60" EAVES        | 72" EAVES        |
|---------------|------------------|------------------|------------------|
| Bullet Burner | OPT-B36SST       | OPT-B48SST       | OPT-B60SST       |
| Canvas Cover  | OPT-CVR-4810-10H | OPT-CVR-6010-10H | OPT-CVR-7210-10H |
| Stainless Lid | OPT-RC0846       | OPT-RC0858       | OPT-RC0870       |

# EAVES FIRE PIT

## IN STAINLESS STEEL



### SIZES

#### 48" Eaves

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 10" x (W) 10" |
| Burning Area    | (L) 44" x (W) 6"            |
| BTU             | 140,000                     |
| Fire Glass Sugg | 28lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-EAVSS48ML   |
| Spark Glow             | OPT-EAVSS48SG   |
| Flame Sense            | OPT-EAVSS48FSML |
| Fire Glow              | OPT-EAVSS48FG   |
| Plug & Play            | OPT-EAVSS48EKIT |
| Low Voltage Electronic | OPT-EAVSS48E12V |

#### 60" Eaves

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 10" x (W) 10" |
| Burning Area    | (L) 56" x (W) 6"            |
| BTU             | 165,000                     |
| Fire Glass Sugg | 36lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-EAVSS60ML   |
| Spark Glow             | OPT-EAVSS60SG   |
| Flame Sense            | OPT-EAVSS60FSML |
| Fire Glow              | OPT-EAVSS60FG   |
| Plug & Play            | OPT-EAVSS60EKIT |
| Low Voltage Electronic | OPT-EAVSS60E12V |

#### 72" Eaves

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 10" x (W) 10" |
| Burning Area    | (L) 68" x (W) 6"            |
| BTU             | 175,000                     |
| Fire Glass Sugg | 43lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-EAVSS72ML   |
| Spark Glow             | OPT-EAVSS72SG   |
| Flame Sense            | OPT-EAVSS72FSML |
| Fire Glow              | OPT-EAVSS72FG   |
| Plug & Play            | OPT-EAVSS72EKIT |
| Low Voltage Electronic | OPT-EAVSS72E12V |

# EAVES FIRE PIT

## IN CORTEN STEEL



### SIZES

#### 48" Eaves

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 10" x (W) 10" |
| Burning Area    | (L) 44" x (W) 6"            |
| BTU             | 140,000                     |
| Fire Glass Sugg | 28lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-EAVCS48ML   |
| Spark Glow             | OPT-EAVCS48SG   |
| Flame Sense            | OPT-EAVCS48FSML |
| Fire Glow              | OPT-EAVCS48FG   |
| Plug & Play            | OPT-EAVCS48EKIT |
| Low Voltage Electronic | OPT-EAVCS48E12V |

#### 60" Eaves

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 10" x (W) 10" |
| Burning Area    | (L) 56" x (W) 6"            |
| BTU             | 165,000                     |
| Fire Glass Sugg | 36lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-EAVCS60ML   |
| Spark Glow             | OPT-EAVCS60SG   |
| Flame Sense            | OPT-EAVCS60FSML |
| Fire Glow              | OPT-EAVCS60FG   |
| Plug & Play            | OPT-EAVCS60EKIT |
| Low Voltage Electronic | OPT-EAVCS60E12V |

#### 72" Eaves

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 10" x (W) 10" |
| Burning Area    | (L) 68" x (W) 6"            |
| BTU             | 175,000                     |
| Fire Glass Sugg | 43lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-EAVCS72ML   |
| Spark Glow             | OPT-EAVCS72SG   |
| Flame Sense            | OPT-EAVCS72FSML |
| Fire Glow              | OPT-EAVCS72FG   |
| Plug & Play            | OPT-EAVCS72EKIT |
| Low Voltage Electronic | OPT-EAVCS72E12V |

# EAVES FIRE PIT IN HAMMERED COPPER

## SIZES

### 48" Eaves

|              |                             |
|--------------|-----------------------------|
| Dimensions   | (L) 48" x (H) 10" x (W) 10" |
| Burning Area | (L) 44" x (W) 6"            |
| BTU          | 140,000                     |
| Fire Glass   | 28lbs                       |
| Sugg         |                             |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-EAVHCP48ML   |
| Spark Glow             | OPT-EAVHCP48SG   |
| Flame Sense            | OPT-EAVHCP48FSML |
| Fire Glow              | OPT-EAVHCP48FG   |
| Plug & Play            | OPT-EAVHCP48EKIT |
| Low Voltage Electronic | OPT-EAVHCP48E12V |

### 60" Eaves

|              |                             |
|--------------|-----------------------------|
| Dimensions   | (L) 60" x (H) 10" x (W) 10" |
| Burning Area | (L) 56" x (W) 6"            |
| BTU          | 165,000                     |
| Fire Glass   | 36lbs                       |
| Sugg         |                             |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-EAVHCP60ML   |
| Spark Glow             | OPT-EAVHCP60SG   |
| Flame Sense            | OPT-EAVHCP60FSML |
| Fire Glow              | OPT-EAVHCP60FG   |
| Plug & Play            | OPT-EAVHCP60EKIT |
| Low Voltage Electronic | OPT-EAVHCP60E12V |

### 72" Eaves

|              |                             |
|--------------|-----------------------------|
| Dimensions   | (L) 72" x (H) 10" x (W) 10" |
| Burning Area | (L) 68" x (W) 6"            |
| BTU          | 175,000                     |
| Fire Glass   | 43lbs                       |
| Sugg         |                             |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-EAVHCP72ML   |
| Spark Glow             | OPT-EAVHCP72SG   |
| Flame Sense            | OPT-EAVHCP72FSML |
| Fire Glow              | OPT-EAVHCP72FG   |
| Plug & Play            | OPT-EAVHCP72EKIT |
| Low Voltage Electronic | OPT-EAVHCP72E12V |



## UPGRADES

### ACCESSORIES

#### 48" EAVES

#### 60" EAVES

#### 72" EAVES

#### Bullet Burner

OPT-B36SST

OPT-B48SST

OPT-B60SST

#### Canvas Cover

OPT-CVR-4810-10H

OPT-CVR-6010-10H

OPT-CVR-7210-10H

#### Stainless Lid

OPT-RC0846

OPT-RC0858

OPT-RC0870

# QUAD FIRE PIT

## BORN FROM THE GROUND, PERFECTED BY CRAFTSMANSHIP.

Discover the seamless blend of design and natural harmony with the Quad Fire Pit. This low-profile, American-made gem offers a flush look that melds effortlessly with its surroundings, as if it were a native part of your outdoor space. Ideal for those who seek a fire feature that complements rather than commands, the Quad Fire Pit brings understated elegance to any setting. Experience the perfect balance between natural beauty and crafted excellence.

## FINISHES

GFRC Concrete | Powder Coat | Stainless Steel | Corten Steel | Hammered Copper

## SIZES

36" | 42"



Scan the QR Code to  
learn more about our  
**Quad Fire Pit**

**QUAD FIRE PIT**  
42" | POWDER COAT GRAY



# QUAD FIRE PIT

## IN GFRG CONCRETE



### FINISHES

**Ash**  
-ASH

**Black**  
-BLK

**Brown**  
-BRN

**Chestnut**  
-CST

**Chocolate**  
-CHC

**Gray**  
-GRY

**Natural Gray**  
-NGY

**Limestone**  
-BLK

**Vanilla**  
-VAN

**Rustic Moss  
Stone**  
-RMS

**Rustic Coffee**  
-RCF

**Rustic White**  
-RWH

**Rustic Gray**  
-RGR

**Metallic Slate**  
-MSL

**Metallic  
Bronze**  
-MBR

**Metallic  
Copper**  
-MBR

**Metallic Pearl**  
-MPR

**Metallic  
Silver**  
-MSV



Scan the QR Code to  
Learn More About Our  
**Color Swatch Guide**

## SIZES

### 36" Quad

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 36" x (H) 12" x (W) 36" |
| Burning Area    | (L) 32" x (W) 32"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 107lbs                      |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-QADGFRC36ML   |
| Spark Glow             | OPT-QADGFRC36SG   |
| Flame Sense            | OPT-QADGFRC36FSML |
| Fire Glow              | OPT-QADGFRC36FG   |
| Plug & Play            | OPT-QADGFRC36EKIT |
| Low Voltage Electronic | OPT-QADGFRC36E12V |

### 42" Quad

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 42" x (H) 12" x (W) 42" |
| Burning Area    | (L) 38" x (W) 38"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 151lbs                      |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-QADGFRC42ML   |
| Spark Glow             | OPT-QADGFRC42SG   |
| Flame Sense            | OPT-QADGFRC42FSML |
| Fire Glow              | OPT-QADGFRC42FG   |
| Plug & Play            | OPT-QADGFRC42EKIT |
| Low Voltage Electronic | OPT-QADGFRC42E12V |

## UPGRADES

| ACCESSORIES      | 36" QUAD         | 42" QUAD         |
|------------------|------------------|------------------|
| Bullet Burner    | OPT-BRDSS18      | OPT-BRDSS24      |
| Canvas Cover     | OPT-CVR-3636-12H | OPT-CVR-4242-12H |
| Stainless Lid    | OPT-34SC         | OPT-40SC         |
| Glass Wind Guard | OPT-WG-3636      | OPT-WG-4242      |

# QUAD FIRE PIT

## IN POWDER COAT



### FINISHES

|                            |                             |                     |                              |                              |                                   |                            |                              |                       |                            |                              |                            |
|----------------------------|-----------------------------|---------------------|------------------------------|------------------------------|-----------------------------------|----------------------------|------------------------------|-----------------------|----------------------------|------------------------------|----------------------------|
| <b>White</b><br>-WHT       | <b>Soft White</b><br>-STW   | <b>Mist</b><br>-MST | <b>Crema</b><br>-CEM         | <b>White Vein</b><br>-WHTV   | <b>Athens</b><br>-ATH             | <b>Pewter</b><br>-PEW      | <b>Graphite Grey</b><br>-GGY | <b>Vienna</b><br>-VNA | <b>Gray</b><br>-GRY        | <b>Rock Grey</b><br>-RKY     | <b>Grey Vein</b><br>-GVN   |
| <b>Matte Black</b><br>-ONX | <b>Glossy Black</b><br>-BLK | <b>Java</b><br>-JAV | <b>Empire Bronze</b><br>-EBZ | <b>Trophy Bronze</b><br>-TBZ | <b>Bronze Hammertone</b><br>-BZHT | <b>Copper Vein</b><br>-CPV | <b>Gold Vein</b><br>-GDV     | <b>Roman</b><br>-RMN  | <b>Olive Green</b><br>-OGR | <b>Sapphire Blue</b><br>-SBL | <b>Silver Vein</b><br>-SLV |



Scan the QR Code to  
Learn More About Our  
**Color Swatch Guide**

## SIZES

### 36" Quad

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 36" x (H) 12" x (W) 36" |
| Burning Area    | (L) 32" x (W) 32"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 107lbs                      |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-QADPC36ML   |
| Spark Glow             | OPT-QADPC36SG   |
| Flame Sense            | OPT-QADPC36FSML |
| Fire Glow              | OPT-QADPC36FG   |
| Plug & Play            | OPT-QADPC36EKIT |
| Low Voltage Electronic | OPT-QADPC36E12V |

### 42" Quad

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 42" x (H) 12" x (W) 42" |
| Burning Area    | (L) 38" x (W) 38"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 151lbs                      |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-QADPC42ML   |
| Spark Glow             | OPT-QADPC42SG   |
| Flame Sense            | OPT-QADPC42FSML |
| Fire Glow              | OPT-QADPC42FG   |
| Plug & Play            | OPT-QADPC42EKIT |
| Low Voltage Electronic | OPT-QADPC42E12V |

## UPGRADES

### ACCESSORIES

#### 36" QUAD

#### 42" QUAD

|                  |                  |                  |
|------------------|------------------|------------------|
| Bullet Burner    | OPT-BRDSS18      | OPT-BRDSS24      |
| Canvas Cover     | OPT-CVR-3636-12H | OPT-CVR-4242-12H |
| Stainless Lid    | OPT-34SC         | OPT-40SC         |
| Glass Wind Guard | OPT-WG-3636      | OPT-WG-4242      |

# QUAD FIRE PIT

## IN CORTEN STEEL



### SIZES

#### 36" Quad

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 36" x (H) 12" x (W) 36" |
| Burning Area    | (L) 32" x (W) 32"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 107lbs                      |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-QADCS36ML   |
| Spark Glow             | OPT-QADCS36SG   |
| Flame Sense            | OPT-QADCS36FSML |
| Fire Glow              | OPT-QADCS36FG   |
| Plug & Play            | OPT-QADCS36EKIT |
| Low Voltage Electronic | OPT-QADCS36E12V |

#### 42" Quad

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 42" x (H) 12" x (W) 42" |
| Burning Area    | (L) 38" x (W) 38"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 151lbs                      |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-QADCS42ML   |
| Spark Glow             | OPT-QADCS42SG   |
| Flame Sense            | OPT-QADCS42FSML |
| Fire Glow              | OPT-QADCS42FG   |
| Plug & Play            | OPT-QADCS42EKIT |
| Low Voltage Electronic | OPT-QADCS42E12V |

### UPGRADES

#### ACCESSORIES

#### 36" QUAD

#### 42" QUAD

|                  |                  |                  |
|------------------|------------------|------------------|
| Bullet Burner    | OPT-BRDSS18      | OPT-BRDSS24      |
| Canvas Cover     | OPT-CVR-3636-12H | OPT-CVR-4242-12H |
| Stainless Lid    | OPT-34SC         | OPT-40SC         |
| Glass Wind Guard | OPT-WG-3636      | OPT-WG-4242      |

# QUAD FIRE PIT

## IN HAMMERED COPPER



### SIZES

#### 36" Quad

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 36" x (H) 12" x (W) 36" |
| Burning Area    | (L) 32" x (W) 32"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 107lbs                      |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-QADHCP36ML   |
| Spark Glow             | OPT-QADHCP36SG   |
| Flame Sense            | OPT-QADHCP36FSML |
| Fire Glow              | OPT-QADHCP36FG   |
| Plug & Play            | OPT-QADHCP36EKIT |
| Low Voltage Electronic | OPT-QADHCP36E12V |

#### 42" Quad

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 42" x (H) 12" x (W) 42" |
| Burning Area    | (L) 38" x (W) 38"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 151lbs                      |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-QADHCP42ML   |
| Spark Glow             | OPT-QADHCP42SG   |
| Flame Sense            | OPT-QADHCP42FSML |
| Fire Glow              | OPT-QADHCP42FG   |
| Plug & Play            | OPT-QADHCP42EKIT |
| Low Voltage Electronic | OPT-QADHCP42E12V |

### UPGRADES

#### ACCESSORIES

|                  | 36" QUAD         | 42" QUAD         |
|------------------|------------------|------------------|
| Bullet Burner    | OPT-BRDSS18      | OPT-BRDSS24      |
| Canvas Cover     | OPT-CVR-3636-12H | OPT-CVR-4242-12H |
| Stainless Lid    | OPT-34SC         | OPT-40SC         |
| Glass Wind Guard | OPT-WG-3636      | OPT-WG-4242      |

# FIRE PITS & TABLES

## FULL SUITE COLLECTION

Welcome to the heart of our catalog—where innovation, craftsmanship, and American-made quality converge. From low-profile elegance to grand centerpieces, this section unveils a wide array of fire pits and tables designed to elevate every outdoor setting. Each creation embodies the dedication to quality and style that sets us apart as the #1 trusted manufacturer. Browse, imagine, and find the fire feature that doesn't just complete your space—it defines it.



Scan the QR Code  
to learn more about our  
**Full Fire Pit & Tables Collection**



NEW

# BRENTWOOD FIRE PIT

## IN POWDER COAT



### FINISHES

|                            |                             |                     |                              |                              |                                   |                            |                              |                       |                            |                              |                            |
|----------------------------|-----------------------------|---------------------|------------------------------|------------------------------|-----------------------------------|----------------------------|------------------------------|-----------------------|----------------------------|------------------------------|----------------------------|
| <b>White</b><br>-WHT       | <b>Soft White</b><br>-STW   | <b>Mist</b><br>-MST | <b>Crema</b><br>-CEM         | <b>White Vein</b><br>-WHTV   | <b>Athens</b><br>-ATH             | <b>Pewter</b><br>-PEW      | <b>Graphite Grey</b><br>-GGY | <b>Vienna</b><br>-VNA | <b>Gray</b><br>-GRY        | <b>Rock Grey</b><br>-RKY     | <b>Grey Vein</b><br>-GVN   |
| <b>Matte Black</b><br>-ONX | <b>Glossy Black</b><br>-BLK | <b>Java</b><br>-JAV | <b>Empire Bronze</b><br>-EBZ | <b>Trophy Bronze</b><br>-TBZ | <b>Bronze Hammertone</b><br>-BZHT | <b>Copper Vein</b><br>-CPV | <b>Gold Vein</b><br>-GDV     | <b>Roman</b><br>-RMN  | <b>Olive Green</b><br>-OGR | <b>Sapphire Blue</b><br>-SBL | <b>Silver Vein</b><br>-SLV |



Scan the QR Code to  
Learn More About Our  
**Color Swatch Guide**

## SIZES

## 58" Brentwood | 16" Tall

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 58" x (H) 16" x (W) 38" |
| <b>Burning Area</b>    | (L) 34" x (W) 16"           |
| <b>BTU</b>             | 110,000                     |
| <b>Fire Glass Sugg</b> | 57lbs                       |

|                               |                  |
|-------------------------------|------------------|
| <b>Match Lit</b>              | OPT-BRNT5816ML   |
| <b>Spark Glow</b>             | OPT-BRNT5816SG   |
| <b>Flame Sense</b>            | OPT-BRNT5816FSML |
| <b>Fire Glow</b>              | OPT-BRNT5816FG   |
| <b>Plug &amp; Play</b>        | OPT-BRNT5816EKIT |
| <b>Low Voltage Electronic</b> | OPT-BRNT5816E12V |

## 68" Brentwood | 16" Tall

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 68" x (H) 16" x (W) 38" |
| <b>Burning Area</b>    | (L) 44" x (W) 16"           |
| <b>BTU</b>             | 110,000                     |
| <b>Fire Glass Sugg</b> | 61lbs                       |

|                               |                  |
|-------------------------------|------------------|
| <b>Match Lit</b>              | OPT-BRNT6816ML   |
| <b>Spark Glow</b>             | OPT-BRNT6816SG   |
| <b>Flame Sense</b>            | OPT-BRNT6816FSML |
| <b>Fire Glow</b>              | OPT-BRNT6816FG   |
| <b>Plug &amp; Play</b>        | OPT-BRNT6816EKIT |
| <b>Low Voltage Electronic</b> | OPT-BRNT6816E12V |

## 84" Brentwood | 16" Tall

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 84" x (H) 16" x (W) 38" |
| <b>Burning Area</b>    | (L) 60" x (W) 16"           |
| <b>BTU</b>             | 130,000                     |
| <b>Fire Glass Sugg</b> | 71lbs                       |

|                               |                  |
|-------------------------------|------------------|
| <b>Match Lit</b>              | OPT-BRNT8416ML   |
| <b>Spark Glow</b>             | OPT-BRNT8416SG   |
| <b>Flame Sense</b>            | OPT-BRNT8416FSML |
| <b>Fire Glow</b>              | OPT-BRNT8416FG   |
| <b>Plug &amp; Play</b>        | OPT-BRNT8416EKIT |
| <b>Low Voltage Electronic</b> | OPT-BRNT8416E12V |

## 96" Brentwood | 16" Tall

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 96" x (H) 16" x (W) 38" |
| <b>Burning Area</b>    | (L) 72" x (W) 16"           |
| <b>BTU</b>             | 210,000                     |
| <b>Fire Glass Sugg</b> | 117lbs                      |

|                               |                  |
|-------------------------------|------------------|
| <b>Match Lit</b>              | OPT-BRNT9016ML   |
| <b>Spark Glow</b>             | OPT-BRNT9016SG   |
| <b>Flame Sense</b>            | OPT-BRNT9016FSML |
| <b>Fire Glow</b>              | OPT-BRNT9016FG   |
| <b>Plug &amp; Play</b>        | OPT-BRNT9016EKIT |
| <b>Low Voltage Electronic</b> | OPT-BRNT9016E12V |

## 110" Brentwood | 16" Tall

|                        |                              |
|------------------------|------------------------------|
| <b>Dimensions</b>      | (L) 110" x (H) 16" x (W) 38" |
| <b>Burning Area</b>    | (L) 86" x (W) 16"            |
| <b>BTU</b>             | 250,000                      |
| <b>Fire Glass Sugg</b> | 141lbs                       |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-BRNT11016ML   |
| <b>Spark Glow</b>             | OPT-BRNT11016SG   |
| <b>Flame Sense</b>            | OPT-BRNT11016FSML |
| <b>Fire Glow</b>              | OPT-BRNT11016FG   |
| <b>Plug &amp; Play</b>        | OPT-BRNT11016EKIT |
| <b>Low Voltage Electronic</b> | OPT-BRNT11016E12V |

## UPGRADES

| ACCESSORIES             | 58" BRENTWOOD    | 68" BRENTWOOD    | 84" BRENTWOOD    | 90" BRENTWOOD    | 110" BRENTWOOD    |
|-------------------------|------------------|------------------|------------------|------------------|-------------------|
| <b>Bullet Burner</b>    | OPT-B30SSH       | OPT-B30SSH       | OPT-B36SSH       | OPT-B60SSH       | OPT-B72SSH        |
| <b>Canvas Cover</b>     | OPT-CVR-5838-16H | OPT-CVR-6838-16H | OPT-CVR-8438-16H | OPT-CVR-9638-16H | OPT-CVR-11038-16H |
| <b>Stainless Lid</b>    | OPT-RC1836       | OPT-RC1838       | OPT-RC1844       | OPT-RC1872       | OPT-RC1886        |
| <b>Glass Wind Guard</b> | OPT-WG-3820      | OPT-WG-4020      | OPT-WG-4620      | OPT-WG-7420      | OPT-WG-8820       |

NEW

# BRENTWOOD FIRE PIT

## IN POWDER COAT



### FINISHES

|                            |                             |                     |                              |                              |                                   |                            |                              |                       |                            |                              |                            |
|----------------------------|-----------------------------|---------------------|------------------------------|------------------------------|-----------------------------------|----------------------------|------------------------------|-----------------------|----------------------------|------------------------------|----------------------------|
| <b>White</b><br>-WHT       | <b>Soft White</b><br>-STW   | <b>Mist</b><br>-MST | <b>Crema</b><br>-CEM         | <b>White Vein</b><br>-WHTV   | <b>Athens</b><br>-ATH             | <b>Pewter</b><br>-PEW      | <b>Graphite Grey</b><br>-GGY | <b>Vienna</b><br>-VNA | <b>Gray</b><br>-GRY        | <b>Rock Grey</b><br>-RKY     | <b>Grey Vein</b><br>-GVN   |
| <b>Matte Black</b><br>-ONX | <b>Glossy Black</b><br>-BLK | <b>Java</b><br>-JAV | <b>Empire Bronze</b><br>-EBZ | <b>Trophy Bronze</b><br>-TBZ | <b>Bronze Hammertone</b><br>-BZHT | <b>Copper Vein</b><br>-CPV | <b>Gold Vein</b><br>-GDV     | <b>Roman</b><br>-RMN  | <b>Olive Green</b><br>-OGR | <b>Sapphire Blue</b><br>-SBL | <b>Silver Vein</b><br>-SLV |



Scan the QR Code to  
Learn More About Our  
**Color Swatch Guide**

## SIZES

## 58" Brentwood | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 58" x (H) 24" x (W) 38" |
| Burning Area    | (L) 34" x (W) 16"           |
| BTU             | 110,000                     |
| Fire Glass Sugg | 57lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-BRNT5824ML   |
| Spark Glow             | OPT-BRNT5824SG   |
| Flame Sense            | OPT-BRNT5824FSML |
| Fire Glow              | OPT-BRNT5824FG   |
| Plug & Play            | OPT-BRNT5824EKIT |
| Low Voltage Electronic | OPT-BRNT5824E12V |

## 68" Brentwood | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 68" x (H) 24" x (W) 38" |
| Burning Area    | (L) 44" x (W) 16"           |
| BTU             | 110,000                     |
| Fire Glass Sugg | 61lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-BRNT6824ML   |
| Spark Glow             | OPT-BRNT6824SG   |
| Flame Sense            | OPT-BRNT6824FSML |
| Fire Glow              | OPT-BRNT6824FG   |
| Plug & Play            | OPT-BRNT6824EKIT |
| Low Voltage Electronic | OPT-BRNT6824E12V |

## 84" Brentwood | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 24" x (W) 38" |
| Burning Area    | (L) 60" x (W) 16"           |
| BTU             | 130,000                     |
| Fire Glass Sugg | 71lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-BRNT8424ML   |
| Spark Glow             | OPT-BRNT8424SG   |
| Flame Sense            | OPT-BRNT8424FSML |
| Fire Glow              | OPT-BRNT8424FG   |
| Plug & Play            | OPT-BRNT8424EKIT |
| Low Voltage Electronic | OPT-BRNT8424E12V |

## 96" Brentwood | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 96" x (H) 24" x (W) 38" |
| Burning Area    | (L) 72" x (W) 16"           |
| BTU             | 210,000                     |
| Fire Glass Sugg | 117lbs                      |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-BRNT9024ML   |
| Spark Glow             | OPT-BRNT9024SG   |
| Flame Sense            | OPT-BRNT9024FSML |
| Fire Glow              | OPT-BRNT9024FG   |
| Plug & Play            | OPT-BRNT9024EKIT |
| Low Voltage Electronic | OPT-BRNT9024E12V |

## 110" Brentwood | 24" Tall

|                 |                              |
|-----------------|------------------------------|
| Dimensions      | (L) 110" x (H) 24" x (W) 38" |
| Burning Area    | (L) 86" x (W) 16"            |
| BTU             | 250,000                      |
| Fire Glass Sugg | 141lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-BRNT11024ML   |
| Spark Glow             | OPT-BRNT11024SG   |
| Flame Sense            | OPT-BRNT11024FSML |
| Fire Glow              | OPT-BRNT11024FG   |
| Plug & Play            | OPT-BRNT11024EKIT |
| Low Voltage Electronic | OPT-BRNT11024E12V |

## UPGRADES

## ACCESSORIES 58" BRENTWOOD 68" BRENTWOOD 84" BRENTWOOD 90" BRENTWOOD 110" BRENTWOOD

|                  |                  |                  |                  |                  |                   |
|------------------|------------------|------------------|------------------|------------------|-------------------|
| Bullet Burner    | OPT-B30SSH       | OPT-B30SSH       | OPT-B36SSH       | OPT-B60SSH       | OPT-B72SSH        |
| Canvas Cover     | OPT-CVR-5838-23H | OPT-CVR-6838-23H | OPT-CVR-8438-23H | OPT-CVR-9638-23H | OPT-CVR-11038-23H |
| Stainless Lid    | OPT-RC1836       | OPT-RC1838       | OPT-RC1844       | OPT-RC1872       | OPT-RC1886        |
| Glass Wind Guard | OPT-WG-3820      | OPT-WG-4020      | OPT-WG-4620      | OPT-WG-7420      | OPT-WG-8820       |

# ECLIPSE FIRE PIT



## SIZES

## 42" Eclipse

|                 |                            |
|-----------------|----------------------------|
| Dimensions      | (H) 47" x (W) 42"x (D) 28" |
| Burning Area    | (L) 12" x (W) 24"          |
| BTU             | 65,000                     |
| Fire Glass Sugg | 31lbs                      |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-ECLPC42ML   |
| Spark Glow             | OPT-ECLPC42SG   |
| Flame Sense            | OPT-ECLPC42FSML |
| Fire Glow              | OPT-ECLPC42FG   |
| Plug & Play            | OPT-ECLPC42EKIT |
| Low Voltage Electronic | OPT-ECLPC42E12V |

## FINISHES

White  
-WHT

Soft White  
-STW

Mist  
-MST

Crema  
-CEM

White Vein  
-WHTV

Athens  
-ATH

Pewter  
-PEW

Vienna  
-VNA

Gray  
-GRY

Graphite Grey  
-GGY

Rock Grey  
-RKY

Grey Vein  
-GVN

Matte Black  
-ONX

Glossy Black  
-BLK

Java  
-JAV

Empire Bronze  
-EBZ

Trophy Bronze  
-TBZ

Bronze Hammertone  
-BZHT

Copper Vein  
-CPV

Gold Vein  
-GDV

Roman  
-RMN

Olive Green  
-OGR

Sapphire Blue  
-SBL

Silver Vein  
-SLV

## UPGRADES

## ACCESSORIES 42" ECLIPSE

|               |                  |
|---------------|------------------|
| Bullet Burner | OPT-BSS12        |
| Canvas Cover  | OPT-CVR-4228-47H |

# KAMOA FIRE PIT



## SIZES

### 36" Kamoa

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 36" x (H) 24" x (W) 36" |
| Burning Area    | (L) 15" x (W) 15"           |
| BTU             | 65,000                      |
| Fire Glass Sugg | 7lbs                        |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-KMAPC36ML   |
| Spark Glow             | OPT-KMAPC36SG   |
| Flame Sense            | OPT-KMAPC36FSML |
| Fire Glow              | OPT-KMAPC36FG   |
| Plug & Play            | OPT-KMAPC36EKIT |
| Low Voltage Electronic | OPT-KMAPC36E12V |

### 42" Kamoa

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 42" x (H) 24" x (W) 42" |
| Burning Area    | (L) 15" x (W) 15"           |
| BTU             | 65,000                      |
| Fire Glass Sugg | 7lbs                        |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-KMAPC42ML   |
| Spark Glow             | OPT-KMAPC42SG   |
| Flame Sense            | OPT-KMAPC42FSML |
| Fire Glow              | OPT-KMAPC42FG   |
| Plug & Play            | OPT-KMAPC42EKIT |
| Low Voltage Electronic | OPT-KMAPC42E12V |

### 54" Kamoa

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 54" x (H) 24" x (W) 42" |
| Burning Area    | (L) 15" x (W) 15"           |
| BTU             | 65,000                      |
| Fire Glass Sugg | 7lbs                        |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-KMAPC54ML   |
| Spark Glow             | OPT-KMAPC54SG   |
| Flame Sense            | OPT-KMAPC54FSML |
| Fire Glow              | OPT-KMAPC54FG   |
| Plug & Play            | OPT-KMAPC54EKIT |
| Low Voltage Electronic | OPT-KMAPC54E12V |

## FINISHES

|                       |                            |                     |                   |                     |                      |                       |                       |
|-----------------------|----------------------------|---------------------|-------------------|---------------------|----------------------|-----------------------|-----------------------|
| White<br>-WHT         | Soft White<br>-STW         | Mist<br>-MST        | Crema<br>-CEM     | White Vein<br>-WHTV | Athens<br>-ATH       | Pewter<br>-PEW        | Vienna<br>-VNA        |
| Gray<br>-GRY          | Graphite Grey<br>-GGY      | Rock Grey<br>-RKY   | Grey Vein<br>-GVN | Matte Black<br>-ONX | Glossy Black<br>-BLK | Java<br>-JAV          | Empire Bronze<br>-EBZ |
| Trophy Bronze<br>-TBZ | Bronze Hammertone<br>-BZHT | Copper Vein<br>-CPV | Gold Vein<br>-GDV | Roman<br>-RMN       | Olive Green<br>-OGR  | Sapphire Blue<br>-SBL | Silver Vein<br>-SLV   |

## UPGRADES

### ACCESSORIES

|                  | 36" KAMOA        | 42" KAMOA        | 54" KAMOA        |
|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-BRDSS12      | OPT-BRDSS18      | OPT-BRDSS18      |
| Canvas Cover     | OPT-CVR-3636-24H | OPT-CVR-4242-24H | OPT-CVR-5454-24H |
| Stainless Lid    | OPT-17SC         | OPT-17SC         | OPT-22SC         |
| Glass Wind Guard | OPT-WG-1919      | OPT-WG-1919      | OPT-WG-2424      |

# CLASSIC BUS FIRE PIT



## SIZES

### 42" Classic Bus

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 42" x (H) 24" x (W) 24" |
| <b>Burning Area</b>    | (L) 28" x (W) 8"            |
| <b>BTU</b>             | 135,000                     |
| <b>Fire Glass Sugg</b> | 24lbs                       |

|                               |                       |
|-------------------------------|-----------------------|
| <b>Match Lit</b>              | OPT-BUSGFRC42ML-BWC   |
| <b>Spark Glow</b>             | OPT-BUSGFRC42SG-BWC   |
| <b>Flame Sense</b>            | OPT-BUSGFRC42FSML-BWC |
| <b>Fire Glow</b>              | OPT-BUSGFRC42FG-BWC   |
| <b>Plug &amp; Play</b>        | OPT-BUSGFRC42EKIT-BWC |
| <b>Low Voltage Electronic</b> | OPT-BUSGFRC42E12V-BWC |

## FINISHES

**Ash**  
-ASH

**Black**  
-BLK

**Brown**  
-BRN

**Chestnut**  
-CST

**Chocolate**  
-CHC

**Gray**  
-GRY

**Natural Gray**  
-NGY

**Limestone**  
-BLK

**Vanilla**  
-VAN

**Rustic Moss Stone**  
-RMS

**Rustic Coffee**  
-RCF

**Rustic White**  
-RWH

**Rustic Gray**  
-RGR

**Metallic Slate**  
-MSL

**Metallic Bronze**  
-MBR

**Metallic Copper**  
-MBR

**Metallic Pearl**  
-MPR

**Metallic Silver**  
-MSV

## UPGRADES

### ACCESSORIES

### 42" CLASSIC BUS

|                         |                  |
|-------------------------|------------------|
| <b>Bullet Burner</b>    | OPT-B24SST       |
| <b>Canvas Cover</b>     | OPT-CVR-4824-24H |
| <b>Stainless Lid</b>    | OPT-RC1030       |
| <b>Glass Wind Guard</b> | OPT-WG-3212      |

# ISLA FIRE PIT



## SIZES

## 42" Isla

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 42" x (H) 18" |
| Burning Area    | (D) 19"           |
| BTU             | 85,000            |
| Fire Glass Sugg | 30lbs             |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-ISLAPC42ML   |
| Spark Glow             | OPT-ISLAPC42SG   |
| Flame Sense            | OPT-ISLAPC42FSML |
| Fire Glow              | OPT-ISLAPC42FG   |
| Plug & Play            | OPT-ISLAPC42EKIT |
| Low Voltage Electronic | OPT-ISLAPC42E12V |

## 60" Isla

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 60" x (H) 18" |
| Burning Area    | (D) 25"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 52lbs             |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-ISLAPC60ML   |
| Spark Glow             | OPT-ISLAPC60SG   |
| Flame Sense            | OPT-ISLAPC60FSML |
| Fire Glow              | OPT-ISLAPC60FG   |
| Plug & Play            | OPT-ISLAPC60EKIT |
| Low Voltage Electronic | OPT-ISLAPC60E12V |

## FINISHES

|                       |                            |                     |                   |                     |                      |                       |                       |
|-----------------------|----------------------------|---------------------|-------------------|---------------------|----------------------|-----------------------|-----------------------|
| White<br>-WHT         | Soft White<br>-STW         | Mist<br>-MST        | Crema<br>-CEM     | White Vein<br>-WHTV | Athens<br>-ATH       | Pewter<br>-PEW        | Vienna<br>-VNA        |
| Gray<br>-GRY          | Graphite Grey<br>-GGY      | Rock Grey<br>-RKY   | Grey Vein<br>-GVN | Matte Black<br>-ONX | Glossy Black<br>-BLK | Java<br>-JAV          | Empire Bronze<br>-EBZ |
| Trophy Bronze<br>-TBZ | Bronze Hammertone<br>-BZHT | Copper Vein<br>-CPV | Gold Vein<br>-GDV | Roman<br>-RMN       | Olive Green<br>-OGR  | Sapphire Blue<br>-SBL | Silver Vein<br>-SLV   |

## UPGRADES

## ACCESSORIES

## 42" ISLA

## 60" ISLA

|               |                 |                 |
|---------------|-----------------|-----------------|
| Bullet Burner | OPT-BRDSS8      | OPT-BRDSS12     |
| Canvas Cover  | OPT-CVR-42R-18H | OPT-CVR-60R-18H |
| Stainless Lid | OPT-21RC        | OPT-27RC        |

# CESTO FIRE PIT

IN POWDER COAT



## SIZES

### 48" Cesto

|                        |                   |
|------------------------|-------------------|
| <b>Dimensions</b>      | (D) 48" x (H) 24" |
| <b>Burning Area</b>    | (D) 19"           |
| <b>BTU</b>             | 85,000            |
| <b>Fire Glass Sugg</b> | 30lbs             |

|                               |                  |
|-------------------------------|------------------|
| <b>Match Lit</b>              | OPT-CSTO48PCML   |
| <b>Spark Glow</b>             | OPT-CSTO48PCSG   |
| <b>Flame Sense</b>            | OPT-CSTO48PCFSML |
| <b>Fire Glow</b>              | OPT-CSTO48PCFG   |
| <b>Plug &amp; Play</b>        | OPT-CSTO48PCEKIT |
| <b>Low Voltage Electronic</b> | OPT-CSTO48PCE12V |

### 60" Cesto

|                        |                   |
|------------------------|-------------------|
| <b>Dimensions</b>      | (D) 60" x (H) 24" |
| <b>Burning Area</b>    | (D) 25"           |
| <b>BTU</b>             | 105,000           |
| <b>Fire Glass Sugg</b> | 52lbs             |

|                               |                  |
|-------------------------------|------------------|
| <b>Match Lit</b>              | OPT-CSTO60PCML   |
| <b>Spark Glow</b>             | OPT-CSTO60PCSG   |
| <b>Flame Sense</b>            | OPT-CSTO60PCFSML |
| <b>Fire Glow</b>              | OPT-CSTO60PCFG   |
| <b>Plug &amp; Play</b>        | OPT-CSTO60PCEKIT |
| <b>Low Voltage Electronic</b> | OPT-CSTO60PCE12V |

## FINISHES

|                              |                                   |                            |                          |                            |                             |                              |                              |
|------------------------------|-----------------------------------|----------------------------|--------------------------|----------------------------|-----------------------------|------------------------------|------------------------------|
| <b>White</b><br>-WHT         | <b>Soft White</b><br>-STW         | <b>Mist</b><br>-MST        | <b>Crema</b><br>-CEM     | <b>White Vein</b><br>-WHTV | <b>Athens</b><br>-ATH       | <b>Pewter</b><br>-PEW        | <b>Vienna</b><br>-VNA        |
| <b>Gray</b><br>-GRY          | <b>Graphite Grey</b><br>-GGY      | <b>Rock Grey</b><br>-RKY   | <b>Grey Vein</b><br>-GVN | <b>Matte Black</b><br>-ONX | <b>Glossy Black</b><br>-BLK | <b>Java</b><br>-JAV          | <b>Empire Bronze</b><br>-EBZ |
| <b>Trophy Bronze</b><br>-TBZ | <b>Bronze Hammertone</b><br>-BZHT | <b>Copper Vein</b><br>-CPV | <b>Gold Vein</b><br>-GDV | <b>Roman</b><br>-RMN       | <b>Olive Green</b><br>-OGR  | <b>Sapphire Blue</b><br>-SBL | <b>Silver Vein</b><br>-SLV   |

## UPGRADES

### ACCESSORIES

### 48" CESTO

### 60" CESTO

|                      |                 |                 |
|----------------------|-----------------|-----------------|
| <b>Bullet Burner</b> | OPT-BRDSS8      | OPT-BRDSS12     |
| <b>Canvas Cover</b>  | OPT-CVR-48R-24H | OPT-CVR-60R-24H |
| <b>Stainless Lid</b> | OPT-21RC        | OPT-27RC        |

# OUTBACK FIRE TABLE

## IN GFRC TOP | POWDER COAT BASE



Base also available in  
**CORTEN STEEL**

### SIZES

#### Outback | Cattle Ranch

**Dimensions** (D) 46" x (H) 24"

**Burning Area** (D) 21"

**BTU** 85,000

**Fire Glass Sugg** 52lbs

|                               |                        |
|-------------------------------|------------------------|
| <b>Match Lit</b>              | OPT-OBRCRGFRC-PC46ML   |
| <b>Spark Glow</b>             | OPT-OBRCRGFRC-PC46SG   |
| <b>Flame Sense</b>            | OPT-OBRCRGFRC-PC46FSML |
| <b>Fire Glow</b>              | OPT-OBRCRGFRC-PC46FG   |
| <b>Plug &amp; Play</b>        | OPT-OBRCRGFRC-PC46EKIT |
| <b>Low Voltage Electronic</b> | OPT-OBRCRGFRC-PC46E12V |



Base also available in  
**CORTEN STEEL**

### SIZES

#### Outback | Deer Country

**Dimensions** (D) 46" x (H) 24"

**Burning Area** (D) 21"

**BTU** 85,000

**Fire Glass Sugg** 52lbs

|                               |                         |
|-------------------------------|-------------------------|
| <b>Match Lit</b>              | OPT-OBDRDCGFRC-PC46ML   |
| <b>Spark Glow</b>             | OPT-OBDRDCGFRC-PC46SG   |
| <b>Flame Sense</b>            | OPT-OBDRDCGFRC-PC46FSML |
| <b>Fire Glow</b>              | OPT-OBDRDCGFRC-PC46FG   |
| <b>Plug &amp; Play</b>        | OPT-OBDRDCGFRC-PC46EKIT |
| <b>Low Voltage Electronic</b> | OPT-OBDRDCGFRC-PC46E12V |

### UPGRADES

| ACCESSORIES          | CATTLE RANCH    | DEER COUNTRY    |
|----------------------|-----------------|-----------------|
| <b>Bullet Burner</b> | OPT-BRDSS8      | OPT-BRDSS8      |
| <b>Canvas Cover</b>  | OPT-CVR-46R-24H | OPT-CVR-46R-24H |
| <b>Stainless Lid</b> | OPT-23RC        | OPT-23RC        |

# OUTBACK FIRE TABLE

## IN GFRC TOP | POWDER COAT BASE

### SIZES

#### Outback | Cattle Ranch

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 36" |
| Burning Area    | (L) 42" x (W) 22"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 97lbs                       |

|                        |                       |
|------------------------|-----------------------|
| Match Lit              | OPT-OBCRGFRC-PC60ML   |
| Spark Glow             | OPT-OBCRGFRC-PC60SG   |
| Flame Sense            | OPT-OBCRGFRC-PC60FSML |
| Fire Glow              | OPT-OBCRGFRC-PC60FG   |
| Plug & Play            | OPT-OBCRGFRC-PC60EKIT |
| Low Voltage Electronic | OPT-OBCRGFRC-PC60E12V |



Base also available in  
**CORTEN STEEL**

### SIZES

#### Outback | Deer Country

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 36" |
| Burning Area    | (L) 42" x (W) 22"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 97lbs                       |

|                        |                       |
|------------------------|-----------------------|
| Match Lit              | OPT-OBDCGFRC-PC60ML   |
| Spark Glow             | OPT-OBDCGFRC-PC60SG   |
| Flame Sense            | OPT-OBDCGFRC-PC60FSML |
| Fire Glow              | OPT-OBDCGFRC-PC60FG   |
| Plug & Play            | OPT-OBDCGFRC-PC60EKIT |
| Low Voltage Electronic | OPT-OBDCGFRC-PC60E12V |



Base also available in  
**CORTEN STEEL**

### UPGRADES

| ACCESSORIES      | CATTLE RANCH     | DEER COUNTRY     |
|------------------|------------------|------------------|
| Bullet Burner    | OPT-B36SST       | OPT-B36SST       |
| Canvas Cover     | OPT-CVR-6036-24H | OPT-CVR-6036-24H |
| Stainless Lid    | OPT-RC2444       | OPT-RC2444       |
| Glass Wind Guard | OPT-WG-4626      | OPT-WG-4626      |

# COASTLINE FIRE TABLE

IN POWDER COAT



## SIZES

## 42" Coastline | 16" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 48" x (H) 16" |
| Burning Area    | 20"               |
| BTU             | 85,000            |
| Fire Glass Sugg | 33lbs             |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-CSTLPC4816ML   |
| Spark Glow             | OPT-CSTLPC4816SG   |
| Flame Sense            | OPT-CSTLPC4816FSML |
| Fire Glow              | OPT-CSTLPC4816FG   |
| Plug & Play            | OPT-CSTLPC4816EKIT |
| Low Voltage Electronic | OPT-CSTLPC4816E12V |

## 60" Coastline | 16" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 60" x (H) 16" |
| Burning Area    | 32"               |
| BTU             | 105,000           |
| Fire Glass Sugg | 84lbs             |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-CSTLPC6016ML   |
| Spark Glow             | OPT-CSTLPC6016SG   |
| Flame Sense            | OPT-CSTLPC6016FSML |
| Fire Glow              | OPT-CSTLPC6016FG   |
| Plug & Play            | OPT-CSTLPC6016EKIT |
| Low Voltage Electronic | OPT-CSTLPC6016E12V |

## 42" Coastline | 24" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 48" x (H) 24" |
| Burning Area    | 20"               |
| BTU             | 85,000            |
| Fire Glass Sugg | 33lbs             |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-CSTLPC4824ML   |
| Spark Glow             | OPT-CSTLPC4824SG   |
| Flame Sense            | OPT-CSTLPC4824FSML |
| Fire Glow              | OPT-CSTLPC4824FG   |
| Plug & Play            | OPT-CSTLPC4824EKIT |
| Low Voltage Electronic | OPT-CSTLPC4824E12V |

## 60" Coastline | 24" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 60" x (H) 24" |
| Burning Area    | 32"               |
| BTU             | 105,000           |
| Fire Glass Sugg | 84lbs             |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-CSTLPC6024ML   |
| Spark Glow             | OPT-CSTLPC6024SG   |
| Flame Sense            | OPT-CSTLPC6024FSML |
| Fire Glow              | OPT-CSTLPC6024FG   |
| Plug & Play            | OPT-CSTLPC6024EKIT |
| Low Voltage Electronic | OPT-CSTLPC6024E12V |

## UPGRADES

## ACCESSORIES

## 48" COASTLINE

## 60" COASTLINE

|                         |                 |                 |
|-------------------------|-----------------|-----------------|
| Bullet Burner           | OPT-BRDSS8      | OPT-BRDSS12     |
| Canvas Cover   16" Tall | OPT-CVR-48R-16H | OPT-CVR-60R-16H |
| Canvas Cover   24" Tall | OPT-CVR-48R-24H | OPT-CVR-60R-24H |
| Stainless Lid           | OPT-22RC        | OPT-34RC        |

# **PALO** FIRE PIT

IN GFRG CONCRETE WOOD GRAIN



## SIZES

## 48" Palo

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 17" x (W) 29" |
| Burning Area    | (L) 20" x (W) 8"            |
| BTU             | 95,000                      |
| Fire Glass Sugg | 17lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-PALWG48ML   |
| Spark Glow             | OPT-PALWG48SG   |
| Flame Sense            | OPT-PALWG48FSML |
| Fire Glow              | OPT-PALWG48FG   |
| Plug & Play            | OPT-PALWG48EKIT |
| Low Voltage Electronic | OPT-PALWG48E12V |

## 60" Palo

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 17" x (W) 29" |
| Burning Area    | (L) 32" x (W) 8"            |
| BTU             | 115,000                     |
| Fire Glass Sugg | 27lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-PALWG60ML   |
| Spark Glow             | OPT-PALWG60SG   |
| Flame Sense            | OPT-PALWG60FSML |
| Fire Glow              | OPT-PALWG60FG   |
| Plug & Play            | OPT-PALWG60EKIT |
| Low Voltage Electronic | OPT-PALWG60E12V |

## UPGRADES

| ACCESSORIES      | 48" PALO         | 60" PALO         |
|------------------|------------------|------------------|
| Bullet Burner    | OPT-B12SST       | OPT-B24SST       |
| Canvas Cover     | OPT-CVR-4829-17H | OPT-CVR-6029-17H |
| Stainless Lid    | OPT-RC1022       | OPT-RC1034       |
| Glass Wind Guard | OPT-WG-2412      | OPT-WG-3612      |

# **PALO** FIRE PIT

IN POWDER COAT



## SIZES

## 48" Palo

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 48" x (H) 16" x (W) 28" |
| <b>Burning Area</b>    | (L) 20" x (W) 8"            |
| <b>BTU</b>             | 95,000                      |
| <b>Fire Glass Sugg</b> | 17lbs                       |

|                               |                 |
|-------------------------------|-----------------|
| <b>Match Lit</b>              | OPT-PALPC48     |
| <b>Spark Glow</b>             | OPT-PALPC48SG   |
| <b>Flame Sense</b>            | OPT-PALPC48FSML |
| <b>Fire Glow</b>              | OPT-PALPC48FG   |
| <b>Plug &amp; Play</b>        | OPT-PALPC48EKIT |
| <b>Low Voltage Electronic</b> | OPT-PALPC48E12V |

## 60" Palo

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 60" x (H) 16" x (W) 28" |
| <b>Burning Area</b>    | (L) 32" x (W) 8"            |
| <b>BTU</b>             | 115,000                     |
| <b>Fire Glass Sugg</b> | 27lbs                       |

|                               |                 |
|-------------------------------|-----------------|
| <b>Match Lit</b>              | OPT-PALPC60     |
| <b>Spark Glow</b>             | OPT-PALPC60SG   |
| <b>Flame Sense</b>            | OPT-PALPC60FSML |
| <b>Fire Glow</b>              | OPT-PALPC60FG   |
| <b>Plug &amp; Play</b>        | OPT-PALPC60EKIT |
| <b>Low Voltage Electronic</b> | OPT-PALPC60E12V |

## 72" Palo

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 72" x (H) 16" x (W) 28" |
| <b>Burning Area</b>    | (L) 44" x (W) 8"            |
| <b>BTU</b>             | 140,000                     |
| <b>Fire Glass Sugg</b> | 37lbs                       |

|                               |                 |
|-------------------------------|-----------------|
| <b>Match Lit</b>              | OPT-PALPC72     |
| <b>Spark Glow</b>             | OPT-PALPC72SG   |
| <b>Flame Sense</b>            | OPT-PALPC72FSML |
| <b>Fire Glow</b>              | OPT-PALPC72FG   |
| <b>Plug &amp; Play</b>        | OPT-PALPC72EKIT |
| <b>Low Voltage Electronic</b> | OPT-PALPC72E12V |

## 84" Palo

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 84" x (H) 16" x (W) 28" |
| <b>Burning Area</b>    | (L) 56" x (W) 8"            |
| <b>BTU</b>             | 165,000                     |
| <b>Fire Glass Sugg</b> | 47lbs                       |

|                               |                 |
|-------------------------------|-----------------|
| <b>Match Lit</b>              | OPT-PALPC84     |
| <b>Spark Glow</b>             | OPT-PALPC84SG   |
| <b>Flame Sense</b>            | OPT-PALPC84FSML |
| <b>Fire Glow</b>              | OPT-PALPC84FG   |
| <b>Plug &amp; Play</b>        | OPT-PALPC84EKIT |
| <b>Low Voltage Electronic</b> | OPT-PALPC84E12V |

## 96" Palo

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 96" x (H) 16" x (W) 28" |
| <b>Burning Area</b>    | (L) 68" x (W) 8"            |
| <b>BTU</b>             | 175,000                     |
| <b>Fire Glass Sugg</b> | 57lbs                       |

|                               |                 |
|-------------------------------|-----------------|
| <b>Match Lit</b>              | OPT-PALPC96     |
| <b>Spark Glow</b>             | OPT-PALPC96SG   |
| <b>Flame Sense</b>            | OPT-PALPC96FSML |
| <b>Fire Glow</b>              | OPT-PALPC96FG   |
| <b>Plug &amp; Play</b>        | OPT-PALPC96EKIT |
| <b>Low Voltage Electronic</b> | OPT-PALPC96E12V |

## UPGRADES

| ACCESSORIES             | 48" PALO         | 60" PALO         | 72" PALO         | 84" PALO         | 96" PALO         |
|-------------------------|------------------|------------------|------------------|------------------|------------------|
| <b>Bullet Burner</b>    | OPT-B12SST       | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       | OPT-B60SST       |
| <b>Canvas Cover</b>     | OPT-CVR-4828-16H | OPT-CVR-6028-16H | OPT-CVR-7228-16H | OPT-CVR-8428-16H | OPT-CVR-8428-16H |
| <b>Stainless Lid</b>    | OPT-RC1022       | OPT-RC1034       | OPT-RC1046       | OPT-RC1058       | OPT-RC1070       |
| <b>Glass Wind Guard</b> | OPT-WG-2412      | OPT-WG-3612      | OPT-WG-4812      | OPT-WG-6012      | OPT-WG-7212      |

# ATLANTIC FIRE PIT

## IN POWDER COAT



### UPGRADES

| ACCESSORIES             | 48" ATLANTIC    | 60" ATLANTIC    | 72" ATLANTIC    | 84" ATLANTIC    | 96" ATLANTIC    |
|-------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| BULLET BURNER           | OPT-B24SST      | OPT-B36SST      | OPT-B48SST      | OPT-B60SST      | OPT-B60SST      |
| CANVAS COVER   18" TALL | OPT-CVR4830-18H | OPT-CVR6032-18H | OPT-CVR7236-18H | OPT-CVR8436-18H | OPT-CVR9636-18H |
| CANVAS COVER   24" TALL | OPT-CVR4830-24H | OPT-CVR6032-24H | OPT-CVR7236-24H | OPT-CVR8436-24H | OPT-CVR9636-24H |
| STAINLESS LID           | OPT-RC3012      | OPT-RC4214      | OPT-RC5418      | OPT-RC6618      | OPT-RC7818      |
| GLASS WIND GUARD        | OPT-WG-3214     | OPT-WG-4416     | OPT-WG-5620     | OPT-WG-6820     | OPT-WG-8020     |

## SIZES

## 48" Atlantic | 18" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 18" x (W) 30" |
| Burning Area    | (L) 28" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 30                          |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLPC4818ML   |
| Spark Glow             | OPT-ATLPC4818SG   |
| Flame Sense            | OPT-ATLPC4818FSML |
| Fire Glow              | OPT-ATLPC4818FG   |
| Plug & Play            | OPT-ATLPC4818EKIT |
| Low Voltage Electronic | OPT-ATLPC4818E12V |

## 60" Atlantic | 18" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 18" x (W) 32" |
| Burning Area    | (L) 40" x (W) 12"           |
| BTU             | 135,000                     |
| Fire Glass Sugg | 51                          |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLPC6018ML   |
| Spark Glow             | OPT-ATLPC6018SG   |
| Flame Sense            | OPT-ATLPC6018FSML |
| Fire Glow              | OPT-ATLPC6018FG   |
| Plug & Play            | OPT-ATLPC6018EKIT |
| Low Voltage Electronic | OPT-ATLPC6018E12V |

## 72" Atlantic | 18" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 18" x (W) 36" |
| Burning Area    | (L) 52" x (W) 16"           |
| BTU             | 155,000                     |
| Fire Glass Sugg | 87                          |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLPC7218ML   |
| Spark Glow             | OPT-ATLPC7218SG   |
| Flame Sense            | OPT-ATLPC7218FSML |
| Fire Glow              | OPT-ATLPC7218FG   |
| Plug & Play            | OPT-ATLPC7218EKIT |
| Low Voltage Electronic | OPT-ATLPC7218E12V |

## 84" Atlantic | 18" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 18" x (W) 36" |
| Burning Area    | (L) 64" x (W) 16"           |
| BTU             | 160,000                     |
| Fire Glass Sugg | 107                         |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLPC8418ML   |
| Spark Glow             | OPT-ATLPC8418SG   |
| Flame Sense            | OPT-ATLPC8418FSML |
| Fire Glow              | OPT-ATLPC8418FG   |
| Plug & Play            | OPT-ATLPC8418EKIT |
| Low Voltage Electronic | OPT-ATLPC8418E12V |

## 96" Atlantic | 18" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 96" x (H) 18" x (W) 36" |
| Burning Area    | (L) 76" x (W) 16"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 127                         |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLPC9618ML   |
| Spark Glow             | OPT-ATLPC9618SG   |
| Flame Sense            | OPT-ATLPC9618FSML |
| Fire Glow              | OPT-ATLPC9618FG   |
| Plug & Play            | OPT-ATLPC9618EKIT |
| Low Voltage Electronic | OPT-ATLPC9618E12V |

## 48" Atlantic | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 30" |
| Burning Area    | (L) 28" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 30lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLPC4824ML   |
| Spark Glow             | OPT-ATLPC4824SG   |
| Flame Sense            | OPT-ATLPC4824FSML |
| Fire Glow              | OPT-ATLPC4824FG   |
| Plug & Play            | OPT-ATLPC4824EKIT |
| Low Voltage Electronic | OPT-ATLPC4824E12V |

## 60" Atlantic | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 30" |
| Burning Area    | (L) 40" x (W) 12"           |
| BTU             | 135,000                     |
| Fire Glass Sugg | 51lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLPC6024ML   |
| Spark Glow             | OPT-ATLPC6024SG   |
| Flame Sense            | OPT-ATLPC6024FSML |
| Fire Glow              | OPT-ATLPC6024FG   |
| Plug & Play            | OPT-ATLPC6024EKIT |
| Low Voltage Electronic | OPT-ATLPC6024E12V |

## 72" Atlantic | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 30" |
| Burning Area    | (L) 52" x (W) 16"           |
| BTU             | 155,000                     |
| Fire Glass Sugg | 87lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLPC7224ML   |
| Spark Glow             | OPT-ATLPC7224SG   |
| Flame Sense            | OPT-ATLPC7224FSML |
| Fire Glow              | OPT-ATLPC7224FG   |
| Plug & Play            | OPT-ATLPC7224EKIT |
| Low Voltage Electronic | OPT-ATLPC7224E12V |

## 84" Atlantic | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 24" x (W) 30" |
| Burning Area    | (L) 64" x (W) 16"           |
| BTU             | 160,000                     |
| Fire Glass Sugg | 107lbs                      |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLPC8424ML   |
| Spark Glow             | OPT-ATLPC8424SG   |
| Flame Sense            | OPT-ATLPC8424FSML |
| Fire Glow              | OPT-ATLPC8424FG   |
| Plug & Play            | OPT-ATLPC8424EKIT |
| Low Voltage Electronic | OPT-ATLPC8424E12V |

## 96" Atlantic | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 96" x (H) 24" x (W) 30" |
| Burning Area    | (L) 76" x (W) 16"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 127lbs                      |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLPC9624ML   |
| Spark Glow             | OPT-ATLPC9624SG   |
| Flame Sense            | OPT-ATLPC9624FSML |
| Fire Glow              | OPT-ATLPC9624FG   |
| Plug & Play            | OPT-ATLPC9624EKIT |
| Low Voltage Electronic | OPT-ATLPC9624E12V |

# ATLANTIC FIRE PIT

## IN STAINLESS STEEL



### UPGRADES

| ACCESSORIES             | 48" ATLANTIC    | 60" ATLANTIC    | 72" ATLANTIC    | 84" ATLANTIC    | 96" ATLANTIC    |
|-------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| BULLET BURNER           | OPT-B24SST      | OPT-B36SST      | OPT-B48SST      | OPT-B60SST      | OPT-B60SST      |
| CANVAS COVER   18" TALL | OPT-CVR4830-18H | OPT-CVR6032-18H | OPT-CVR7236-18H | OPT-CVR8436-18H | OPT-CVR9636-18H |
| CANVAS COVER   24" TALL | OPT-CVR4830-24H | OPT-CVR6032-24H | OPT-CVR7236-24H | OPT-CVR8436-24H | OPT-CVR9636-24H |
| STAINLESS LID           | OPT-RC3012      | OPT-RC4214      | OPT-RC5418      | OPT-RC6618      | OPT-RC7818      |
| GLASS WIND GUARD        | OPT-WG-3214     | OPT-WG-4416     | OPT-WG-5620     | OPT-WG-6820     | OPT-WG-8020     |

## SIZES

## 48" Atlantic | 18" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 18" x (W) 30" |
| Burning Area    | (L) 28" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 30                          |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLSS4818ML   |
| Spark Glow             | OPT-ATLSS4818SG   |
| Flame Sense            | OPT-ATLSS4818FSML |
| Fire Glow              | OPT-ATLSS4818FG   |
| Plug & Play            | OPT-ATLSS4818EKIT |
| Low Voltage Electronic | OPT-ATLSS4818E12V |

## 60" Atlantic | 18" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 18" x (W) 32" |
| Burning Area    | (L) 40" x (W) 12"           |
| BTU             | 135,000                     |
| Fire Glass Sugg | 51                          |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLSS6018ML   |
| Spark Glow             | OPT-ATLSS6018SG   |
| Flame Sense            | OPT-ATLSS6018FSML |
| Fire Glow              | OPT-ATLSS6018FG   |
| Plug & Play            | OPT-ATLSS6018EKIT |
| Low Voltage Electronic | OPT-ATLSS6018E12V |

## 72" Atlantic | 18" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 18" x (W) 36" |
| Burning Area    | (L) 52" x (W) 16"           |
| BTU             | 155,000                     |
| Fire Glass Sugg | 87                          |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLSS7218ML   |
| Spark Glow             | OPT-ATLSS7218SG   |
| Flame Sense            | OPT-ATLSS7218FSML |
| Fire Glow              | OPT-ATLSS7218FG   |
| Plug & Play            | OPT-ATLSS7218EKIT |
| Low Voltage Electronic | OPT-ATLSS7218E12V |

## 84" Atlantic | 18" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 18" x (W) 36" |
| Burning Area    | (L) 64" x (W) 16"           |
| BTU             | 160,000                     |
| Fire Glass Sugg | 107                         |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLSS8418ML   |
| Spark Glow             | OPT-ATLSS8418SG   |
| Flame Sense            | OPT-ATLSS8418FSML |
| Fire Glow              | OPT-ATLSS8418FG   |
| Plug & Play            | OPT-ATLSS8418EKIT |
| Low Voltage Electronic | OPT-ATLSS8418E12V |

## 96" Atlantic | 18" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 96" x (H) 18" x (W) 36" |
| Burning Area    | (L) 76" x (W) 16"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 127                         |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLSS9618ML   |
| Spark Glow             | OPT-ATLSS9618SG   |
| Flame Sense            | OPT-ATLSS9618FSML |
| Fire Glow              | OPT-ATLSS9618FG   |
| Plug & Play            | OPT-ATLSS9618EKIT |
| Low Voltage Electronic | OPT-ATLSS9618E12V |

## 48" Atlantic | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 30" |
| Burning Area    | (L) 28" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 30lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLSS4824ML   |
| Spark Glow             | OPT-ATLSS4824SG   |
| Flame Sense            | OPT-ATLSS4824FSML |
| Fire Glow              | OPT-ATLSS4824FG   |
| Plug & Play            | OPT-ATLSS4824EKIT |
| Low Voltage Electronic | OPT-ATLSS4824E12V |

## 60" Atlantic | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 30" |
| Burning Area    | (L) 40" x (W) 12"           |
| BTU             | 135,000                     |
| Fire Glass Sugg | 51lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLSS6024ML   |
| Spark Glow             | OPT-ATLSS6024SG   |
| Flame Sense            | OPT-ATLSS6024FSML |
| Fire Glow              | OPT-ATLSS6024FG   |
| Plug & Play            | OPT-ATLSS6024EKIT |
| Low Voltage Electronic | OPT-ATLSS6024E12V |

## 72" Atlantic | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 30" |
| Burning Area    | (L) 52" x (W) 16"           |
| BTU             | 155,000                     |
| Fire Glass Sugg | 87lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLSS7224ML   |
| Spark Glow             | OPT-ATLSS7224SG   |
| Flame Sense            | OPT-ATLSS7224FSML |
| Fire Glow              | OPT-ATLSS7224FG   |
| Plug & Play            | OPT-ATLSS7224EKIT |
| Low Voltage Electronic | OPT-ATLSS7224E12V |

## 84" Atlantic | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 24" x (W) 30" |
| Burning Area    | (L) 64" x (W) 16"           |
| BTU             | 160,000                     |
| Fire Glass Sugg | 107lbs                      |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLSS8424ML   |
| Spark Glow             | OPT-ATLSS8424SG   |
| Flame Sense            | OPT-ATLSS8424FSML |
| Fire Glow              | OPT-ATLSS8424FG   |
| Plug & Play            | OPT-ATLSS8424EKIT |
| Low Voltage Electronic | OPT-ATLSS8424E12V |

## 96" Atlantic | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 96" x (H) 24" x (W) 30" |
| Burning Area    | (L) 76" x (W) 16"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 127lbs                      |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLSS9624ML   |
| Spark Glow             | OPT-ATLSS9624SG   |
| Flame Sense            | OPT-ATLSS9624FSML |
| Fire Glow              | OPT-ATLSS9624FG   |
| Plug & Play            | OPT-ATLSS9624EKIT |
| Low Voltage Electronic | OPT-ATLSS9624E12V |

# ATLANTIC FIRE PIT

## IN CORTEN STEEL



### UPGRADES

| ACCESSORIES             | 48" ATLANTIC    | 60" ATLANTIC    | 72" ATLANTIC    | 84" ATLANTIC    | 96" ATLANTIC    |
|-------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| BULLET BURNER           | OPT-B24SST      | OPT-B36SST      | OPT-B48SST      | OPT-B60SST      | OPT-B60SST      |
| CANVAS COVER   18" TALL | OPT-CVR4830-18H | OPT-CVR6032-18H | OPT-CVR7236-18H | OPT-CVR8436-18H | OPT-CVR9636-18H |
| CANVAS COVER   24" TALL | OPT-CVR4830-24H | OPT-CVR6032-24H | OPT-CVR7236-24H | OPT-CVR8436-24H | OPT-CVR9636-24H |
| STAINLESS LID           | OPT-RC3012      | OPT-RC4214      | OPT-RC5418      | OPT-RC6618      | OPT-RC7818      |
| GLASS WIND GUARD        | OPT-WG-3214     | OPT-WG-4416     | OPT-WG-5620     | OPT-WG-6820     | OPT-WG-8020     |

## SIZES

## 48" Atlantic | 18" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 18" x (W) 30" |
| Burning Area    | (L) 28" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 30                          |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLCS4818ML   |
| Spark Glow             | OPT-ATLCS4818SG   |
| Flame Sense            | OPT-ATLCS4818FSML |
| Fire Glow              | OPT-ATLCS4818FG   |
| Plug & Play            | OPT-ATLCS4818EKIT |
| Low Voltage Electronic | OPT-ATLCS4818E12V |

## 60" Atlantic | 18" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 18" x (W) 32" |
| Burning Area    | (L) 40" x (W) 12"           |
| BTU             | 135,000                     |
| Fire Glass Sugg | 51                          |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLCS6018ML   |
| Spark Glow             | OPT-ATLCS6018SG   |
| Flame Sense            | OPT-ATLCS6018FSML |
| Fire Glow              | OPT-ATLCS6018FG   |
| Plug & Play            | OPT-ATLCS6018EKIT |
| Low Voltage Electronic | OPT-ATLCS6018E12V |

## 72" Atlantic | 18" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 18" x (W) 36" |
| Burning Area    | (L) 52" x (W) 16"           |
| BTU             | 155,000                     |
| Fire Glass Sugg | 87                          |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLCS7218ML   |
| Spark Glow             | OPT-ATLCS7218SG   |
| Flame Sense            | OPT-ATLCS7218FSML |
| Fire Glow              | OPT-ATLCS7218FG   |
| Plug & Play            | OPT-ATLCS7218EKIT |
| Low Voltage Electronic | OPT-ATLCS7218E12V |

## 84" Atlantic | 18" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 18" x (W) 36" |
| Burning Area    | (L) 64" x (W) 16"           |
| BTU             | 160,000                     |
| Fire Glass Sugg | 107                         |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLCS8418ML   |
| Spark Glow             | OPT-ATLCS8418SG   |
| Flame Sense            | OPT-ATLCS8418FSML |
| Fire Glow              | OPT-ATLCS8418FG   |
| Plug & Play            | OPT-ATLCS8418EKIT |
| Low Voltage Electronic | OPT-ATLCS8418E12V |

## 96" Atlantic | 18" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 96" x (H) 18" x (W) 36" |
| Burning Area    | (L) 76" x (W) 16"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 127                         |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLCS9618ML   |
| Spark Glow             | OPT-ATLCS9618SG   |
| Flame Sense            | OPT-ATLCS9618FSML |
| Fire Glow              | OPT-ATLCS9618FG   |
| Plug & Play            | OPT-ATLCS9618EKIT |
| Low Voltage Electronic | OPT-ATLCS9618E12V |

## 48" Atlantic | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 30" |
| Burning Area    | (L) 28" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 30lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLCS4824ML   |
| Spark Glow             | OPT-ATLCS4824SG   |
| Flame Sense            | OPT-ATLCS4824FSML |
| Fire Glow              | OPT-ATLCS4824FG   |
| Plug & Play            | OPT-ATLCS4824EKIT |
| Low Voltage Electronic | OPT-ATLCS4824E12V |

## 60" Atlantic | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 30" |
| Burning Area    | (L) 40" x (W) 12"           |
| BTU             | 135,000                     |
| Fire Glass Sugg | 51lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLCS6024ML   |
| Spark Glow             | OPT-ATLCS6024SG   |
| Flame Sense            | OPT-ATLCS6024FSML |
| Fire Glow              | OPT-ATLCS6024FG   |
| Plug & Play            | OPT-ATLCS6024EKIT |
| Low Voltage Electronic | OPT-ATLCS6024E12V |

## 72" Atlantic | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 30" |
| Burning Area    | (L) 52" x (W) 16"           |
| BTU             | 155,000                     |
| Fire Glass Sugg | 87lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLCS7224ML   |
| Spark Glow             | OPT-ATLCS7224SG   |
| Flame Sense            | OPT-ATLCS7224FSML |
| Fire Glow              | OPT-ATLCS7224FG   |
| Plug & Play            | OPT-ATLCS7224EKIT |
| Low Voltage Electronic | OPT-ATLCS7224E12V |

## 84" Atlantic | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 24" x (W) 30" |
| Burning Area    | (L) 64" x (W) 16"           |
| BTU             | 160,000                     |
| Fire Glass Sugg | 107lbs                      |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLCS8424ML   |
| Spark Glow             | OPT-ATLCS8424SG   |
| Flame Sense            | OPT-ATLCS8424FSML |
| Fire Glow              | OPT-ATLCS8424FG   |
| Plug & Play            | OPT-ATLCS8424EKIT |
| Low Voltage Electronic | OPT-ATLCS8424E12V |

## 96" Atlantic | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 96" x (H) 24" x (W) 30" |
| Burning Area    | (L) 76" x (W) 16"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 127lbs                      |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-ATLCS9624ML   |
| Spark Glow             | OPT-ATLCS9624SG   |
| Flame Sense            | OPT-ATLCS9624FSML |
| Fire Glow              | OPT-ATLCS9624FG   |
| Plug & Play            | OPT-ATLCS9624EKIT |
| Low Voltage Electronic | OPT-ATLCS9624E12V |

# ATLANTIC FIRE PIT

## IN HAMMERED COPPER



### UPGRADES

| ACCESSORIES             | 48" ATLANTIC    | 60" ATLANTIC    | 72" ATLANTIC    | 84" ATLANTIC    | 96" ATLANTIC    |
|-------------------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| BULLET BURNER           | OPT-B24SST      | OPT-B36SST      | OPT-B48SST      | OPT-B60SST      | OPT-B60SST      |
| CANVAS COVER   18" TALL | OPT-CVR4830-18H | OPT-CVR6032-18H | OPT-CVR7236-18H | OPT-CVR8436-18H | OPT-CVR9636-18H |
| CANVAS COVER   24" TALL | OPT-CVR4830-24H | OPT-CVR6032-24H | OPT-CVR7236-24H | OPT-CVR8436-24H | OPT-CVR9636-24H |
| STAINLESS LID           | OPT-RC3012      | OPT-RC4214      | OPT-RC5418      | OPT-RC6618      | OPT-RC7818      |
| GLASS WIND GUARD        | OPT-WG-3214     | OPT-WG-4416     | OPT-WG-5620     | OPT-WG-6820     | OPT-WG-8020     |

## SIZES

## 48" Atlantic | 18" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 18" x (W) 30" |
| Burning Area    | (L) 28" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 30                          |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-ATLHCP4818ML   |
| Spark Glow             | OPT-ATLHCP4818SG   |
| Flame Sense            | OPT-ATLHCP4818FSML |
| Fire Glow              | OPT-ATLHCP4818FG   |
| Plug & Play            | OPT-ATLHCP4818EKIT |
| Low Voltage Electronic | OPT-ATLHCP4818E12V |

## 60" Atlantic | 18" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 18" x (W) 32" |
| Burning Area    | (L) 40" x (W) 12"           |
| BTU             | 135,000                     |
| Fire Glass Sugg | 51                          |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-ATLHCP6018ML   |
| Spark Glow             | OPT-ATLHCP6018SG   |
| Flame Sense            | OPT-ATLHCP6018FSML |
| Fire Glow              | OPT-ATLHCP6018FG   |
| Plug & Play            | OPT-ATLHCP6018EKIT |
| Low Voltage Electronic | OPT-ATLHCP6018E12V |

## 72" Atlantic | 18" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 18" x (W) 36" |
| Burning Area    | (L) 52" x (W) 16"           |
| BTU             | 155,000                     |
| Fire Glass Sugg | 87                          |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-ATLHCP7218ML   |
| Spark Glow             | OPT-ATLHCP7218SG   |
| Flame Sense            | OPT-ATLHCP7218FSML |
| Fire Glow              | OPT-ATLHCP7218FG   |
| Plug & Play            | OPT-ATLHCP7218EKIT |
| Low Voltage Electronic | OPT-ATLHCP7218E12V |

## 84" Atlantic | 18" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 18" x (W) 36" |
| Burning Area    | (L) 64" x (W) 16"           |
| BTU             | 160,000                     |
| Fire Glass Sugg | 107                         |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-ATLHCP8418ML   |
| Spark Glow             | OPT-ATLHCP8418SG   |
| Flame Sense            | OPT-ATLHCP8418FSML |
| Fire Glow              | OPT-ATLHCP8418FG   |
| Plug & Play            | OPT-ATLHCP8418EKIT |
| Low Voltage Electronic | OPT-ATLHCP8418E12V |

## 96" Atlantic | 18" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 96" x (H) 18" x (W) 36" |
| Burning Area    | (L) 76" x (W) 16"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 127                         |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-ATLHCP9618ML   |
| Spark Glow             | OPT-ATLHCP9618SG   |
| Flame Sense            | OPT-ATLHCP9618FSML |
| Fire Glow              | OPT-ATLHCP9618FG   |
| Plug & Play            | OPT-ATLHCP9618EKIT |
| Low Voltage Electronic | OPT-ATLHCP9618E12V |

## 48" Atlantic | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 30" |
| Burning Area    | (L) 28" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 30lbs                       |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-ATLHCP4824ML   |
| Spark Glow             | OPT-ATLHCP4824SG   |
| Flame Sense            | OPT-ATLHCP4824FSML |
| Fire Glow              | OPT-ATLHCP4824FG   |
| Plug & Play            | OPT-ATLHCP4824EKIT |
| Low Voltage Electronic | OPT-ATLHCP4824E12V |

## 60" Atlantic | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 30" |
| Burning Area    | (L) 40" x (W) 12"           |
| BTU             | 135,000                     |
| Fire Glass Sugg | 51lbs                       |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-ATLHCP6024ML   |
| Spark Glow             | OPT-ATLHCP6024SG   |
| Flame Sense            | OPT-ATLHCP6024FSML |
| Fire Glow              | OPT-ATLHCP6024FG   |
| Plug & Play            | OPT-ATLHCP6024EKIT |
| Low Voltage Electronic | OPT-ATLHCP6024E12V |

## 72" Atlantic | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 30" |
| Burning Area    | (L) 52" x (W) 16"           |
| BTU             | 155,000                     |
| Fire Glass Sugg | 87lbs                       |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-ATLHCP7224ML   |
| Spark Glow             | OPT-ATLHCP7224SG   |
| Flame Sense            | OPT-ATLHCP7224FSML |
| Fire Glow              | OPT-ATLHCP7224FG   |
| Plug & Play            | OPT-ATLHCP7224EKIT |
| Low Voltage Electronic | OPT-ATLHCP7224E12V |

## 84" Atlantic | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 24" x (W) 30" |
| Burning Area    | (L) 64" x (W) 16"           |
| BTU             | 160,000                     |
| Fire Glass Sugg | 107lbs                      |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-ATLHCP8424ML   |
| Spark Glow             | OPT-ATLHCP8424SG   |
| Flame Sense            | OPT-ATLHCP8424FSML |
| Fire Glow              | OPT-ATLHCP8424FG   |
| Plug & Play            | OPT-ATLHCP8424EKIT |
| Low Voltage Electronic | OPT-ATLHCP8424E12V |

## 96" Atlantic | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 96" x (H) 24" x (W) 30" |
| Burning Area    | (L) 76" x (W) 16"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 127lbs                      |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-ATLHCP9624ML   |
| Spark Glow             | OPT-ATLHCP9624SG   |
| Flame Sense            | OPT-ATLHCP9624FSML |
| Fire Glow              | OPT-ATLHCP9624FG   |
| Plug & Play            | OPT-ATLHCP9624EKIT |
| Low Voltage Electronic | OPT-ATLHCP9624E12V |

# REDAN FIRE PIT

IN GFCR CONCRETE



## SIZES

## 36" Redan

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 36" x (H) 24" x (W) 36" |
| Burning Area    | (L) 19.5" x (W) 19.5"       |
| BTU             | 85,000                      |
| Fire Glass Sugg | 38lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-RDNGFRC36ML   |
| Spark Glow             | OPT-RDNGFRC36SG   |
| Flame Sense            | OPT-RDNGFRC36FSML |
| Fire Glow              | OPT-RDNGFRC36FG   |
| Plug & Play            | OPT-RDNGFRC36EKIT |
| Low Voltage Electronic | OPT-RDNGFRC36E12V |

## 50" Redan

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 50" x (H) 24" x (W) 50" |
| Burning Area    | (L) 29" x (W) 29"           |
| BTU             | 105,000                     |
| Fire Glass Sugg | 88lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-RDNGFRC50ML   |
| Spark Glow             | OPT-RDNGFRC50SG   |
| Flame Sense            | OPT-RDNGFRC50FSML |
| Fire Glow              | OPT-RDNGFRC50FG   |
| Plug & Play            | OPT-RDNGFRC50EKIT |
| Low Voltage Electronic | OPT-RDNGFRC50E12V |

## UPGRADES

## ACCESSORIES

## 36" REDAN

## 50" REDAN

|                  |                  |                  |
|------------------|------------------|------------------|
| Bullet Burner    | OPT-BRDSS8       | OPT-BRDSS12      |
| Canvas Cover     | OPT-CVR-3636-24H | OPT-CVR-5050-24H |
| Stainless Lid    | OPT-21SC         | OPT-31SC         |
| Glass Wind Guard | OPT-WG-2323      | OPT-WG-3333      |

## REDAN FIRE PIT IN POWDER COAT



### SIZES

#### 36" Redan

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 36" x (H) 24" x (W) 36" |
| Burning Area    | (L) 19.5" x (W) 19.5"       |
| BTU             | 85,000                      |
| Fire Glass Sugg | 42lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-RDNPC36ML   |
| Spark Glow             | OPT-RDNPC36SG   |
| Flame Sense            | OPT-RDNPC36FSML |
| Fire Glow              | OPT-RDNPC36FG   |
| Plug & Play            | OPT-RDNPC36EKIT |
| Low Voltage Electronic | OPT-RDNPC36E12V |

#### 48" Redan

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 48" |
| Burning Area    | (L) 29" x (W) 29"           |
| BTU             | 105,000                     |
| Fire Glass Sugg | 61lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-RDNPC48ML   |
| Spark Glow             | OPT-RDNPC48SG   |
| Flame Sense            | OPT-RDNPC48FSML |
| Fire Glow              | OPT-RDNPC48FG   |
| Plug & Play            | OPT-RDNPC48EKIT |
| Low Voltage Electronic | OPT-RDNPC48E12V |

## REDAN FIRE PIT IN STAINLESS STEEL



### SIZES

#### 36" Redan

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 36" x (H) 24" x (W) 36" |
| Burning Area    | (L) 19.5" x (W) 19.5"       |
| BTU             | 85,000                      |
| Fire Glass Sugg | 42lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-RDNSS36ML   |
| Spark Glow             | OPT-RDNSS36SG   |
| Flame Sense            | OPT-RDNSS36FSML |
| Fire Glow              | OPT-RDNSS36FG   |
| Plug & Play            | OPT-RDNSS36EKIT |
| Low Voltage Electronic | OPT-RDNSS36E12V |

#### 48" Redan

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 48" |
| Burning Area    | (L) 29" x (W) 29"           |
| BTU             | 105,000                     |
| Fire Glass Sugg | 61lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-RDNSS48ML   |
| Spark Glow             | OPT-RDNSS48SG   |
| Flame Sense            | OPT-RDNSS48FSML |
| Fire Glow              | OPT-RDNSS48FG   |
| Plug & Play            | OPT-RDNSS48EKIT |
| Low Voltage Electronic | OPT-RDNSS48E12V |

### UPGRADES

#### ACCESSORIES

#### 36" REDAN

#### 48" REDAN

|                  |                  |                  |
|------------------|------------------|------------------|
| Bullet Burner    | OPT-BRDSS8       | OPT-BRDSS12      |
| Canvas Cover     | OPT-CVR-3636-24H | OPT-CVR-4848-24H |
| Stainless Lid    | OPT-21SC         | OPT-31SC         |
| Glass Wind Guard | OPT-WG-2323      | OPT-WG-3333      |

# REDAN FIRE PIT IN CORTEN STEEL



## SIZES

### 36" Redan

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 36" x (H) 24" x (W) 36" |
| Burning Area    | (L) 19.5" x (W) 19.5"       |
| BTU             | 85,000                      |
| Fire Glass Sugg | 42lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-RDNCS36ML   |
| Spark Glow             | OPT-RDNCS36SG   |
| Flame Sense            | OPT-RDNCS36FSML |
| Fire Glow              | OPT-RDNCS36FG   |
| Plug & Play            | OPT-RDNCS36EKIT |
| Low Voltage Electronic | OPT-RDNCS36E12V |

### 48" Redan

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 48" |
| Burning Area    | (L) 29" x (W) 29"           |
| BTU             | 105,000                     |
| Fire Glass Sugg | 61lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-RDNCS48ML   |
| Spark Glow             | OPT-RDNCS48SG   |
| Flame Sense            | OPT-RDNCS48FSML |
| Fire Glow              | OPT-RDNCS48FG   |
| Plug & Play            | OPT-RDNCS48EKIT |
| Low Voltage Electronic | OPT-RDNCS48E12V |

## SIZES

### 36" Redan

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 36" x (H) 24" x (W) 36" |
| Burning Area    | (L) 19.5" x (W) 19.5"       |
| BTU             | 85,000                      |
| Fire Glass Sugg | 42lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-RDNHCP36ML   |
| Spark Glow             | OPT-RDNHCP36SG   |
| Flame Sense            | OPT-RDNHCP36FSML |
| Fire Glow              | OPT-RDNHCP36FG   |
| Plug & Play            | OPT-RDNHCP36EKIT |
| Low Voltage Electronic | OPT-RDNHCP36E12V |

### 48" Redan

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 48" |
| Burning Area    | (L) 29" x (W) 29"           |
| BTU             | 105,000                     |
| Fire Glass Sugg | 61lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-RDNHCP48ML   |
| Spark Glow             | OPT-RDNHCP48SG   |
| Flame Sense            | OPT-RDNHCP48FSML |
| Fire Glow              | OPT-RDNHCP48FG   |
| Plug & Play            | OPT-RDNHCP48EKIT |
| Low Voltage Electronic | OPT-RDNHCP48E12V |



# REDAN FIRE PIT IN HAMMERED COPPER

## UPGRADES

### ACCESSORIES

#### 36" REDAN

#### 48" REDAN

|                  |                  |                  |
|------------------|------------------|------------------|
| Bullet Burner    | OPT-BRDSS8       | OPT-BRDSS12      |
| Canvas Cover     | OPT-CVR-3636-24H | OPT-CVR-4848-24H |
| Stainless Lid    | OPT-21SC         | OPT-31SC         |
| Glass Wind Guard | OPT-WG-2323      | OPT-WG-3333      |

# SEDONA FIRE PIT

## NARROW LEDGE | IN GFRG CONCRETE



### SIZES

#### 48" Sedona | Narrow

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 48" x (H) 15" |
| Burning Area    | (D) 40"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 132lbs            |

|                        |                     |
|------------------------|---------------------|
| Match Lit              | OPT-SEDNLGFRC48ML   |
| Spark Glow             | OPT-SEDNLGFRC48SG   |
| Flame Sense            | OPT-SEDNLGFRC48FSML |
| Fire Glow              | OPT-SEDNLGFRC48FG   |
| Plug & Play            | OPT-SEDNLGFRC48EKIT |
| Low Voltage Electronic | OPT-SEDNLGFRC48E12V |

#### 60" Sedona | Narrow

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 60" x (H) 15" |
| Burning Area    | (D) 54"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 240lbs            |

|                        |                     |
|------------------------|---------------------|
| Match Lit              | OPT-SEDNLGFRC60ML   |
| Spark Glow             | OPT-SEDNLGFRC60SG   |
| Flame Sense            | OPT-SEDNLGFRC60FSML |
| Fire Glow              | OPT-SEDNLGFRC60FG   |
| Plug & Play            | OPT-SEDNLGFRC60EKIT |
| Low Voltage Electronic | OPT-SEDNLGFRC60E12V |

### UPGRADES

| ACCESSORIES   | 48" SEDONA      | 60" SEDONA      |
|---------------|-----------------|-----------------|
| Bullet Burner | OPT-BRDSS18     | OPT-BRDSS24     |
| Canvas Cover  | OPT-CVR-48R-15H | OPT-CVR-60R-15H |
| Stainless Lid | OPT-42RC        | OPT-56RC        |

# SEDONA FIRE PIT

## WIDE LEDGE | IN GFRC CONCRETE



### SIZES

#### 48" Sedona | Wide

**Dimensions** (D) 48" x (H) 16"

**Burning Area** (D) 29"

**BTU** 105,000

**Fire Glass Sugg** 64lbs

|                               |                      |
|-------------------------------|----------------------|
| <b>Match Lit</b>              | OPT-SEDWLGFRFC48ML   |
| <b>Spark Glow</b>             | OPT-SEDWLGFRFC48SG   |
| <b>Flame Sense</b>            | OPT-SEDWLGFRFC48FSML |
| <b>Fire Glow</b>              | OPT-SEDWLGFRFC48FG   |
| <b>Plug &amp; Play</b>        | OPT-SEDWLGFRFC48EKIT |
| <b>Low Voltage Electronic</b> | OPT-SEDWLGFRFC48E12V |

#### 60" Sedona | Wide

**Dimensions** (D) 60" x (H) 16"

**Burning Area** (D) 40"

**BTU** 165,000

**Fire Glass Sugg** 132lbs

|                               |                      |
|-------------------------------|----------------------|
| <b>Match Lit</b>              | OPT-SEDWLGFRFC60ML   |
| <b>Spark Glow</b>             | OPT-SEDWLGFRFC60SG   |
| <b>Flame Sense</b>            | OPT-SEDWLGFRFC60FSML |
| <b>Fire Glow</b>              | OPT-SEDWLGFRFC60FG   |
| <b>Plug &amp; Play</b>        | OPT-SEDWLGFRFC60EKIT |
| <b>Low Voltage Electronic</b> | OPT-SEDWLGFRFC60E12V |

### UPGRADES

#### ACCESSORIES

|                      | 48" SEDONA      | 60" SEDONA      |
|----------------------|-----------------|-----------------|
| <b>Bullet Burner</b> | OPT-BRDSS12     | OPT-BRDSS18     |
| <b>Canvas Cover</b>  | OPT-CVR-48R-16H | OPT-CVR-60R-16H |
| <b>Stainless Lid</b> | OPT-31RC        | OPT-42RC        |

# TACOMA FIRE PIT

## IN GFRG CONCRETE



### SIZES

#### 48" Tacoma

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 30" |
| Burning Area    | (L) 30" x (W) 8"            |
| BTU             | 115,000                     |
| Fire Glass Sugg | 26lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-TACGFRMCL   |
| Spark Glow             | OPT-TACGFRCSG   |
| Flame Sense            | OPT-TACGFRCFMSL |
| Fire Glow              | OPT-TACGFRCFG   |
| Plug & Play            | OPT-TACGFRCEKIT |
| Low Voltage Electronic | OPT-TACGFRCE12V |

### UPGRADES

#### ACCESSORIES 48" TACOMA

|                  |                  |
|------------------|------------------|
| Bullet Burner    | OPT-B24SST       |
| Canvas Cover     | OPT-CVR-4830-24H |
| Stainless Lid    | OPT-RC1032       |
| Glass Wind Guard | OPT-WG-3412      |

# PISMO FIRE PIT

## IN GFRG CONCRETE



### SIZES

#### 48" Pismo

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 24" |
| Burning Area    | (L) 36" x (W) 12"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 36lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-PSMGFRC48ML   |
| Spark Glow             | OPT-PSMGFRC48SG   |
| Flame Sense            | OPT-PSMGFRC48FSML |
| Fire Glow              | OPT-PSMGFRC48FG   |
| Plug & Play            | OPT-PSMGFRC48EKIT |
| Low Voltage Electronic | OPT-PSMGFRC48E12V |

#### 60" Pismo

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 24" |
| Burning Area    | (L) 48" x (W) 12"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 49lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-PSMGFRC60ML   |
| Spark Glow             | OPT-PSMGFRC60SG   |
| Flame Sense            | OPT-PSMGFRC60FSML |
| Fire Glow              | OPT-PSMGFRC60FG   |
| Plug & Play            | OPT-PSMGFRC60EKIT |
| Low Voltage Electronic | OPT-PSMGFRC60E12V |

### UPGRADES

#### ACCESSORIES 48" PISMO 60" PISMO

|                  |                  |                  |
|------------------|------------------|------------------|
| Bullet Burner    | OPT-B24SST       | OPT-B36SST       |
| Canvas Cover     | OPT-CVR-4824-24H | OPT-CVR-6024-24H |
| Stainless Lid    | OPT-RC1438       | OPT-RC1450       |
| Glass Wind Guard | OPT-WG-4016      | OPT-WG-5216      |

# PISMO FIRE PIT

## IN POWDER COAT



### SIZES

#### 48" Pismo

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 24" |
| Burning Area    | (L) 36" x (W) 12"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 46lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-PSMPC48ML   |
| Spark Glow             | OPT-PSMPC48SG   |
| Flame Sense            | OPT-PSMPC48FSML |
| Fire Glow              | OPT-PSMPC48FG   |
| Plug & Play            | OPT-PSMPC48EKIT |
| Low Voltage Electronic | OPT-PSMPC48E12V |

### SIZES

#### 60" Pismo

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 24" |
| Burning Area    | (L) 48" x (W) 12"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 61lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-PSMPC60ML   |
| Spark Glow             | OPT-PSMPC60SG   |
| Flame Sense            | OPT-PSMPC60FSML |
| Fire Glow              | OPT-PSMPC60FG   |
| Plug & Play            | OPT-PSMPC60EKIT |
| Low Voltage Electronic | OPT-PSMPC60E12V |

#### 72" Pismo

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 24" |
| Burning Area    | (L) 60" x (W) 12"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 76lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-PSMPC72ML   |
| Spark Glow             | OPT-PSMPC72SG   |
| Flame Sense            | OPT-PSMPC72FSML |
| Fire Glow              | OPT-PSMPC72FG   |
| Plug & Play            | OPT-PSMPC72EKIT |
| Low Voltage Electronic | OPT-PSMPC72E12V |

#### 84" Pismo

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 24" x (W) 24" |
| Burning Area    | (L) 72" x (W) 12"           |
| BTU             | 215,000                     |
| Fire Glass Sugg | 91lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-PSMPC84ML   |
| Spark Glow             | OPT-PSMPC84SG   |
| Flame Sense            | OPT-PSMPC84FSML |
| Fire Glow              | OPT-PSMPC84FG   |
| Plug & Play            | OPT-PSMPC84EKIT |
| Low Voltage Electronic | OPT-PSMPC84E12V |

### UPGRADES

| ACCESSORIES      | 48" PISMO        | 60" PISMO        | 72" PISMO        | 84" PISMO        |
|------------------|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-B24SST       | OPT-B36SST       | OPT-B54SST       | OPT-B66SST       |
| Canvas Cover     | OPT-CVR-4824-24H | OPT-CVR-6024-24H | OPT-CVR-7224-24H | OPT-CVR-8424-24H |
| Stainless Lid    | OPT-RC1438       | OPT-RC1450       | OPT-RC1462       | OPT-RC1474       |
| Glass Wind Guard | OPT-WG-4016      | OPT-WG-5216      | OPT-WG-6416      | OPT-WG-7616      |

# PISMO FIRE PIT

## IN STAINLESS STEEL



### SIZES

#### 48" Pismo

**Dimensions** (L) 48" x (H) 24" x (W) 24"

**Burning Area** (L) 36" x (W) 12"

**BTU** 115,000

**Fire Glass Sugg** 46lbs

**Match Lit** OPT-PSMSS48ML

**Spark Glow** OPT-PSMSS48SG

**Flame Sense** OPT-PSMSS48FSML

**Fire Glow** OPT-PSMSS48FG

**Plug & Play** OPT-PSMSS48EKIT

**Low Voltage Electronic** OPT-PSMSS48E12V



### SIZES

#### 60" Pismo

**Dimensions** (L) 60" x (H) 24" x (W) 24"

**Burning Area** (L) 48" x (W) 12"

**BTU** 140,000

**Fire Glass Sugg** 61lbs

**Match Lit** OPT-PSMSS60ML

**Spark Glow** OPT-PSMSS60SG

**Flame Sense** OPT-PSMSS60FSML

**Fire Glow** OPT-PSMSS60FG

**Plug & Play** OPT-PSMSS60EKIT

**Low Voltage Electronic** OPT-PSMSS60E12V

#### 72" Pismo

**Dimensions** (L) 72" x (H) 24" x (W) 24"

**Burning Area** (L) 60" x (W) 12"

**BTU** 175,000

**Fire Glass Sugg** 76lbs

**Match Lit** OPT-PSMSS72ML

**Spark Glow** OPT-PSMSS72SG

**Flame Sense** OPT-PSMSS72FSML

**Fire Glow** OPT-PSMSS72FG

**Plug & Play** OPT-PSMSS72EKIT

**Low Voltage Electronic** OPT-PSMSS72E12V

#### 84" Pismo

**Dimensions** (L) 84" x (H) 24" x (W) 24"

**Burning Area** (L) 72" x (W) 12"

**BTU** 215,000

**Fire Glass Sugg** 91lbs

**Match Lit** OPT-PSMSS84ML

**Spark Glow** OPT-PSMSS84SG

**Flame Sense** OPT-PSMSS84FSML

**Fire Glow** OPT-PSMSS84FG

**Plug & Play** OPT-PSMSS84EKIT

**Low Voltage Electronic** OPT-PSMSS84E12V

### UPGRADES

#### ACCESSORIES

|                         | 48" PISMO        | 60" PISMO        | 72" PISMO        | 84" PISMO        |
|-------------------------|------------------|------------------|------------------|------------------|
| <b>Bullet Burner</b>    | OPT-B24SST       | OPT-B36SST       | OPT-B54SST       | OPT-B66SST       |
| <b>Canvas Cover</b>     | OPT-CVR-4824-24H | OPT-CVR-6024-24H | OPT-CVR-7224-24H | OPT-CVR-8424-24H |
| <b>Stainless Lid</b>    | OPT-RC1438       | OPT-RC1450       | OPT-RC1462       | OPT-RC1474       |
| <b>Glass Wind Guard</b> | OPT-WG-4016      | OPT-WG-5216      | OPT-WG-6416      | OPT-WG-7616      |

# PISMO FIRE PIT

## IN CORTEN STEEL



### SIZES

#### 48" Pismo

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 24" |
| Burning Area    | (L) 36" x (W) 12"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 46lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-PSMCS48ML   |
| Spark Glow             | OPT-PSMCS48SG   |
| Flame Sense            | OPT-PSMCS48FSML |
| Fire Glow              | OPT-PSMCS48FG   |
| Plug & Play            | OPT-PSMCS48EKIT |
| Low Voltage Electronic | OPT-PSMCS48E12V |

### SIZES

#### 60" Pismo

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 24" |
| Burning Area    | (L) 48" x (W) 12"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 61lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-PSMCS60ML   |
| Spark Glow             | OPT-PSMCS60SG   |
| Flame Sense            | OPT-PSMCS60FSML |
| Fire Glow              | OPT-PSMCS60FG   |
| Plug & Play            | OPT-PSMCS60EKIT |
| Low Voltage Electronic | OPT-PSMCS60E12V |

#### 72" Pismo

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 24" |
| Burning Area    | (L) 60" x (W) 12"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 76lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-PSMCS72ML   |
| Spark Glow             | OPT-PSMCS72SG   |
| Flame Sense            | OPT-PSMCS72FSML |
| Fire Glow              | OPT-PSMCS72FG   |
| Plug & Play            | OPT-PSMCS72EKIT |
| Low Voltage Electronic | OPT-PSMCS72E12V |

#### 84" Pismo

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 24" x (W) 24" |
| Burning Area    | (L) 72" x (W) 12"           |
| BTU             | 215,000                     |
| Fire Glass Sugg | 91lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-PSMCS84ML   |
| Spark Glow             | OPT-PSMCS84SG   |
| Flame Sense            | OPT-PSMCS84FSML |
| Fire Glow              | OPT-PSMCS84FG   |
| Plug & Play            | OPT-PSMCS84EKIT |
| Low Voltage Electronic | OPT-PSMCS84E12V |

### UPGRADES

| ACCESSORIES      | 48" PISMO        | 60" PISMO        | 72" PISMO        | 84" PISMO        |
|------------------|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-B24SST       | OPT-B36SST       | OPT-B54SST       | OPT-B66SST       |
| Canvas Cover     | OPT-CVR-4824-24H | OPT-CVR-6024-24H | OPT-CVR-7224-24H | OPT-CVR-8424-24H |
| Stainless Lid    | OPT-RC1438       | OPT-RC1450       | OPT-RC1462       | OPT-RC1474       |
| Glass Wind Guard | OPT-WG-4016      | OPT-WG-5216      | OPT-WG-6416      | OPT-WG-7616      |

# PISMO FIRE PIT

## IN HAMMERED COPPER



### SIZES

#### 48" Pismo

**Dimensions** (L) 48" x (H) 24" x (W) 24"

**Burning Area** (L) 36" x (W) 12"

**BTU** 115,000

**Fire Glass Sugg** 46lbs

**Match Lit** OPT-PSMHCP48ML

**Spark Glow** OPT-PSMHCP48SG

**Flame Sense** OPT-PSMHCP48FSML

**Fire Glow** OPT-PSMHCP48FG

**Plug & Play** OPT-PSMHCP48EKIT

**Low Voltage Electronic** OPT-PSMHCP48E12V



### SIZES

#### 60" Pismo

**Dimensions** (L) 60" x (H) 24" x (W) 24"

**Burning Area** (L) 48" x (W) 12"

**BTU** 140,000

**Fire Glass Sugg** 61lbs

**Match Lit** OPT-PSMHCP60ML

**Spark Glow** OPT-PSMHCP60SG

**Flame Sense** OPT-PSMHCP60FSML

**Fire Glow** OPT-PSMHCP60FG

**Plug & Play** OPT-PSMHCP60EKIT

**Low Voltage Electronic** OPT-PSMHCP60E12V

#### 72" Pismo

**Dimensions** (L) 72" x (H) 24" x (W) 24"

**Burning Area** (L) 60" x (W) 12"

**BTU** 175,000

**Fire Glass Sugg** 76lbs

**Match Lit** OPT-PSMHCP72ML

**Spark Glow** OPT-PSMHCP72SG

**Flame Sense** OPT-PSMHCP72FSML

**Fire Glow** OPT-PSMHCP72FG

**Plug & Play** OPT-PSMHCP72EKIT

**Low Voltage Electronic** OPT-PSMHCP72E12V

#### 84" Pismo

**Dimensions** (L) 84" x (H) 24" x (W) 24"

**Burning Area** (L) 72" x (W) 12"

**BTU** 215,000

**Fire Glass Sugg** 91lbs

**Match Lit** OPT-PSMHCP84ML

**Spark Glow** OPT-PSMHCP84SG

**Flame Sense** OPT-PSMHCP84FSML

**Fire Glow** OPT-PSMHCP84FG

**Plug & Play** OPT-PSMHCP84EKIT

**Low Voltage Electronic** OPT-PSMHCP84E12V

### UPGRADES

#### ACCESSORIES

|                         | 48" PISMO        | 60" PISMO        | 72" PISMO        | 84" PISMO        |
|-------------------------|------------------|------------------|------------------|------------------|
| <b>Bullet Burner</b>    | OPT-B24SST       | OPT-B36SST       | OPT-B54SST       | OPT-B66SST       |
| <b>Canvas Cover</b>     | OPT-CVR-4824-24H | OPT-CVR-6024-24H | OPT-CVR-7224-24H | OPT-CVR-8424-24H |
| <b>Stainless Lid</b>    | OPT-RC1438       | OPT-RC1450       | OPT-RC1462       | OPT-RC1474       |
| <b>Glass Wind Guard</b> | OPT-WG-4016      | OPT-WG-5216      | OPT-WG-6416      | OPT-WG-7616      |

# SEQUOIA FIRE PIT

IN GFCR CONCRETE WOOD GRAIN

42" SEQUOIA  
16" TALL



42" SEQUOIA  
24" TALL



## SIZES

## 42" Sequoia | 16" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 42" x (H) 16" |
| Burning Area    | (D) 19"           |
| BTU             | 85,000            |
| Fire Glass Sugg | 30lbs             |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-SEQWG4216ML   |
| Spark Glow             | OPT-SEQWG4216SG   |
| Flame Sense            | OPT-SEQWG4216FSML |
| Fire Glow              | OPT-SEQWG4216FG   |
| Plug & Play            | OPT-SEQWG4216EKIT |
| Low Voltage Electronic | OPT-SEQWG4216E12V |

## 60" Sequoia | 16" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 60" x (H) 16" |
| Burning Area    | (D) 31"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 79lbs             |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-SEQWG6016ML   |
| Spark Glow             | OPT-SEQWG6016SG   |
| Flame Sense            | OPT-SEQWG6016FSML |
| Fire Glow              | OPT-SEQWG6016FG   |
| Plug & Play            | OPT-SEQWG6016EKIT |
| Low Voltage Electronic | OPT-SEQWG6016E12V |

## 42" Sequoia | 24" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 42" x (H) 24" |
| Burning Area    | (D) 19"           |
| BTU             | 85,000            |
| Fire Glass Sugg | 30lbs             |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-SEQWG4224ML   |
| Spark Glow             | OPT-SEQWG4224SG   |
| Flame Sense            | OPT-SEQWG4224FSML |
| Fire Glow              | OPT-SEQWG4224FG   |
| Plug & Play            | OPT-SEQWG4224EKIT |
| Low Voltage Electronic | OPT-SEQWG4224E12V |

## 60" Sequoia | 24" Tall

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 60" x (H) 24" |
| Burning Area    | (D) 31"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 79lbs             |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-SEQWG6024ML   |
| Spark Glow             | OPT-SEQWG6024SG   |
| Flame Sense            | OPT-SEQWG6024FSML |
| Fire Glow              | OPT-SEQWG6024FG   |
| Plug & Play            | OPT-SEQWG6024EKIT |
| Low Voltage Electronic | OPT-SEQWG6024E12V |

## UPGRADES

## ACCESSORIES

## 42" SEQUOIA

## 60" SEQUOIA

|                         |                 |                 |
|-------------------------|-----------------|-----------------|
| Bullet Burner           | OPT-BRDSS8      | OPT-BRDSS18     |
| Canvas Cover   16" Tall | OPT-CVR-42R-16H | OPT-CVR-60R-16H |
| Canvas Cover   24" Tall | OPT-CVR-42R-24H | OPT-CVR-60R-24H |
| Stainless Lid           | OPT-21SC        | OPT-33SC        |

# FORMA FIRE PIT

## IN POWDER COAT



### SIZES

#### 30" Forma

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 30" x (H) 24" x (W) 30" |
| Burning Area    | (L) 18" x (W) 18"           |
| BTU             | 85,000                      |
| Fire Glass Sugg | 34lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-FORMPC30ML   |
| Spark Glow             | OPT-FORMPC30SG   |
| Flame Sense            | OPT-FORMPC30FSML |
| Fire Glow              | OPT-FORMPC30FG   |
| Plug & Play            | OPT-FORMPC30EKIT |
| Low Voltage Electronic | OPT-FORMPC30E12V |

#### 36" Forma

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 36" x (H) 24" x (W) 36" |
| Burning Area    | (L) 24" x (W) 24"           |
| BTU             | 105,000                     |
| Fire Glass Sugg | 61lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-FORMPC36ML   |
| Spark Glow             | OPT-FORMPC36SG   |
| Flame Sense            | OPT-FORMPC36FSML |
| Fire Glow              | OPT-FORMPC36FG   |
| Plug & Play            | OPT-FORMPC36EKIT |
| Low Voltage Electronic | OPT-FORMPC36E12V |

### SIZES

#### 42" Forma

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 42" x (H) 24" x (W) 42" |
| Burning Area    | (L) 30" x (W) 30"           |
| BTU             | 105,000                     |
| Fire Glass Sugg | 94lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-FORMPC42ML   |
| Spark Glow             | OPT-FORMPC42SG   |
| Flame Sense            | OPT-FORMPC42FSML |
| Fire Glow              | OPT-FORMPC42FG   |
| Plug & Play            | OPT-FORMPC42EKIT |
| Low Voltage Electronic | OPT-FORMPC42E12V |

#### 48" Forma

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 48" |
| Burning Area    | (L) 36" x (W) 36"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 136lbs                      |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-FORMPC48ML   |
| Spark Glow             | OPT-FORMPC48SG   |
| Flame Sense            | OPT-FORMPC48FSML |
| Fire Glow              | OPT-FORMPC48FG   |
| Plug & Play            | OPT-FORMPC48EKIT |
| Low Voltage Electronic | OPT-FORMPC48E12V |

#### 60" Forma

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 60" |
| Burning Area    | (L) 48" x (W) 48"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 241lbs                      |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-FORMPC60ML   |
| Spark Glow             | OPT-FORMPC60SG   |
| Flame Sense            | OPT-FORMPC60FSML |
| Fire Glow              | OPT-FORMPC60FG   |
| Plug & Play            | OPT-FORMPC60EKIT |
| Low Voltage Electronic | OPT-FORMPC60E12V |

### UPGRADES

| ACCESSORIES      | 30" FORMA        | 36" FORMA        | 42" FORMA        | 48" FORMA        | 60" FORMA        |
|------------------|------------------|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-BRDSS8       | OPT-BRDSS12      | OPT-BRDSS12      | OPT-BRDSS18      | OPT-BRDSS24      |
| Canvas Cover     | OPT-CVR-3030-24H | OPT-CVR-3636-24H | OPT-CVR-4242-24H | OPT-CVR-4848-24H | OPT-CVR-6060-24H |
| Stainless Lid    | OPT-20SC         | OPT-26SC         | OPT-32SC         | OPT-38SC         | OPT-50SC         |
| Glass Wind Guard | OPT-WG-2222      | OPT-WG-2828      | OPT-WG-3434      | OPT-WG-4040      | OPT-WG-5252      |

# FORMA FIRE PIT

## IN STAINLESS STEEL



### SIZES

#### 30" Forma

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 30" x (H) 24" x (W) 30" |
| Burning Area    | (L) 18" x (W) 18"           |
| BTU             | 85,000                      |
| Fire Glass Sugg | 34lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-FORMSS30ML   |
| Spark Glow             | OPT-FORMSS30SG   |
| Flame Sense            | OPT-FORMSS30FSML |
| Fire Glow              | OPT-FORMSS30FG   |
| Plug & Play            | OPT-FORMSS30EKIT |
| Low Voltage Electronic | OPT-FORMSS30E12V |

#### 36" Forma

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 36" x (H) 24" x (W) 36" |
| Burning Area    | (L) 24" x (W) 24"           |
| BTU             | 105,000                     |
| Fire Glass Sugg | 61lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-FORMSS36ML   |
| Spark Glow             | OPT-FORMSS36SG   |
| Flame Sense            | OPT-FORMSS36FSML |
| Fire Glow              | OPT-FORMSS36FG   |
| Plug & Play            | OPT-FORMSS36EKIT |
| Low Voltage Electronic | OPT-FORMSS36E12V |

### SIZES

#### 42" Forma

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 42" x (H) 24" x (W) 42" |
| Burning Area    | (L) 30" x (W) 30"           |
| BTU             | 105,000                     |
| Fire Glass Sugg | 94lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-FORMSS42ML   |
| Spark Glow             | OPT-FORMSS42SG   |
| Flame Sense            | OPT-FORMSS42FSML |
| Fire Glow              | OPT-FORMSS42FG   |
| Plug & Play            | OPT-FORMSS42EKIT |
| Low Voltage Electronic | OPT-FORMSS42E12V |

#### 48" Forma

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 48" |
| Burning Area    | (L) 36" x (W) 36"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 136lbs                      |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-FORMSS48ML   |
| Spark Glow             | OPT-FORMSS48SG   |
| Flame Sense            | OPT-FORMSS48FSML |
| Fire Glow              | OPT-FORMSS48FG   |
| Plug & Play            | OPT-FORMSS48EKIT |
| Low Voltage Electronic | OPT-FORMSS48E12V |

#### 60" Forma

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 60" |
| Burning Area    | (L) 48" x (W) 48"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 241lbs                      |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-FORMSS60ML   |
| Spark Glow             | OPT-FORMSS60SG   |
| Flame Sense            | OPT-FORMSS60FSML |
| Fire Glow              | OPT-FORMSS60FG   |
| Plug & Play            | OPT-FORMSS60EKIT |
| Low Voltage Electronic | OPT-FORMSS60E12V |

### UPGRADES

| ACCESSORIES      | 30" FORMA        | 36" FORMA        | 42" FORMA        | 48" FORMA        | 60" FORMA        |
|------------------|------------------|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-BRDSS8       | OPT-BRDSS12      | OPT-BRDSS12      | OPT-BRDSS18      | OPT-BRDSS24      |
| Canvas Cover     | OPT-CVR-3030-24H | OPT-CVR-3636-24H | OPT-CVR-4242-24H | OPT-CVR-4848-24H | OPT-CVR-6060-24H |
| Stainless Lid    | OPT-20SC         | OPT-26SC         | OPT-32SC         | OPT-38SC         | OPT-50SC         |
| Glass Wind Guard | OPT-WG-2222      | OPT-WG-2828      | OPT-WG-3434      | OPT-WG-4040      | OPT-WG-5252      |

# FORMA FIRE PIT

## IN CORTEN STEEL



### SIZES

#### 30" Forma

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 30" x (H) 24" x (W) 30" |
| Burning Area    | (L) 18" x (W) 18"           |
| BTU             | 85,000                      |
| Fire Glass Sugg | 34lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-FORMCS30ML   |
| Spark Glow             | OPT-FORMCS30SG   |
| Flame Sense            | OPT-FORMCS30FSML |
| Fire Glow              | OPT-FORMCS30FG   |
| Plug & Play            | OPT-FORMCS30EKIT |
| Low Voltage Electronic | OPT-FORMCS30E12V |

#### 36" Forma

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 36" x (H) 24" x (W) 36" |
| Burning Area    | (L) 24" x (W) 24"           |
| BTU             | 105,000                     |
| Fire Glass Sugg | 61lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-FORMCS36ML   |
| Spark Glow             | OPT-FORMCS36SG   |
| Flame Sense            | OPT-FORMCS36FSML |
| Fire Glow              | OPT-FORMCS36FG   |
| Plug & Play            | OPT-FORMCS36EKIT |
| Low Voltage Electronic | OPT-FORMCS36E12V |

### SIZES

#### 42" Forma

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 42" x (H) 24" x (W) 42" |
| Burning Area    | (L) 30" x (W) 30"           |
| BTU             | 105,000                     |
| Fire Glass Sugg | 94lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-FORMCS42ML   |
| Spark Glow             | OPT-FORMCS42SG   |
| Flame Sense            | OPT-FORMCS42FSML |
| Fire Glow              | OPT-FORMCS42FG   |
| Plug & Play            | OPT-FORMCS42EKIT |
| Low Voltage Electronic | OPT-FORMCS42E12V |

#### 48" Forma

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 48" |
| Burning Area    | (L) 36" x (W) 36"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 136lbs                      |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-FORMCS48ML   |
| Spark Glow             | OPT-FORMCS48SG   |
| Flame Sense            | OPT-FORMCS48FSML |
| Fire Glow              | OPT-FORMCS48FG   |
| Plug & Play            | OPT-FORMCS48EKIT |
| Low Voltage Electronic | OPT-FORMCS48E12V |

#### 60" Forma

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 60" |
| Burning Area    | (L) 48" x (W) 48"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 241lbs                      |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-FORMCS60ML   |
| Spark Glow             | OPT-FORMCS60SG   |
| Flame Sense            | OPT-FORMCS60FSML |
| Fire Glow              | OPT-FORMCS60FG   |
| Plug & Play            | OPT-FORMCS60EKIT |
| Low Voltage Electronic | OPT-FORMCS60E12V |

### UPGRADES

| ACCESSORIES      | 30" FORMA        | 36" FORMA        | 42" FORMA        | 48" FORMA        | 60" FORMA        |
|------------------|------------------|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-BRDSS8       | OPT-BRDSS12      | OPT-BRDSS12      | OPT-BRDSS18      | OPT-BRDSS24      |
| Canvas Cover     | OPT-CVR-3030-24H | OPT-CVR-3636-24H | OPT-CVR-4242-24H | OPT-CVR-4848-24H | OPT-CVR-6060-24H |
| Stainless Lid    | OPT-20SC         | OPT-26SC         | OPT-32SC         | OPT-38SC         | OPT-50SC         |
| Glass Wind Guard | OPT-WG-2222      | OPT-WG-2828      | OPT-WG-3434      | OPT-WG-4040      | OPT-WG-5252      |

# FORMA FIRE PIT

## IN HAMMERED COPPER



### SIZES

#### 30" Forma

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 30" x (H) 24" x (W) 30" |
| Burning Area    | (L) 18" x (W) 18"           |
| BTU             | 85,000                      |
| Fire Glass Sugg | 34lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-FORMHCP30ML   |
| Spark Glow             | OPT-FORMHCP30SG   |
| Flame Sense            | OPT-FORMHCP30FSML |
| Fire Glow              | OPT-FORMHCP30FG   |
| Plug & Play            | OPT-FORMHCP30EKIT |
| Low Voltage Electronic | OPT-FORMHCP30E12V |

#### 36" Forma

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 36" x (H) 24" x (W) 36" |
| Burning Area    | (L) 24" x (W) 24"           |
| BTU             | 105,000                     |
| Fire Glass Sugg | 61lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-FORMHCP36ML   |
| Spark Glow             | OPT-FORMHCP36SG   |
| Flame Sense            | OPT-FORMHCP36FSML |
| Fire Glow              | OPT-FORMHCP36FG   |
| Plug & Play            | OPT-FORMHCP36EKIT |
| Low Voltage Electronic | OPT-FORMHCP36E12V |

### SIZES

#### 42" Forma

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 42" x (H) 24" x (W) 42" |
| Burning Area    | (L) 30" x (W) 30"           |
| BTU             | 105,000                     |
| Fire Glass Sugg | 94lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-FORMHCP42ML   |
| Spark Glow             | OPT-FORMHCP42SG   |
| Flame Sense            | OPT-FORMHCP42FSML |
| Fire Glow              | OPT-FORMHCP42FG   |
| Plug & Play            | OPT-FORMHCP42EKIT |
| Low Voltage Electronic | OPT-FORMHCP42E12V |

#### 48" Forma

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 48" |
| Burning Area    | (L) 36" x (W) 36"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 136lbs                      |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-FORMHCP48ML   |
| Spark Glow             | OPT-FORMHCP48SG   |
| Flame Sense            | OPT-FORMHCP48FSML |
| Fire Glow              | OPT-FORMHCP48FG   |
| Plug & Play            | OPT-FORMHCP48EKIT |
| Low Voltage Electronic | OPT-FORMHCP48E12V |

#### 60" Forma

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 60" |
| Burning Area    | (L) 48" x (W) 48"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 241lbs                      |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-FORMHCP60ML   |
| Spark Glow             | OPT-FORMHCP60SG   |
| Flame Sense            | OPT-FORMHCP60FSML |
| Fire Glow              | OPT-FORMHCP60FG   |
| Plug & Play            | OPT-FORMHCP60EKIT |
| Low Voltage Electronic | OPT-FORMHCP60E12V |

### UPGRADES

| ACCESSORIES      | 30" FORMA        | 36" FORMA        | 42" FORMA        | 48" FORMA        | 60" FORMA        |
|------------------|------------------|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-BRDSS8       | OPT-BRDSS12      | OPT-BRDSS12      | OPT-BRDSS18      | OPT-BRDSS24      |
| Canvas Cover     | OPT-CVR-3030-24H | OPT-CVR-3636-24H | OPT-CVR-4242-24H | OPT-CVR-4848-24H | OPT-CVR-6060-24H |
| Stainless Lid    | OPT-20SC         | OPT-26SC         | OPT-32SC         | OPT-38SC         | OPT-50SC         |
| Glass Wind Guard | OPT-WG-2222      | OPT-WG-2828      | OPT-WG-3434      | OPT-WG-4040      | OPT-WG-5252      |

# FREMONT FIRE PIT

## IN POWDER COAT



### UPGRADES

| ACCESSORIES             | 48" FREMONT      | 60" FREMONT      | 72" FREMONT      | 84" FREMONT      |
|-------------------------|------------------|------------------|------------------|------------------|
| BULLET BURNER           | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       | OPT-B60SST       |
| CANVAS COVER   15" TALL | OPT-CVR-4832-15H | OPT-CVR-6032-15H | OPT-CVR-7232-15H | OPT-CVR-8432-15H |
| CANVAS COVER   24" TALL | OPT-CVR-4832-24H | OPT-CVR-6032-24H | OPT-CVR-7232-24H | OPT-CVR-8432-24H |
| STAINLESS LID           | OPT-RC1232       | OPT-RC1244       | OPT-RC1256       | OPT-RC1268       |
| GLASS WIND GUARD        | OPT-WG-3414      | OPT-WG-4614      | OPT-WG-5814      | OPT-WG-7014      |

## SIZES

### 48" Fremont | 15" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 15" x (W) 32" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-FRMPC4815ML   |
| Spark Glow             | OPT-FRMPC4815SG   |
| Flame Sense            | OPT-FRMPC4815FSML |
| Fire Glow              | OPT-FRMPC4815FG   |
| Plug & Play            | OPT-FRMPC4815EKIT |
| Low Voltage Electronic | OPT-FRMPC4815E12V |

### 60" Fremont | 15" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 15" x (W) 32" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-FRMPC6015ML   |
| Spark Glow             | OPT-FRMPC6015SG   |
| Flame Sense            | OPT-FRMPC6015FSML |
| Fire Glow              | OPT-FRMPC6015FG   |
| Plug & Play            | OPT-FRMPC6015EKIT |
| Low Voltage Electronic | OPT-FRMPC6015E12V |

### 72" Fremont | 15" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 15" x (W) 32" |
| Burning Area    | (L) 54" x (W) 10"           |
| BTU             | 155,000                     |
| Fire Glass Sugg | 57lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-FRMPC7215ML   |
| Spark Glow             | OPT-FRMPC7215SG   |
| Flame Sense            | OPT-FRMPC7215FSML |
| Fire Glow              | OPT-FRMPC7215FG   |
| Plug & Play            | OPT-FRMPC7215EKIT |
| Low Voltage Electronic | OPT-FRMPC7215E12V |

### 84" Fremont | 15" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 15" x (W) 32" |
| Burning Area    | (L) 66" x (W) 10"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 69lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-FRMPC8415ML   |
| Spark Glow             | OPT-FRMPC8415SG   |
| Flame Sense            | OPT-FRMPC8415FSML |
| Fire Glow              | OPT-FRMPC8415FG   |
| Plug & Play            | OPT-FRMPC8415EKIT |
| Low Voltage Electronic | OPT-FRMPC8415E12V |

### 48" Fremont | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 32" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-FRMPC4824ML   |
| Spark Glow             | OPT-FRMPC4824SG   |
| Flame Sense            | OPT-FRMPC4824FSML |
| Fire Glow              | OPT-FRMPC4824FG   |
| Plug & Play            | OPT-FRMPC4824EKIT |
| Low Voltage Electronic | OPT-FRMPC4815E12V |

### 60" Fremont | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 32" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-FRMPC6024ML   |
| Spark Glow             | OPT-FRMPC6024SG   |
| Flame Sense            | OPT-FRMPC6024FSML |
| Fire Glow              | OPT-FRMPC6024FG   |
| Plug & Play            | OPT-FRMPC6024EKIT |
| Low Voltage Electronic | OPT-FRMPC6024E12V |

### 72" Fremont | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 32" |
| Burning Area    | (L) 54" x (W) 10"           |
| BTU             | 155,000                     |
| Fire Glass Sugg | 57lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-FRMPC7224ML   |
| Spark Glow             | OPT-FRMPC7224SG   |
| Flame Sense            | OPT-FRMPC7224FSML |
| Fire Glow              | OPT-FRMPC7224FG   |
| Plug & Play            | OPT-FRMPC7224EKIT |
| Low Voltage Electronic | OPT-FRMPC7224E12V |

### 84" Fremont | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 24" x (W) 32" |
| Burning Area    | (L) 66" x (W) 10"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 69lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-FRMPC8424ML   |
| Spark Glow             | OPT-FRMPC8424SG   |
| Flame Sense            | OPT-FRMPC8424FSML |
| Fire Glow              | OPT-FRMPC8424FG   |
| Plug & Play            | OPT-FRMPC8424EKIT |
| Low Voltage Electronic | OPT-FRMPC8424E12V |

# FREMONT FIRE PIT

## IN STAINLESS STEEL



### UPGRADES

| ACCESSORIES             | 48" FREMONT      | 60" FREMONT      | 72" FREMONT      | 84" FREMONT      |
|-------------------------|------------------|------------------|------------------|------------------|
| BULLET BURNER           | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       | OPT-B60SST       |
| CANVAS COVER   15" TALL | OPT-CVR-4832-15H | OPT-CVR-6032-15H | OPT-CVR-7232-15H | OPT-CVR-8432-15H |
| CANVAS COVER   24" TALL | OPT-CVR-4832-24H | OPT-CVR-6032-24H | OPT-CVR-7232-24H | OPT-CVR-8432-24H |
| STAINLESS LID           | OPT-RC1232       | OPT-RC1244       | OPT-RC1256       | OPT-RC1268       |
| GLASS WIND GUARD        | OPT-WG-3414      | OPT-WG-4614      | OPT-WG-5814      | OPT-WG-7014      |

## SIZES

### 48" Fremont | 15" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 15" x (W) 32" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-FRMSS4815ML   |
| Spark Glow             | OPT-FRMSS4815SG   |
| Flame Sense            | OPT-FRMSS4815FSML |
| Fire Glow              | OPT-FRMSS4815FG   |
| Plug & Play            | OPT-FRMSS4815EKIT |
| Low Voltage Electronic | OPT-FRMSS4815E12V |

### 60" Fremont | 15" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 15" x (W) 32" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-FRMSS6015ML   |
| Spark Glow             | OPT-FRMSS6015SG   |
| Flame Sense            | OPT-FRMSS6015FSML |
| Fire Glow              | OPT-FRMSS6015FG   |
| Plug & Play            | OPT-FRMSS6015EKIT |
| Low Voltage Electronic | OPT-FRMSS6015E12V |

### 72" Fremont | 15" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 15" x (W) 32" |
| Burning Area    | (L) 54" x (W) 10"           |
| BTU             | 155,000                     |
| Fire Glass Sugg | 57lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-FRMSS7215ML   |
| Spark Glow             | OPT-FRMSS7215SG   |
| Flame Sense            | OPT-FRMSS7215FSML |
| Fire Glow              | OPT-FRMSS7215FG   |
| Plug & Play            | OPT-FRMSS7215EKIT |
| Low Voltage Electronic | OPT-FRMSS7215E12V |

### 84" Fremont | 15" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 15" x (W) 32" |
| Burning Area    | (L) 66" x (W) 10"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 69lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-FRMSS8415ML   |
| Spark Glow             | OPT-FRMSS8415SG   |
| Flame Sense            | OPT-FRMSS8415FSML |
| Fire Glow              | OPT-FRMSS8415FG   |
| Plug & Play            | OPT-FRMSS8415EKIT |
| Low Voltage Electronic | OPT-FRMSS8415E12V |

### 48" Fremont | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 32" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-FRMSS4824ML   |
| Spark Glow             | OPT-FRMSS4824SG   |
| Flame Sense            | OPT-FRMSS4824FSML |
| Fire Glow              | OPT-FRMSS4824FG   |
| Plug & Play            | OPT-FRMSS4824EKIT |
| Low Voltage Electronic | OPT-FRMSS4815E12V |

### 60" Fremont | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 32" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-FRMSS6024ML   |
| Spark Glow             | OPT-FRMSS6024SG   |
| Flame Sense            | OPT-FRMSS6024FSML |
| Fire Glow              | OPT-FRMSS6024FG   |
| Plug & Play            | OPT-FRMSS6024EKIT |
| Low Voltage Electronic | OPT-FRMSS6024E12V |

### 72" Fremont | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 32" |
| Burning Area    | (L) 54" x (W) 10"           |
| BTU             | 155,000                     |
| Fire Glass Sugg | 57lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-FRMSS7224ML   |
| Spark Glow             | OPT-FRMSS7224SG   |
| Flame Sense            | OPT-FRMSS7224FSML |
| Fire Glow              | OPT-FRMSS7224FG   |
| Plug & Play            | OPT-FRMSS7224EKIT |
| Low Voltage Electronic | OPT-FRMSS7224E12V |

### 84" Fremont | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 24" x (W) 32" |
| Burning Area    | (L) 66" x (W) 10"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 69lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-FRMSS8424ML   |
| Spark Glow             | OPT-FRMSS8424SG   |
| Flame Sense            | OPT-FRMSS8424FSML |
| Fire Glow              | OPT-FRMSS8424FG   |
| Plug & Play            | OPT-FRMSS8424EKIT |
| Low Voltage Electronic | OPT-FRMSS8424E12V |

# FREMONT FIRE PIT

## IN CORTEN STEEL



### UPGRADES

| ACCESSORIES             | 48" FREMONT      | 60" FREMONT      | 72" FREMONT      | 84" FREMONT      |
|-------------------------|------------------|------------------|------------------|------------------|
| BULLET BURNER           | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       | OPT-B60SST       |
| CANVAS COVER   15" TALL | OPT-CVR-4832-15H | OPT-CVR-6032-15H | OPT-CVR-7232-15H | OPT-CVR-8432-15H |
| CANVAS COVER   24" TALL | OPT-CVR-4832-24H | OPT-CVR-6032-24H | OPT-CVR-7232-24H | OPT-CVR-8432-24H |
| STAINLESS LID           | OPT-RC1232       | OPT-RC1244       | OPT-RC1256       | OPT-RC1268       |
| GLASS WIND GUARD        | OPT-WG-3414      | OPT-WG-4614      | OPT-WG-5814      | OPT-WG-7014      |

## SIZES

### 48" Fremont | 15" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 15" x (W) 32" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-FRMCS4815ML   |
| Spark Glow             | OPT-FRMCS4815SG   |
| Flame Sense            | OPT-FRMCS4815FSML |
| Fire Glow              | OPT-FRMCS4815FG   |
| Plug & Play            | OPT-FRMCS4815EKIT |
| Low Voltage Electronic | OPT-FRMCS4815E12V |

### 60" Fremont | 15" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 15" x (W) 32" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-FRMCS6015ML   |
| Spark Glow             | OPT-FRMCS6015SG   |
| Flame Sense            | OPT-FRMCS6015FSML |
| Fire Glow              | OPT-FRMCS6015FG   |
| Plug & Play            | OPT-FRMCS6015EKIT |
| Low Voltage Electronic | OPT-FRMCS6015E12V |

### 72" Fremont | 15" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 15" x (W) 32" |
| Burning Area    | (L) 54" x (W) 10"           |
| BTU             | 155,000                     |
| Fire Glass Sugg | 57lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-FRMCS7215ML   |
| Spark Glow             | OPT-FRMCS7215SG   |
| Flame Sense            | OPT-FRMCS7215FSML |
| Fire Glow              | OPT-FRMCS7215FG   |
| Plug & Play            | OPT-FRMCS7215EKIT |
| Low Voltage Electronic | OPT-FRMCS7215E12V |

### 84" Fremont | 15" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 15" x (W) 32" |
| Burning Area    | (L) 66" x (W) 10"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 69lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-FRMCS8415ML   |
| Spark Glow             | OPT-FRMCS8415SG   |
| Flame Sense            | OPT-FRMCS8415FSML |
| Fire Glow              | OPT-FRMCS8415FG   |
| Plug & Play            | OPT-FRMCS8415EKIT |
| Low Voltage Electronic | OPT-FRMCS8415E12V |

### 48" Fremont | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 32" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-FRMCS4824ML   |
| Spark Glow             | OPT-FRMCS4824SG   |
| Flame Sense            | OPT-FRMCS4824FSML |
| Fire Glow              | OPT-FRMCS4824FG   |
| Plug & Play            | OPT-FRMCS4824EKIT |
| Low Voltage Electronic | OPT-FRMCS4815E12V |

### 60" Fremont | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 32" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-FRMCS6024ML   |
| Spark Glow             | OPT-FRMCS6024SG   |
| Flame Sense            | OPT-FRMCS6024FSML |
| Fire Glow              | OPT-FRMCS6024FG   |
| Plug & Play            | OPT-FRMCS6024EKIT |
| Low Voltage Electronic | OPT-FRMCS6024E12V |

### 72" Fremont | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 32" |
| Burning Area    | (L) 54" x (W) 10"           |
| BTU             | 155,000                     |
| Fire Glass Sugg | 57lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-FRMCS7224ML   |
| Spark Glow             | OPT-FRMCS7224SG   |
| Flame Sense            | OPT-FRMCS7224FSML |
| Fire Glow              | OPT-FRMCS7224FG   |
| Plug & Play            | OPT-FRMCS7224EKIT |
| Low Voltage Electronic | OPT-FRMCS7224E12V |

### 84" Fremont | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 24" x (W) 32" |
| Burning Area    | (L) 66" x (W) 10"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 69lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-FRMSS8424ML   |
| Spark Glow             | OPT-FRMSS8424SG   |
| Flame Sense            | OPT-FRMSS8424FSML |
| Fire Glow              | OPT-FRMSS8424FG   |
| Plug & Play            | OPT-FRMSS8424EKIT |
| Low Voltage Electronic | OPT-FRMSS8424E12V |

# FREMONT FIRE PIT

## IN HAMMERED COPPER



### UPGRADES

| ACCESSORIES             | 48" FREMONT      | 60" FREMONT      | 72" FREMONT      | 84" FREMONT      |
|-------------------------|------------------|------------------|------------------|------------------|
| BULLET BURNER           | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       | OPT-B60SST       |
| CANVAS COVER   15" TALL | OPT-CVR-4832-15H | OPT-CVR-6032-15H | OPT-CVR-7232-15H | OPT-CVR-8432-15H |
| CANVAS COVER   24" TALL | OPT-CVR-4832-24H | OPT-CVR-6032-24H | OPT-CVR-7232-24H | OPT-CVR-8432-24H |
| STAINLESS LID           | OPT-RC1232       | OPT-RC1244       | OPT-RC1256       | OPT-RC1268       |
| GLASS WIND GUARD        | OPT-WG-3414      | OPT-WG-4614      | OPT-WG-5814      | OPT-WG-7014      |

## SIZES

### 48" Fremont | 15" Tall

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 48" x (H) 15" x (W) 32" |
| <b>Burning Area</b>    | (L) 30" x (W) 10"           |
| <b>BTU</b>             | 115,000                     |
| <b>Fire Glass Sugg</b> | 32lbs                       |

|                               |                    |
|-------------------------------|--------------------|
| <b>Match Lit</b>              | OPT-FRMHCP4815ML   |
| <b>Spark Glow</b>             | OPT-FRMHCP4815SG   |
| <b>Flame Sense</b>            | OPT-FRMHCP4815FSML |
| <b>Fire Glow</b>              | OPT-FRMHCP4815FG   |
| <b>Plug &amp; Play</b>        | OPT-FRMHCP4815EKIT |
| <b>Low Voltage Electronic</b> | OPT-FRMHCP4815E12V |

### 60" Fremont | 15" Tall

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 60" x (H) 15" x (W) 32" |
| <b>Burning Area</b>    | (L) 42" x (W) 10"           |
| <b>BTU</b>             | 140,000                     |
| <b>Fire Glass Sugg</b> | 44lbs                       |

|                               |                    |
|-------------------------------|--------------------|
| <b>Match Lit</b>              | OPT-FRMHCP6015ML   |
| <b>Spark Glow</b>             | OPT-FRMHCP6015SG   |
| <b>Flame Sense</b>            | OPT-FRMHCP6015FSML |
| <b>Fire Glow</b>              | OPT-FRMHCP6015FG   |
| <b>Plug &amp; Play</b>        | OPT-FRMHCP6015EKIT |
| <b>Low Voltage Electronic</b> | OPT-FRMHCP6015E12V |

### 72" Fremont | 15" Tall

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 72" x (H) 15" x (W) 32" |
| <b>Burning Area</b>    | (L) 54" x (W) 10"           |
| <b>BTU</b>             | 155,000                     |
| <b>Fire Glass Sugg</b> | 57lbs                       |

|                               |                    |
|-------------------------------|--------------------|
| <b>Match Lit</b>              | OPT-FRMHCP7215ML   |
| <b>Spark Glow</b>             | OPT-FRMHCP7215SG   |
| <b>Flame Sense</b>            | OPT-FRMHCP7215FSML |
| <b>Fire Glow</b>              | OPT-FRMHCP7215FG   |
| <b>Plug &amp; Play</b>        | OPT-FRMHCP7215EKIT |
| <b>Low Voltage Electronic</b> | OPT-FRMHCP7215E12V |

### 84" Fremont | 15" Tall

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 84" x (H) 15" x (W) 32" |
| <b>Burning Area</b>    | (L) 66" x (W) 10"           |
| <b>BTU</b>             | 175,000                     |
| <b>Fire Glass Sugg</b> | 69lbs                       |

|                               |                     |
|-------------------------------|---------------------|
| <b>Match Lit</b>              | OPT-FRMHCP8415ML    |
| <b>Spark Glow</b>             | OPT-FRMHCP8415SG    |
| <b>Flame Sense</b>            | OPT-FRMHCP8415FSML  |
| <b>Fire Glow</b>              | OPT-FRMHCP8415FG    |
| <b>Plug &amp; Play</b>        | OPT-FRMHCP8415EKIT  |
| <b>Low Voltage Electronic</b> | OPT-FRMHCP 8415E12V |

### 48" Fremont | 24" Tall

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 48" x (H) 24" x (W) 32" |
| <b>Burning Area</b>    | (L) 30" x (W) 10"           |
| <b>BTU</b>             | 115,000                     |
| <b>Fire Glass Sugg</b> | 32lbs                       |

|                               |                    |
|-------------------------------|--------------------|
| <b>Match Lit</b>              | OPT-FRMHCP4824ML   |
| <b>Spark Glow</b>             | OPT-FRMHCP4824SG   |
| <b>Flame Sense</b>            | OPT-FRMHCP4824FSML |
| <b>Fire Glow</b>              | OPT-FRMHCP4824FG   |
| <b>Plug &amp; Play</b>        | OPT-FRMHCP4824EKIT |
| <b>Low Voltage Electronic</b> | OPT-FRMHCP4815E12V |

### 60" Fremont | 24" Tall

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 60" x (H) 24" x (W) 32" |
| <b>Burning Area</b>    | (L) 42" x (W) 10"           |
| <b>BTU</b>             | 140,000                     |
| <b>Fire Glass Sugg</b> | 44lbs                       |

|                               |                    |
|-------------------------------|--------------------|
| <b>Match Lit</b>              | OPT-FRMHCP6024ML   |
| <b>Spark Glow</b>             | OPT-FRMHCP6024SG   |
| <b>Flame Sense</b>            | OPT-FRMHCP6024FSML |
| <b>Fire Glow</b>              | OPT-FRMHCP6024FG   |
| <b>Plug &amp; Play</b>        | OPT-FRMHCP6024EKIT |
| <b>Low Voltage Electronic</b> | OPT-FRMHCP6024E12V |

### 72" Fremont | 24" Tall

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 72" x (H) 24" x (W) 32" |
| <b>Burning Area</b>    | (L) 54" x (W) 10"           |
| <b>BTU</b>             | 155,000                     |
| <b>Fire Glass Sugg</b> | 57lbs                       |

|                               |                    |
|-------------------------------|--------------------|
| <b>Match Lit</b>              | OPT-FRMHCP7224ML   |
| <b>Spark Glow</b>             | OPT-FRMHCP7224SG   |
| <b>Flame Sense</b>            | OPT-FRMHCP7224FSML |
| <b>Fire Glow</b>              | OPT-FRMHCP7224FG   |
| <b>Plug &amp; Play</b>        | OPT-FRMHCP7224EKIT |
| <b>Low Voltage Electronic</b> | OPT-FRMHCP7224E12V |

### 84" Fremont | 24" Tall

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 84" x (H) 24" x (W) 32" |
| <b>Burning Area</b>    | (L) 66" x (W) 10"           |
| <b>BTU</b>             | 175,000                     |
| <b>Fire Glass Sugg</b> | 69lbs                       |

|                               |                    |
|-------------------------------|--------------------|
| <b>Match Lit</b>              | OPT-FRMHCP8424ML   |
| <b>Spark Glow</b>             | OPT-FRMHCP8424SG   |
| <b>Flame Sense</b>            | OPT-FRMHCP8424FSML |
| <b>Fire Glow</b>              | OPT-FRMHCP8424FG   |
| <b>Plug &amp; Play</b>        | OPT-FRMHCP8424EKIT |
| <b>Low Voltage Electronic</b> | OPT-FRMHCP8424E12V |

# PLYMOUTH FIRE PIT

## IN GFRC WOOD GRAIN



### UPGRADES

| ACCESSORIES             | 48" PLYMOUTH     | 60" PLYMOUTH     | 72" PLYMOUTH     | 84" PLYMOUTH     |
|-------------------------|------------------|------------------|------------------|------------------|
| BULLET BURNER           | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       | OPT-B60SST       |
| CANVAS COVER   16" TALL | OPT-CVR-4828-16H | OPT-CVR-6028-16H | OPT-CVR-7228-16H | OPT-CVR-8428-16H |
| CANVAS COVER   24" TALL | OPT-CVR-4828-24H | OPT-CVR-6028-24H | OPT-CVR-7228-24H | OPT-CVR-8428-24H |
| STAINLESS LID           | OPT-RC1032       | OPT-RC1244       | OPT-RC1256       | OPT-RC1268       |
| GLASS WIND GUARD        | OPT-WG-3412      | OPT-WG-4614      | OPT-WG-5814      | OPT-WG-7014      |

## SIZES

### 48" Plymouth | 16" Tall

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 48" x (H) 16" x (W) 28" |
| <b>Burning Area</b>    | (L) 30" x (W) 8"            |
| <b>BTU</b>             | 115,000                     |
| <b>Fire Glass Sugg</b> | 26lbs                       |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-PLMWG4816ML   |
| <b>Spark Glow</b>             | OPT-PLMWG4816SG   |
| <b>Flame Sense</b>            | OPT-PLMWG4816FSML |
| <b>Fire Glow</b>              | OPT-PLMWG4816LFG  |
| <b>Plug &amp; Play</b>        | OPT-PLMWG4816EKIT |
| <b>Low Voltage Electronic</b> | OPT-PLMWG4816E12V |

### 60" Plymouth | 16" Tall

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 60" x (H) 16" x (W) 28" |
| <b>Burning Area</b>    | (L) 42" x (W) 10"           |
| <b>BTU</b>             | 140,000                     |
| <b>Fire Glass Sugg</b> | 44lbs                       |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-PLMWG6016ML   |
| <b>Spark Glow</b>             | OPT-PLMWG6016SG   |
| <b>Flame Sense</b>            | OPT-PLMWG6016FSML |
| <b>Fire Glow</b>              | OPT-PLMWG6016LFG  |
| <b>Plug &amp; Play</b>        | OPT-PLMWG6016EKIT |
| <b>Low Voltage Electronic</b> | OPT-PLMWG6016E12V |

### 72" Plymouth | 16" Tall

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 72" x (H) 16" x (W) 28" |
| <b>Burning Area</b>    | (L) 54" x (W) 10"           |
| <b>BTU</b>             | 155,000                     |
| <b>Fire Glass Sugg</b> | 57lbs                       |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-PLMWG7216ML   |
| <b>Spark Glow</b>             | OPT-PLMWG7216SG   |
| <b>Flame Sense</b>            | OPT-PLMWG7216FSML |
| <b>Fire Glow</b>              | OPT-PLMWG7216LFG  |
| <b>Plug &amp; Play</b>        | OPT-PLMWG7216EKIT |
| <b>Low Voltage Electronic</b> | OPT-PLMWG7216E12V |

### 84" Plymouth | 16" Tall

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 84" x (H) 16" x (W) 28" |
| <b>Burning Area</b>    | (L) 66" x (W) 10"           |
| <b>BTU</b>             | 175,000                     |
| <b>Fire Glass Sugg</b> | 69lbs                       |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-PLMWG8416ML   |
| <b>Spark Glow</b>             | OPT-PLMWG8416SG   |
| <b>Flame Sense</b>            | OPT-PLMWG8416FSML |
| <b>Fire Glow</b>              | OPT-PLMWG8416LFG  |
| <b>Plug &amp; Play</b>        | OPT-PLMWG8416EKIT |
| <b>Low Voltage Electronic</b> | OPT-PLMWG8416E12V |

### 48" Plymouth | 24" Tall

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 48" x (H) 24" x (W) 28" |
| <b>Burning Area</b>    | (L) 30" x (W) 8"            |
| <b>BTU</b>             | 115,000                     |
| <b>Fire Glass Sugg</b> | 26lbs                       |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-PLMWG4824ML   |
| <b>Spark Glow</b>             | OPT-PLMWG4824SG   |
| <b>Flame Sense</b>            | OPT-PLMWG4824FSML |
| <b>Fire Glow</b>              | OPT-PLMWG4824LFG  |
| <b>Plug &amp; Play</b>        | OPT-PLMWG4824EKIT |
| <b>Low Voltage Electronic</b> | OPT-PLMWG4824E12V |

### 60" Plymouth | 24" Tall

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 60" x (H) 24" x (W) 28" |
| <b>Burning Area</b>    | (L) 42" x (W) 10"           |
| <b>BTU</b>             | 140,000                     |
| <b>Fire Glass Sugg</b> | 44lbs                       |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-PLMWG6024ML   |
| <b>Spark Glow</b>             | OPT-PLMWG6024SG   |
| <b>Flame Sense</b>            | OPT-PLMWG6024FSML |
| <b>Fire Glow</b>              | OPT-PLMWG6024LFG  |
| <b>Plug &amp; Play</b>        | OPT-PLMWG6024EKIT |
| <b>Low Voltage Electronic</b> | OPT-PLMWG6024E12V |

### 72" Plymouth | 24" Tall

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 72" x (H) 24" x (W) 28" |
| <b>Burning Area</b>    | (L) 54" x (W) 10"           |
| <b>BTU</b>             | 155,000                     |
| <b>Fire Glass Sugg</b> | 57lbs                       |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-PLMWG7224ML   |
| <b>Spark Glow</b>             | OPT-PLMWG7224SG   |
| <b>Flame Sense</b>            | OPT-PLMWG7224FSML |
| <b>Fire Glow</b>              | OPT-PLMWG7224LFG  |
| <b>Plug &amp; Play</b>        | OPT-PLMWG7224EKIT |
| <b>Low Voltage Electronic</b> | OPT-PLMWG7224E12V |

### 84" Plymouth | 24" Tall

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 84" x (H) 24" x (W) 28" |
| <b>Burning Area</b>    | (L) 66" x (W) 10"           |
| <b>BTU</b>             | 175,000                     |
| <b>Fire Glass Sugg</b> | 69lbs                       |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-PLMWG8424ML   |
| <b>Spark Glow</b>             | OPT-PLMWG8424SG   |
| <b>Flame Sense</b>            | OPT-PLMWG8424FSML |
| <b>Fire Glow</b>              | OPT-PLMWG8424LFG  |
| <b>Plug &amp; Play</b>        | OPT-PLMWG8424EKIT |
| <b>Low Voltage Electronic</b> | OPT-PLMWG8424E12V |

# PLYMOUTH SQUARE FIRE PIT

IN GFRC WOOD GRAIN



## SIZES

### 36" Square Plymouth | 16" Tall

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 36" x (H) 16" x (W) 36" |
| <b>Burning Area</b>    | (L) 18" x (W) 18"           |
| <b>BTU</b>             | 85,000                      |
| <b>Fire Glass Sugg</b> | 34lbs                       |

|                               |                    |
|-------------------------------|--------------------|
| <b>Match Lit</b>              | OPT-SPLMWG3616ML   |
| <b>Spark Glow</b>             | OPT-SPLMWG3616SG   |
| <b>Flame Sense</b>            | OPT-SPLMWG3616FSML |
| <b>Fire Glow</b>              | OPT-SPLMWG3616FG   |
| <b>Plug &amp; Play</b>        | OPT-SPLMWG3616EKIT |
| <b>Low Voltage Electronic</b> | OPT-SPLMWG3616E12V |

### 48" Square Plymouth | 16" Tall

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 48" x (H) 16" x (W) 48" |
| <b>Burning Area</b>    | (L) 24" x (W) 24"           |
| <b>BTU</b>             | 105,000                     |
| <b>Fire Glass Sugg</b> | 61lbs                       |

|                               |                    |
|-------------------------------|--------------------|
| <b>Match Lit</b>              | OPT-SPLMWG4816ML   |
| <b>Spark Glow</b>             | OPT-SPLMWG4816SG   |
| <b>Flame Sense</b>            | OPT-SPLMWG4816FSML |
| <b>Fire Glow</b>              | OPT-SPLMWG4816FG   |
| <b>Plug &amp; Play</b>        | OPT-SPLMWG4816EKIT |
| <b>Low Voltage Electronic</b> | OPT-SPLMWG4816E12V |

### 36" Square Plymouth | 24" Tall

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 36" x (H) 24" x (W) 36" |
| <b>Burning Area</b>    | (L) 18" x (W) 18"           |
| <b>BTU</b>             | 85,000                      |
| <b>Fire Glass Sugg</b> | 34lbs                       |

|                               |                    |
|-------------------------------|--------------------|
| <b>Match Lit</b>              | OPT-SPLMWG3624ML   |
| <b>Spark Glow</b>             | OPT-SPLMWG3624SG   |
| <b>Flame Sense</b>            | OPT-SPLMWG3624FSML |
| <b>Fire Glow</b>              | OPT-SPLMWG3624FG   |
| <b>Plug &amp; Play</b>        | OPT-SPLMWG3624EKIT |
| <b>Low Voltage Electronic</b> | OPT-SPLMWG3624E12V |

### 48" Square Plymouth | 24" Tall

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 48" x (H) 24" x (W) 48" |
| <b>Burning Area</b>    | (L) 24" x (W) 24"           |
| <b>BTU</b>             | 105,000                     |
| <b>Fire Glass Sugg</b> | 61lbs                       |

|                               |                    |
|-------------------------------|--------------------|
| <b>Match Lit</b>              | OPT-SPLMWG4824ML   |
| <b>Spark Glow</b>             | OPT-SPLMWG4824SG   |
| <b>Flame Sense</b>            | OPT-SPLMWG4824FSML |
| <b>Fire Glow</b>              | OPT-SPLMWG4824FG   |
| <b>Plug &amp; Play</b>        | OPT-SPLMWG4824EKIT |
| <b>Low Voltage Electronic</b> | OPT-SPLMWG4824E12V |

## UPGRADES

### ACCESSORIES

### 36" PLYMOUTH | SQUARE

### 48" PLYMOUTH | SQUARE

|                                |                  |                  |
|--------------------------------|------------------|------------------|
| <b>Bullet Burner</b>           | OPT-BRDSS8       | OPT-BRDSS12      |
| <b>Canvas Cover   16" Tall</b> | OPT-CVR-3636-16H | OPT-CVR-4848-16H |
| <b>Canvas Cover   24" Tall</b> | OPT-CVR-3636-24H | OPT-CVR-4848-24H |
| <b>Stainless Lid</b>           | OPT-20SC         | OPT-26SC         |
| <b>Glass Wind Guard</b>        | OPT-WG-2222      | OPT-WG-2828      |

# CARSON FIRE PIT

## IN GFRC WOOD GRAIN



### UPGRADES

| ACCESSORIES             | 48" CARSON       | 60" CARSON       | 72" CARSON       | 84" CARSON       |
|-------------------------|------------------|------------------|------------------|------------------|
| BULLET BURNER           | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       | OPT-B60SST       |
| CANVAS COVER   16" TALL | OPT-CVR-4836-16H | OPT-CVR-6036-16H | OPT-CVR-7236-16H | OPT-CVR-8436-16H |
| CANVAS COVER   24" TALL | OPT-CVR-4836-24H | OPT-CVR-6036-24H | OPT-CVR-7236-24H | OPT-CVR-8436-24H |
| STAINLESS LID           | OPT-1032         | OPT-1044         | OPT-1056         | OPT-1068         |
| GLASS WIND GUARD        | OPT-WG-3412      | OPT-WG-4612      | OPT-WG-5812      | OPT-WG-7012      |

## SIZES

### 48" Carson | 16" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 16" x (W) 36" |
| Burning Area    | (L) 30" x (W) 8"            |
| BTU             | 115,000                     |
| Fire Glass Sugg | 26lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-CRSWG4816ML   |
| Spark Glow             | OPT-CRSWG4816SG   |
| Flame Sense            | OPT-CRSWG4816FSML |
| Fire Glow              | OPT-CRSWG4816FG   |
| Plug & Play            | OPT-CRSWG4816EKIT |
| Low Voltage Electronic | OPT-CRSWG4816E12V |

### 60" Carson | 16" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 16" x (W) 36" |
| Burning Area    | (L) 42" x (W) 8"            |
| BTU             | 140,000                     |
| Fire Glass Sugg | 36lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-CRSWG6016ML   |
| Spark Glow             | OPT-CRSWG6016SG   |
| Flame Sense            | OPT-CRSWG6016FSML |
| Fire Glow              | OPT-CRSWG6016FG   |
| Plug & Play            | OPT-CRSWG6016EKIT |
| Low Voltage Electronic | OPT-CRSWG6016E12V |

### 72" Carson | 16" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 16" x (W) 36" |
| Burning Area    | (L) 54" x (W) 8"            |
| BTU             | 155,000                     |
| Fire Glass Sugg | 46lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-CRSWG7216ML   |
| Spark Glow             | OPT-CRSWG7216SG   |
| Flame Sense            | OPT-CRSWG7216FSML |
| Fire Glow              | OPT-CRSWG7216FG   |
| Plug & Play            | OPT-CRSWG7216EKIT |
| Low Voltage Electronic | OPT-CRSWG7216E12V |

### 84" Carson | 16" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 16" x (W) 36" |
| Burning Area    | (L) 66" x (W) 8"            |
| BTU             | 175,000                     |
| Fire Glass Sugg | 56lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-CRSWG8416ML   |
| Spark Glow             | OPT-CRSWG8416SG   |
| Flame Sense            | OPT-CRSWG8416FSML |
| Fire Glow              | OPT-CRSWG8416FG   |
| Plug & Play            | OPT-CRSWG8416EKIT |
| Low Voltage Electronic | OPT-CRSWG8416E12V |

### 48" Carson | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 36" |
| Burning Area    | (L) 30" x (W) 8"            |
| BTU             | 115,000                     |
| Fire Glass Sugg | 26lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-CRSWG4824ML   |
| Spark Glow             | OPT-CRSWG4824SG   |
| Flame Sense            | OPT-CRSWG4824FSML |
| Fire Glow              | OPT-CRSWG4824FG   |
| Plug & Play            | OPT-CRSWG4824EKIT |
| Low Voltage Electronic | OPT-CRSWG4824E12V |

### 60" Carson | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 36" |
| Burning Area    | (L) 42" x (W) 8"            |
| BTU             | 140,000                     |
| Fire Glass Sugg | 36lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-CRSWG6024ML   |
| Spark Glow             | OPT-CRSWG6024SG   |
| Flame Sense            | OPT-CRSWG6024FSML |
| Fire Glow              | OPT-CRSWG6024FG   |
| Plug & Play            | OPT-CRSWG6024EKIT |
| Low Voltage Electronic | OPT-CRSWG6024E12V |

### 72" Carson | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 36" |
| Burning Area    | (L) 48" x (W) 8"            |
| BTU             | 155,000                     |
| Fire Glass Sugg | 41lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-CRSWG7224ML   |
| Spark Glow             | OPT-CRSWG7224SG   |
| Flame Sense            | OPT-CRSWG7224FSML |
| Fire Glow              | OPT-CRSWG7224FG   |
| Plug & Play            | OPT-CRSWG7224EKIT |
| Low Voltage Electronic | OPT-CRSWG7224E12V |

### 84" Carson | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 24" x (W) 36" |
| Burning Area    | (L) 66" x (W) 8"            |
| BTU             | 175,000                     |
| Fire Glass Sugg | 56lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-CRSWG8424ML   |
| Spark Glow             | OPT-CRSWG8424SG   |
| Flame Sense            | OPT-CRSWG8424FSML |
| Fire Glow              | OPT-CRSWG8424FG   |
| Plug & Play            | OPT-CRSWG8424EKIT |
| Low Voltage Electronic | OPT-CRSWG8424E12V |

# IMPERIAL FIRE PIT

## IN PREMIUM POWDER COAT



### SIZES

#### 60" Imperial | 15" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 15" x (W) 30" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-IMPCC6015ML   |
| Spark Glow             | OPT-IMPCC6015SG   |
| Flame Sense            | OPT-IMPCC6015FSML |
| Fire Glow              | OPT-IMPCC6015FG   |
| Plug & Play            | OPT-IMPCC6015EKIT |
| Low Voltage Electronic | OPT-IMPCC6015E12V |

#### 72" Imperial | 15" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 15" x (W) 30" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-IMPCC7215ML   |
| Spark Glow             | OPT-IMPCC7215SG   |
| Flame Sense            | OPT-IMPCC7215FSML |
| Fire Glow              | OPT-IMPCC7215FG   |
| Plug & Play            | OPT-IMPCC7215EKIT |
| Low Voltage Electronic | OPT-IMPCC7215E12V |

# IMPERIAL FIRE PIT

## IN STAINLESS STEEL



### SIZES

#### 60" Imperial | 15" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 15" x (W) 30" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-IMPSS6015ML   |
| Spark Glow             | OPT-IMPSS6015SG   |
| Flame Sense            | OPT-IMPSS6015FSML |
| Fire Glow              | OPT-IMPSS6015FG   |
| Plug & Play            | OPT-IMPSS6015EKIT |
| Low Voltage Electronic | OPT-IMPSS6015E12V |

#### 72" Imperial | 15" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 15" x (W) 30" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-IMPSS7215ML   |
| Spark Glow             | OPT-IMPSS7215SG   |
| Flame Sense            | OPT-IMPSS7215FSML |
| Fire Glow              | OPT-IMPSS7215FG   |
| Plug & Play            | OPT-IMPSS7215EKIT |
| Low Voltage Electronic | OPT-IMPSS7215E12V |

### UPGRADES

#### ACCESSORIES

#### 60" IMPERIAL

#### 72" IMPERIAL

|                         |                  |                  |
|-------------------------|------------------|------------------|
| Bullet Burner           | OPT-B24SST       | OPT-B36SST       |
| Canvas Cover   15" Tall | OPT-CVR-6030-15H | OPT-CVR-7230-15H |
| Stainless Lid           | OPT-RC1232       | OPT-RC1244       |
| Glass Wind Guard        | OPT-WG-3414      | OPT-WG-4614      |

# IMPERIAL FIRE PIT

## IN CORTEN STEEL



### SIZES

#### 60" Imperial | 15" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 15" x (W) 30" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-IMPCS6015ML   |
| Spark Glow             | OPT-IMPCS6015SG   |
| Flame Sense            | OPT-IMPCS6015FSML |
| Fire Glow              | OPT-IMPCS6015FG   |
| Plug & Play            | OPT-IMPCS6015EKIT |
| Low Voltage Electronic | OPT-IMPCS6015E12V |

#### 72" Imperial | 15" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 15" x (W) 30" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-IMPCS7215ML   |
| Spark Glow             | OPT-IMPCS7215SG   |
| Flame Sense            | OPT-IMPCS7215FSML |
| Fire Glow              | OPT-IMPCS7215FG   |
| Plug & Play            | OPT-IMPCS7215EKIT |
| Low Voltage Electronic | OPT-IMPCS7215E12V |

### SIZES

#### 60" Imperial | 15" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 15" x (W) 30" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-IMPHCP6015ML   |
| Spark Glow             | OPT-IMPHCP6015SG   |
| Flame Sense            | OPT-IMPHCP6015FSML |
| Fire Glow              | OPT-IMPHCP6015FG   |
| Plug & Play            | OPT-IMPHCP6015EKIT |
| Low Voltage Electronic | OPT-IMPHCP6015E12V |

#### 72" Imperial | 15" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 15" x (W) 30" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-IMPHCP7215ML   |
| Spark Glow             | OPT-IMPHCP7215SG   |
| Flame Sense            | OPT-IMPHCP7215FSML |
| Fire Glow              | OPT-IMPHCP7215FG   |
| Plug & Play            | OPT-IMPHCP7215EKIT |
| Low Voltage Electronic | OPT-IMPHCP7215E12V |



# IMPERIAL FIRE PIT

## IN HAMMERED COPPER



### UPGRADES

#### ACCESSORIES

#### 60" IMPERIAL

#### 72" IMPERIAL

|                         |                  |                  |
|-------------------------|------------------|------------------|
| Bullet Burner           | OPT-B24SST       | OPT-B36SST       |
| Canvas Cover   15" Tall | OPT-CVR-6030-15H | OPT-CVR-7230-15H |
| Stainless Lid           | OPT-RC1232       | OPT-RC1244       |
| Glass Wind Guard        | OPT-WG-3414      | OPT-WG-4614      |

# IMPERIAL FIRE PIT

## IN PREMIUM POWDER COAT



### SIZES

#### 60" Imperial | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 30" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-IMPCC6024ML   |
| Spark Glow             | OPT-IMPCC6024SG   |
| Flame Sense            | OPT-IMPCC6024FSML |
| Fire Glow              | OPT-IMPCC6024FG   |
| Plug & Play            | OPT-IMPCC6024EKIT |
| Low Voltage Electronic | OPT-IMPCC6024E12V |

#### 72" Imperial | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 30" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-IMPCC7224ML   |
| Spark Glow             | OPT-IMPCC7224SG   |
| Flame Sense            | OPT-IMPCC7224FSML |
| Fire Glow              | OPT-IMPCC7224FG   |
| Plug & Play            | OPT-IMPCC7224EKIT |
| Low Voltage Electronic | OPT-IMPCC7224E12V |

# IMPERIAL FIRE PIT

## IN STAINLESS STEEL



### SIZES

#### 60" Imperial | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 30" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-IMPSS6024ML   |
| Spark Glow             | OPT-IMPSS6024SG   |
| Flame Sense            | OPT-IMPSS6024FSML |
| Fire Glow              | OPT-IMPSS6024FG   |
| Plug & Play            | OPT-IMPSS6024EKIT |
| Low Voltage Electronic | OPT-IMPSS6024E12V |

#### 72" Imperial | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 30" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-IMPSS7224ML   |
| Spark Glow             | OPT-IMPSS7224SG   |
| Flame Sense            | OPT-IMPSS7224FSML |
| Fire Glow              | OPT-IMPSS7224FG   |
| Plug & Play            | OPT-IMPSS7224EKIT |
| Low Voltage Electronic | OPT-IMPSS7224E12V |

### UPGRADES

#### ACCESSORIES

#### 60" IMPERIAL

#### 72" IMPERIAL

|                         |                  |                  |
|-------------------------|------------------|------------------|
| Bullet Burner           | OPT-B24SST       | OPT-B36SST       |
| Canvas Cover   24" Tall | OPT-CVR-6030-24H | OPT-CVR-7230-24H |
| Stainless Lid           | OPT-RC1232       | OPT-RC1244       |
| Glass Wind Guard        | OPT-WG-3414      | OPT-WG-4614      |

# IMPERIAL FIRE PIT

## IN CORTEN STEEL



### SIZES

#### 60" Imperial | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 30" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 40,000                      |
| Fire Glass Sugg | 50lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-IMPCS6024ML   |
| Spark Glow             | OPT-IMPCS6024SG   |
| Flame Sense            | OPT-IMPCS6024FSML |
| Fire Glow              | OPT-IMPCS6024FG   |
| Plug & Play            | OPT-IMPCS6024EKIT |
| Low Voltage Electronic | OPT-IMPCS6024E12V |

#### 72" Imperial | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 30" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-IMPCS7224ML   |
| Spark Glow             | OPT-IMPCS7224SG   |
| Flame Sense            | OPT-IMPCS7224FSML |
| Fire Glow              | OPT-IMPCS7224FG   |
| Plug & Play            | OPT-IMPCS7224EKIT |
| Low Voltage Electronic | OPT-IMPCS7224E12V |

### SIZES

#### 60" Imperial | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 30" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-IMPHCP6024ML   |
| Spark Glow             | OPT-IMPHCP6024SG   |
| Flame Sense            | OPT-IMPHCP6024FSML |
| Fire Glow              | OPT-IMPHCP6024FG   |
| Plug & Play            | OPT-IMPHCP6024EKIT |
| Low Voltage Electronic | OPT-IMPHCP6024E12V |

#### 72" Imperial | 24" Tall

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 30" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-IMPHCP7224ML   |
| Spark Glow             | OPT-IMPHCP7224SG   |
| Flame Sense            | OPT-IMPHCP7224FSML |
| Fire Glow              | OPT-IMPHCP7224FG   |
| Plug & Play            | OPT-IMPHCP7224EKIT |
| Low Voltage Electronic | OPT-IMPHCP7224E12V |



### UPGRADES

#### ACCESSORIES

#### 60" IMPERIAL

#### 72" IMPERIAL

|                         |                  |                  |
|-------------------------|------------------|------------------|
| Bullet Burner           | OPT-B24SST       | OPT-B36SST       |
| Canvas Cover   24" Tall | OPT-CVR-6030-24H | OPT-CVR-7230-24H |
| Stainless Lid           | OPT-RC1232       | OPT-RC1244       |
| Glass Wind Guard        | OPT-WG-3414      | OPT-WG-4614      |

# LA JOLLA FIRE PIT

IN POWDER COAT



## SIZES

## 48" La Jolla

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 48" x (H) 15" x (W) 28" |
| <b>Burning Area</b>    | (L) 30" x (W) 10"           |
| <b>BTU</b>             | 115,000                     |
| <b>Fire Glass Sugg</b> | 32lbs                       |

|                               |                 |
|-------------------------------|-----------------|
| <b>Match Lit</b>              | OPT-LAJPC48ML   |
| <b>Spark Glow</b>             | OPT-LAJPC48SG   |
| <b>Flame Sense</b>            | OPT-LAJPC48FSML |
| <b>Fire Glow</b>              | OPT-LAJPC48FG   |
| <b>Plug &amp; Play</b>        | OPT-LAJPC48EKIT |
| <b>Low Voltage Electronic</b> | OPT-LAJPC48E12V |

## 60" La Jolla

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 60" x (H) 15" x (W) 28" |
| <b>Burning Area</b>    | (L) 42" x (W) 10"           |
| <b>BTU</b>             | 140,000                     |
| <b>Fire Glass Sugg</b> | 44lbs                       |

|                               |                 |
|-------------------------------|-----------------|
| <b>Match Lit</b>              | OPT-LAJPC60ML   |
| <b>Spark Glow</b>             | OPT-LAJPC60SG   |
| <b>Flame Sense</b>            | OPT-LAJPC60FSML |
| <b>Fire Glow</b>              | OPT-LAJPC60FG   |
| <b>Plug &amp; Play</b>        | OPT-LAJPC60EKIT |
| <b>Low Voltage Electronic</b> | OPT-LAJPC60E12V |

## 72" La Jolla

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 72" x (H) 15" x (W) 28" |
| <b>Burning Area</b>    | (L) 54" x (W) 10"           |
| <b>BTU</b>             | 155,000                     |
| <b>Fire Glass Sugg</b> | 57lbs                       |

|                               |                 |
|-------------------------------|-----------------|
| <b>Match Lit</b>              | OPT-LAJPC72ML   |
| <b>Spark Glow</b>             | OPT-LAJPC72SG   |
| <b>Flame Sense</b>            | OPT-LAJPC72FSML |
| <b>Fire Glow</b>              | OPT-LAJPC72FG   |
| <b>Plug &amp; Play</b>        | OPT-LAJPC72EKIT |
| <b>Low Voltage Electronic</b> | OPT-LAJPC72E12V |

## 84" La Jolla

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 84" x (H) 15" x (W) 28" |
| <b>Burning Area</b>    | (L) 66" x (W) 10"           |
| <b>BTU</b>             | 175,000                     |
| <b>Fire Glass Sugg</b> | 69lbs                       |

|                               |                 |
|-------------------------------|-----------------|
| <b>Match Lit</b>              | OPT-LAJPC84ML   |
| <b>Spark Glow</b>             | OPT-LAJPC84SG   |
| <b>Flame Sense</b>            | OPT-LAJPC84FSML |
| <b>Fire Glow</b>              | OPT-LAJPC84FG   |
| <b>Plug &amp; Play</b>        | OPT-LAJPC84EKIT |
| <b>Low Voltage Electronic</b> | OPT-LAJPC84E12V |

## 96" La Jolla

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 96" x (H) 15" x (W) 28" |
| <b>Burning Area</b>    | (L) 78" x (W) 10"           |
| <b>BTU</b>             | 215,000                     |
| <b>Fire Glass Sugg</b> | 82lbs                       |

|                               |                 |
|-------------------------------|-----------------|
| <b>Match Lit</b>              | OPT-LAJPC96ML   |
| <b>Spark Glow</b>             | OPT-LAJPC96SG   |
| <b>Flame Sense</b>            | OPT-LAJPC96FSML |
| <b>Fire Glow</b>              | OPT-LAJPC96FG   |
| <b>Plug &amp; Play</b>        | OPT-LAJPC96EKIT |
| <b>Low Voltage Electronic</b> | OPT-LAJPC96E12V |

## UPGRADES

| ACCESSORIES             | 48" LA JOLLA     | 60" LA JOLLA     | 72" LA JOLLA     | 84" LA JOLLA     | 96" LA JOLLA     |
|-------------------------|------------------|------------------|------------------|------------------|------------------|
| <b>BULLET BURNER</b>    | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       | OPT-B60SST       | OPT-B72SST       |
| <b>CANVAS COVER</b>     | OPT-CVR-4828-15H | OPT-CVR-6028-15H | OPT-CVR-7228-15H | OPT-CVR-8428-15H | OPT-CVR-9628-15H |
| <b>STAINLESS LID</b>    | OPT-RC1232       | OPT-RC1244       | OPT-RC1256       | OPT-RC1268       | OPT-RC1280       |
| <b>GLASS WIND GUARD</b> | OPT-WG-3414      | OPT-WG-4614      | OPT-WG-5814      | OPT-WG-7014      | OPT-WG-8214      |

# LA JOLLA FIRE PIT

IN STAINLESS STEEL



## SIZES

## 48" La Jolla

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 15" x (W) 28" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-LAJSS48ML   |
| Spark Glow             | OPT-LAJSS48SG   |
| Flame Sense            | OPT-LAJSS48FSML |
| Fire Glow              | OPT-LAJSS48FG   |
| Plug & Play            | OPT-LAJSS48EKIT |
| Low Voltage Electronic | OPT-LAJSS48E12V |

## 60" La Jolla

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 15" x (W) 28" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-LAJSS60ML   |
| Spark Glow             | OPT-LAJSS60SG   |
| Flame Sense            | OPT-LAJSS60FSML |
| Fire Glow              | OPT-LAJSS60FG   |
| Plug & Play            | OPT-LAJSS60EKIT |
| Low Voltage Electronic | OPT-LAJSS60E12V |

## 72" La Jolla

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 15" x (W) 28" |
| Burning Area    | (L) 54" x (W) 10"           |
| BTU             | 155,000                     |
| Fire Glass Sugg | 57lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-LAJSS72ML   |
| Spark Glow             | OPT-LAJSS72SG   |
| Flame Sense            | OPT-LAJSS72FSML |
| Fire Glow              | OPT-LAJSS72FG   |
| Plug & Play            | OPT-LAJSS72EKIT |
| Low Voltage Electronic | OPT-LAJSS72E12V |

## 84" La Jolla

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 15" x (W) 28" |
| Burning Area    | (L) 66" x (W) 10"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 69lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-LAJSS84ML   |
| Spark Glow             | OPT-LAJSS84SG   |
| Flame Sense            | OPT-LAJSS84FSML |
| Fire Glow              | OPT-LAJSS84FG   |
| Plug & Play            | OPT-LAJSS84EKIT |
| Low Voltage Electronic | OPT-LAJSS84E12V |

## 96" La Jolla

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 96" x (H) 15" x (W) 28" |
| Burning Area    | (L) 78" x (W) 10"           |
| BTU             | 215,000                     |
| Fire Glass Sugg | 82lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-LAJSS96ML   |
| Spark Glow             | OPT-LAJSS96SG   |
| Flame Sense            | OPT-LAJSS96FSML |
| Fire Glow              | OPT-LAJSS96FG   |
| Plug & Play            | OPT-LAJSS96EKIT |
| Low Voltage Electronic | OPT-LAJSS96E12V |

## UPGRADES

| ACCESSORIES      | 48" LA JOLLA     | 60" LA JOLLA     | 72" LA JOLLA     | 84" LA JOLLA     | 96" LA JOLLA     |
|------------------|------------------|------------------|------------------|------------------|------------------|
| BULLET BURNER    | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       | OPT-B60SST       | OPT-B72SST       |
| CANVAS COVER     | OPT-CVR-4828-15H | OPT-CVR-6028-15H | OPT-CVR-7228-15H | OPT-CVR-8428-15H | OPT-CVR-9628-15H |
| STAINLESS LID    | OPT-RC1232       | OPT-RC1244       | OPT-RC1256       | OPT-RC1268       | OPT-RC1280       |
| GLASS WIND GUARD | OPT-WG-3414      | OPT-WG-4614      | OPT-WG-5814      | OPT-WG-7014      | OPT-WG-8214      |

# LA JOLLA FIRE PIT

IN CORTEN STEEL



## SIZES

## 48" La Jolla

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 15" x (W) 28" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-LAJCS48ML   |
| Spark Glow             | OPT-LAJCS48SG   |
| Flame Sense            | OPT-LAJCS48FSML |
| Fire Glow              | OPT-LAJCS48FG   |
| Plug & Play            | OPT-LAJCS48EKIT |
| Low Voltage Electronic | OPT-LAJCS48E12V |

## 60" La Jolla

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 15" x (W) 28" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-LAJCS60ML   |
| Spark Glow             | OPT-LAJCS60SG   |
| Flame Sense            | OPT-LAJCS60FSML |
| Fire Glow              | OPT-LAJCS60FG   |
| Plug & Play            | OPT-LAJCS60EKIT |
| Low Voltage Electronic | OPT-LAJCS60E12V |

## 72" La Jolla

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 15" x (W) 28" |
| Burning Area    | (L) 54" x (W) 10"           |
| BTU             | 155,000                     |
| Fire Glass Sugg | 57lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-LAJCS72ML   |
| Spark Glow             | OPT-LAJCS72SG   |
| Flame Sense            | OPT-LAJCS72FSML |
| Fire Glow              | OPT-LAJCS72FG   |
| Plug & Play            | OPT-LAJCS72EKIT |
| Low Voltage Electronic | OPT-LAJCS72E12V |

## 84" La Jolla

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 15" x (W) 28" |
| Burning Area    | (L) 66" x (W) 10"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 69lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-LAJCS84ML   |
| Spark Glow             | OPT-LAJCS84SG   |
| Flame Sense            | OPT-LAJCS84FSML |
| Fire Glow              | OPT-LAJCS84FG   |
| Plug & Play            | OPT-LAJCS84EKIT |
| Low Voltage Electronic | OPT-LAJCS84E12V |

## 96" La Jolla

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 96" x (H) 15" x (W) 28" |
| Burning Area    | (L) 78" x (W) 10"           |
| BTU             | 215,000                     |
| Fire Glass Sugg | 82lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-LAJCS96ML   |
| Spark Glow             | OPT-LAJCS96SG   |
| Flame Sense            | OPT-LAJCS96FSML |
| Fire Glow              | OPT-LAJCS96FG   |
| Plug & Play            | OPT-LAJCS96EKIT |
| Low Voltage Electronic | OPT-LAJCS96E12V |

## UPGRADES

| ACCESSORIES      | 48" LA JOLLA     | 60" LA JOLLA     | 72" LA JOLLA     | 84" LA JOLLA     | 96" LA JOLLA     |
|------------------|------------------|------------------|------------------|------------------|------------------|
| BULLET BURNER    | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       | OPT-B60SST       | OPT-B72SST       |
| CANVAS COVER     | OPT-CVR-4828-15H | OPT-CVR-6028-15H | OPT-CVR-7228-15H | OPT-CVR-8428-15H | OPT-CVR-9628-15H |
| STAINLESS LID    | OPT-RC1232       | OPT-RC1244       | OPT-RC1256       | OPT-RC1268       | OPT-RC1280       |
| GLASS WIND GUARD | OPT-WG-3414      | OPT-WG-4614      | OPT-WG-5814      | OPT-WG-7014      | OPT-WG-8214      |

# LA JOLLA FIRE PIT

IN HAMMERED COPPER



## SIZES

## 48" La Jolla

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 15" x (W) 28" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-LAJHCP48ML   |
| Spark Glow             | OPT-LAJHCP48SG   |
| Flame Sense            | OPT-LAJHCP48FSML |
| Fire Glow              | OPT-LAJHCP48FG   |
| Plug & Play            | OPT-LAJHCP48EKIT |
| Low Voltage Electronic | OPT-LAJHCP48E12V |

## 60" La Jolla

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 15" x (W) 28" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-LAJHCP60ML   |
| Spark Glow             | OPT-LAJHCP60SG   |
| Flame Sense            | OPT-LAJHCP60FSML |
| Fire Glow              | OPT-LAJHCP60FG   |
| Plug & Play            | OPT-LAJHCP60EKIT |
| Low Voltage Electronic | OPT-LAJHCP60E12V |

## 72" La Jolla

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 15" x (W) 28" |
| Burning Area    | (L) 54" x (W) 10"           |
| BTU             | 155,000                     |
| Fire Glass Sugg | 57lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-LAJHCP72ML   |
| Spark Glow             | OPT-LAJHCP72SG   |
| Flame Sense            | OPT-LAJHCP72FSML |
| Fire Glow              | OPT-LAJHCP72FG   |
| Plug & Play            | OPT-LAJHCP72EKIT |
| Low Voltage Electronic | OPT-LAJHCP72E12V |

## 84" La Jolla

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 15" x (W) 28" |
| Burning Area    | (L) 66" x (W) 10"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 69lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-LAJHCP84ML   |
| Spark Glow             | OPT-LAJHCP84SG   |
| Flame Sense            | OPT-LAJHCP84FSML |
| Fire Glow              | OPT-LAJHCP84FG   |
| Plug & Play            | OPT-LAJHCP84EKIT |
| Low Voltage Electronic | OPT-LAJHCP84E12V |

## 96" La Jolla

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 96" x (H) 15" x (W) 28" |
| Burning Area    | (L) 78" x (W) 10"           |
| BTU             | 215,000                     |
| Fire Glass Sugg | 82lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-LAJHCP96ML   |
| Spark Glow             | OPT-LAJHCP96SG   |
| Flame Sense            | OPT-LAJHCP96FSML |
| Fire Glow              | OPT-LAJHCP96FG   |
| Plug & Play            | OPT-LAJHCP96EKIT |
| Low Voltage Electronic | OPT-LAJHCP96E12V |

## UPGRADES

| ACCESSORIES      | 48" LA JOLLA     | 60" LA JOLLA     | 72" LA JOLLA     | 84" LA JOLLA     | 96" LA JOLLA     |
|------------------|------------------|------------------|------------------|------------------|------------------|
| BULLET BURNER    | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       | OPT-B60SST       | OPT-B72SST       |
| CANVAS COVER     | OPT-CVR-4828-15H | OPT-CVR-6028-15H | OPT-CVR-7228-15H | OPT-CVR-8428-15H | OPT-CVR-9628-15H |
| STAINLESS LID    | OPT-RC1232       | OPT-RC1244       | OPT-RC1256       | OPT-RC1268       | OPT-RC1280       |
| GLASS WIND GUARD | OPT-WG-3414      | OPT-WG-4614      | OPT-WG-5814      | OPT-WG-7014      | OPT-WG-8214      |

# BISPO FIRE PIT

## IN POWDER COAT



### SIZES

#### 48" Bispo

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 15" x (W) 28" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-BSPPC48ML   |
| Spark Glow             | OPT-BSPPC48SG   |
| Flame Sense            | OPT-BSPPC48FSML |
| Fire Glow              | OPT-BSPPC48FG   |
| Plug & Play            | OPT-BSPPC48EKIT |
| Low Voltage Electronic | OPT-BSPPC48E12V |

### SIZES

#### 60" Bispo

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 15" x (W) 28" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-BSPPC60ML   |
| Spark Glow             | OPT-BSPPC60SG   |
| Flame Sense            | OPT-BSPPC60FSML |
| Fire Glow              | OPT-BSPPC60FG   |
| Plug & Play            | OPT-BSPPC60EKIT |
| Low Voltage Electronic | OPT-BSPPC60E12V |

#### 72" Bispo

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 15" x (W) 28" |
| Burning Area    | (L) 54" x (W) 10"           |
| BTU             | 155,000                     |
| Fire Glass Sugg | 57lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-BSPPC72ML   |
| Spark Glow             | OPT-BSPPC72SG   |
| Flame Sense            | OPT-BSPPC72FSML |
| Fire Glow              | OPT-BSPPC72FG   |
| Plug & Play            | OPT-BSPPC72EKIT |
| Low Voltage Electronic | OPT-BSPPC72E12V |

#### 84" Bispo

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 15" x (W) 28" |
| Burning Area    | (L) 66" x (W) 10"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 69lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-BSPPC84ML   |
| Spark Glow             | OPT-BSPPC84SG   |
| Flame Sense            | OPT-BSPPC84FSML |
| Fire Glow              | OPT-BSPPC84FG   |
| Plug & Play            | OPT-BSPPC84EKIT |
| Low Voltage Electronic | OPT-BSPPC84E12V |

### UPGRADES

| ACCESSORIES      | 48" BISPO        | 60" BISPO        | 72" BISPO        | 84" BISPO        |
|------------------|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       | OPT-B60SST       |
| Canvas Cover     | OPT-CVR-4828-15H | OPT-CVR-6028-15H | OPT-CVR-7228-15H | OPT-CVR-8428-15H |
| Stainless Lid    | OPT-RC1232       | OPT-RC1244       | OPT-RC1256       | OPT-RC1268       |
| Glass Wind Guard | OPT-WG-3414      | OPT-WG-4614      | OPT-WG-5814      | OPT-WG-7014      |

# BISPO FIRE PIT

## IN STAINLESS STEEL



### SIZES

#### 48" Bispo

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 15" x (W) 28" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-BSPSS48ML   |
| Spark Glow             | OPT-BSPSS48SG   |
| Flame Sense            | OPT-BSPSS48FSML |
| Fire Glow              | OPT-BSPSS48FG   |
| Plug & Play            | OPT-BSPSS48EKIT |
| Low Voltage Electronic | OPT-BSPSS48E12V |



### SIZES

#### 60" Bispo

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 15" x (W) 28" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-BSPSS60ML   |
| Spark Glow             | OPT-BSPSS60SG   |
| Flame Sense            | OPT-BSPSS60FSML |
| Fire Glow              | OPT-BSPSS60FG   |
| Plug & Play            | OPT-BSPSS60EKIT |
| Low Voltage Electronic | OPT-BSPSS60E12V |

#### 72" Bispo

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 15" x (W) 28" |
| Burning Area    | (L) 54" x (W) 10"           |
| BTU             | 155,000                     |
| Fire Glass Sugg | 57lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-BSPSS72ML   |
| Spark Glow             | OPT-BSPSS72SG   |
| Flame Sense            | OPT-BSPSS72FSML |
| Fire Glow              | OPT-BSPSS72FG   |
| Plug & Play            | OPT-BSPSS72EKIT |
| Low Voltage Electronic | OPT-BSPSS72E12V |

#### 84" Bispo

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 15" x (W) 28" |
| Burning Area    | (L) 66" x (W) 10"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 69lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-BSPSS84ML   |
| Spark Glow             | OPT-BSPSS84SG   |
| Flame Sense            | OPT-BSPSS84FSML |
| Fire Glow              | OPT-BSPSS84FG   |
| Plug & Play            | OPT-BSPSS84EKIT |
| Low Voltage Electronic | OPT-BSPSS84E12V |

### UPGRADES

| ACCESSORIES      | 48" BISPO        | 60" BISPO        | 72" BISPO        | 84" BISPO        |
|------------------|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       | OPT-B60SST       |
| Canvas Cover     | OPT-CVR-4828-15H | OPT-CVR-6028-15H | OPT-CVR-7228-15H | OPT-CVR-8428-15H |
| Stainless Lid    | OPT-RC1232       | OPT-RC1244       | OPT-RC1256       | OPT-RC1268       |
| Glass Wind Guard | OPT-WG-3414      | OPT-WG-4614      | OPT-WG-5814      | OPT-WG-7014      |

# BISPO FIRE PIT

## IN CORTEN STEEL



### SIZES

#### 48" Bispo

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 15" x (W) 28" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-BSPCS48ML   |
| Spark Glow             | OPT-BSPCSC48SG  |
| Flame Sense            | OPT-BSPCS48FSML |
| Fire Glow              | OPT-BSPCS48FG   |
| Plug & Play            | OPT-BSPCS48EKIT |
| Low Voltage Electronic | OPT-BSPCS48E12V |

### SIZES

#### 60" Bispo

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 15" x (W) 28" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-BSPCS60ML   |
| Spark Glow             | OPT-BSPCS60SG   |
| Flame Sense            | OPT-BSPCS60FSML |
| Fire Glow              | OPT-BSPCS60FG   |
| Plug & Play            | OPT-BSPCS60EKIT |
| Low Voltage Electronic | OPT-BSPCS60E12V |

#### 72" Bispo

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 15" x (W) 28" |
| Burning Area    | (L) 54" x (W) 10"           |
| BTU             | 155,000                     |
| Fire Glass Sugg | 57lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-BSPCS72ML   |
| Spark Glow             | OPT-BSPCS72SG   |
| Flame Sense            | OPT-BSPCS72FSML |
| Fire Glow              | OPT-BSPCS72FG   |
| Plug & Play            | OPT-BSPCS72EKIT |
| Low Voltage Electronic | OPT-BSPCS72E12V |

#### 84" Bispo

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 15" x (W) 28" |
| Burning Area    | (L) 66" x (W) 10"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 69lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-BSPCS84ML    |
| Spark Glow             | OPT-BSPCS84SG    |
| Flame Sense            | OPT-BSPCS84FSML  |
| Fire Glow              | OPT-BSPCS84FG    |
| Plug & Play            | OPT-BSPCSC84EKIT |
| Low Voltage Electronic | OPT-BSPCS84E12V  |

### UPGRADES

| ACCESSORIES      | 48" BISPO        | 60" BISPO        | 72" BISPO        | 84" BISPO        |
|------------------|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       | OPT-B60SST       |
| Canvas Cover     | OPT-CVR-4828-15H | OPT-CVR-6028-15H | OPT-CVR-7228-15H | OPT-CVR-8428-15H |
| Stainless Lid    | OPT-RC1232       | OPT-RC1244       | OPT-RC1256       | OPT-RC1268       |
| Glass Wind Guard | OPT-WG-3414      | OPT-WG-4614      | OPT-WG-5814      | OPT-WG-7014      |

# BISPO FIRE PIT

## IN HAMMERED COPPER



### SIZES

#### 48" Bispo

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 15" x (W) 28" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-BSPHCP48ML   |
| Spark Glow             | OPT-BSPHCP48SG   |
| Flame Sense            | OPT-BSPHCP48FSML |
| Fire Glow              | OPT-BSPHCP48FG   |
| Plug & Play            | OPT-BSPHCP48EKIT |
| Low Voltage Electronic | OPT-BSPHCP48E12V |



### SIZES

#### 60" Bispo

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 15" x (W) 28" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-BSPHCP60ML   |
| Spark Glow             | OPT-BSPHCP60SG   |
| Flame Sense            | OPT-BSPHCP60FSML |
| Fire Glow              | OPT-BSPHCP60FG   |
| Plug & Play            | OPT-BSPHCP60EKIT |
| Low Voltage Electronic | OPT-BSPHCP60E12V |

#### 72" Bispo

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 15" x (W) 28" |
| Burning Area    | (L) 54" x (W) 10"           |
| BTU             | 155,000                     |
| Fire Glass Sugg | 57lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-BSPHCP72ML   |
| Spark Glow             | OPT-BSPHCP72SG   |
| Flame Sense            | OPT-BSPHCP72FSML |
| Fire Glow              | OPT-BSPHCP72FG   |
| Plug & Play            | OPT-BSPHCP72EKIT |
| Low Voltage Electronic | OPT-BSPHCP72E12V |

#### 84" Bispo

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 15" x (W) 28" |
| Burning Area    | (L) 66" x (W) 10"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 69lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-BSPHCP84ML   |
| Spark Glow             | OPT-BSPHCP84SG   |
| Flame Sense            | OPT-BSPHCP84FSML |
| Fire Glow              | OPT-BSPHCP84FG   |
| Plug & Play            | OPT-BSPHCP84EKIT |
| Low Voltage Electronic | OPT-BSPHCP84E12V |

### UPGRADES

| ACCESSORIES      | 48" BISPO        | 60" BISPO        | 72" BISPO        | 84" BISPO        |
|------------------|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       | OPT-B60SST       |
| Canvas Cover     | OPT-CVR-4828-15H | OPT-CVR-6028-15H | OPT-CVR-7228-15H | OPT-CVR-8428-15H |
| Stainless Lid    | OPT-RC1232       | OPT-RC1244       | OPT-RC1256       | OPT-RC1268       |
| Glass Wind Guard | OPT-WG-3414      | OPT-WG-4614      | OPT-WG-5814      | OPT-WG-7014      |

# SAN JUAN FIRE PIT

IN POWDER COAT



## SIZES

### 48" San Juan

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 18" x (W) 28" |
| Burning Area    | (L) 24" x (W) 10"           |
| BTU             | 70,000                      |
| Fire Glass Sugg | 26lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-SANJPC48ML   |
| Spark Glow             | OPT-SANJPC48SG   |
| Flame Sense            | OPT-SANJPC48FSML |
| Fire Glow              | OPT-SANJPC48FG   |
| Plug & Play            | OPT-SANJPC48EKIT |
| Low Voltage Electronic | OPT-SANJPC48E12V |

### 60" San Juan

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 18" x (W) 28" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-SANJPC60ML   |
| Spark Glow             | OPT-SANJPC60SG   |
| Flame Sense            | OPT-SANJPC60FSML |
| Fire Glow              | OPT-SANJPC60FG   |
| Plug & Play            | OPT-SANJPC60EKIT |
| Low Voltage Electronic | OPT-SANJPC60E12V |

### 72" San Juan

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 18" x (W) 28" |
| Burning Area    | (L) 36" x (W) 10"           |
| BTU             | 127,000                     |
| Fire Glass Sugg | 38lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-SANJPC72ML   |
| Spark Glow             | OPT-SANJPC72SG   |
| Flame Sense            | OPT-SANJPC72FSML |
| Fire Glow              | OPT-SANJPC72FG   |
| Plug & Play            | OPT-SANJPC72EKIT |
| Low Voltage Electronic | OPT-SANJPC72E12V |

### 84" San Juan

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 18" x (W) 28" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-SANJPC84ML   |
| Spark Glow             | OPT-SANJPC84SG   |
| Flame Sense            | OPT-SANJPC84FSML |
| Fire Glow              | OPT-SANJPC84FG   |
| Plug & Play            | OPT-SANJPC84EKIT |
| Low Voltage Electronic | OPT-SANJPC84E12V |

### 96" San Juan

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 96" x (H) 18" x (W) 28" |
| Burning Area    | (L) 48" x (W) 10"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 51lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-SANJPC96ML   |
| Spark Glow             | OPT-SANJPC96SG   |
| Flame Sense            | OPT-SANJPC96FSML |
| Fire Glow              | OPT-SANJPC96FG   |
| Plug & Play            | OPT-SANJPC96EKIT |
| Low Voltage Electronic | OPT-SANJPC96E12V |

## UPGRADES

| ACCESSORIES      | 48" SAN JUAN     | 60" SAN JUAN     | 72" SAN JUAN     | 84" SAN JUAN     | 96" SAN JUAN     |
|------------------|------------------|------------------|------------------|------------------|------------------|
| BULLET BURNER    | OPT-B18SSH       | OPT-B24SSH       | OPT-B30SSH       | OPT-B36SSH       | OPT-B42SSH       |
| CANVAS COVER     | OPT-CVR-4828-18H | OPT-CVR-6028-18H | OPT-CVR-7228-18H | OPT-CVR-8428-18H | OPT-CVR-9628-18H |
| STAINLESS LID    | OPT-RC1226       | OPT-RC1232       | OPT-RC1238       | OPT-RC1244       | OPT-RC1250       |
| GLASS WIND GUARD | OPT-WG-2814      | OPT-WG-3414      | OPT-WG-4014      | OPT-WG-4614      | OPT-WG-5214      |

# SAN JUAN FIRE PIT

IN STAINLESS STEEL



## SIZES

### 48" San Juan

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 18" x (W) 28" |
| Burning Area    | (L) 24" x (W) 10"           |
| BTU             | 70,000                      |
| Fire Glass Sugg | 26lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-SANJSS48ML   |
| Spark Glow             | OPT-SANJSS48SG   |
| Flame Sense            | OPT-SANJSS48FSML |
| Fire Glow              | OPT-SANJSS48FG   |
| Plug & Play            | OPT-SANJSS48EKIT |
| Low Voltage Electronic | OPT-SANJSS48E12V |

### 60" San Juan

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 18" x (W) 28" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-SANJSS60ML   |
| Spark Glow             | OPT-SANJSS60SG   |
| Flame Sense            | OPT-SANJSS60FSML |
| Fire Glow              | OPT-SANJSS60FG   |
| Plug & Play            | OPT-SANJSS60EKIT |
| Low Voltage Electronic | OPT-SANJSS60E12V |

### 72" San Juan

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 18" x (W) 28" |
| Burning Area    | (L) 36" x (W) 10"           |
| BTU             | 127,000                     |
| Fire Glass Sugg | 38lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-SANJSS72ML   |
| Spark Glow             | OPT-SANJSS72SG   |
| Flame Sense            | OPT-SANJSS72FSML |
| Fire Glow              | OPT-SANJSS72FG   |
| Plug & Play            | OPT-SANJSS72EKIT |
| Low Voltage Electronic | OPT-SANJSS72E12V |

### 84" San Juan

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 18" x (W) 28" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-SANJSS84ML   |
| Spark Glow             | OPT-SANJSS84SG   |
| Flame Sense            | OPT-SANJSS84FSML |
| Fire Glow              | OPT-SANJSS84FG   |
| Plug & Play            | OPT-SANJSS84EKIT |
| Low Voltage Electronic | OPT-SANJSS84E12V |

### 96" San Juan

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 96" x (H) 18" x (W) 28" |
| Burning Area    | (L) 48" x (W) 10"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 51lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-SANJSS96ML    |
| Spark Glow             | OPT-SANJSS96SG    |
| Flame Sense            | OPT-SAN JSS96FSML |
| Fire Glow              | OPT-SANJSS96FG    |
| Plug & Play            | OPT-SANJSS96EKIT  |
| Low Voltage Electronic | OPT-SANJSS96E12V  |

## UPGRADES

| ACCESSORIES      | 48" SAN JUAN     | 60" SAN JUAN     | 72" SAN JUAN     | 84" SAN JUAN     | 96" SAN JUAN     |
|------------------|------------------|------------------|------------------|------------------|------------------|
| BULLET BURNER    | OPT-B18SSH       | OPT-B24SSH       | OPT-B30SSH       | OPT-B36SSH       | OPT-B42SSH       |
| CANVAS COVER     | OPT-CVR-4828-18H | OPT-CVR-6028-18H | OPT-CVR-7228-18H | OPT-CVR-8428-18H | OPT-CVR-9628-18H |
| STAINLESS LID    | OPT-RC1226       | OPT-RC1232       | OPT-RC1238       | OPT-RC1244       | OPT-RC1250       |
| GLASS WIND GUARD | OPT-WG-2814      | OPT-WG-3414      | OPT-WG-4014      | OPT-WG-4614      | OPT-WG-5214      |

# SAN JUAN FIRE PIT

IN CORTEN STEEL



## SIZES

### 48" San Juan

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 18" x (W) 28" |
| Burning Area    | (L) 24" x (W) 10"           |
| BTU             | 70,000                      |
| Fire Glass Sugg | 26lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-SANJCS48ML   |
| Spark Glow             | OPT-SANJCS48SG   |
| Flame Sense            | OPT-SANJCS48FSML |
| Fire Glow              | OPT-SANJCS48FG   |
| Plug & Play            | OPT-SANJCS48EKIT |
| Low Voltage Electronic | OPT-SANJCS48E12V |

### 60" San Juan

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 18" x (W) 28" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-SANJCS60ML   |
| Spark Glow             | OPT-SANJCS60SG   |
| Flame Sense            | OPT-SANJCS60FSML |
| Fire Glow              | OPT-SANJCS60FG   |
| Plug & Play            | OPT-SANJCS60EKIT |
| Low Voltage Electronic | OPT-SANJCS60E12V |

### 72" San Juan

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 18" x (W) 28" |
| Burning Area    | (L) 36" x (W) 10"           |
| BTU             | 127,000                     |
| Fire Glass Sugg | 38lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-SANJCS72ML   |
| Spark Glow             | OPT-SANJCS72SG   |
| Flame Sense            | OPT-SANJCS72FSML |
| Fire Glow              | OPT-SANJCS72FG   |
| Plug & Play            | OPT-SANJCS72EKIT |
| Low Voltage Electronic | OPT-SANJCS72E12V |

### 84" San Juan

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 18" x (W) 28" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-SANJCS84ML   |
| Spark Glow             | OPT-SANJCS84SG   |
| Flame Sense            | OPT-SANJCS84FSML |
| Fire Glow              | OPT-SANJCS84FG   |
| Plug & Play            | OPT-SANJCS84EKIT |
| Low Voltage Electronic | OPT-SANJCS84E12V |

### 96" San Juan

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 96" x (H) 18" x (W) 28" |
| Burning Area    | (L) 48" x (W) 10"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 51lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-SANJCS96ML   |
| Spark Glow             | OPT-SANJCS96SG   |
| Flame Sense            | OPT-SANJCS96FSML |
| Fire Glow              | OPT-SANJCS96FG   |
| Plug & Play            | OPT-SANJCS96EKIT |
| Low Voltage Electronic | OPT-SANJCS96E12V |

## UPGRADES

| ACCESSORIES      | 48" SAN JUAN     | 60" SAN JUAN     | 72" SAN JUAN     | 84" SAN JUAN     | 96" SAN JUAN     |
|------------------|------------------|------------------|------------------|------------------|------------------|
| BULLET BURNER    | OPT-B18SSH       | OPT-B24SSH       | OPT-B30SSH       | OPT-B36SSH       | OPT-B42SSH       |
| CANVAS COVER     | OPT-CVR-4828-18H | OPT-CVR-6028-18H | OPT-CVR-7228-18H | OPT-CVR-8428-18H | OPT-CVR-9628-18H |
| STAINLESS LID    | OPT-RC1226       | OPT-RC1232       | OPT-RC1238       | OPT-RC1244       | OPT-RC1250       |
| GLASS WIND GUARD | OPT-WG-2814      | OPT-WG-3414      | OPT-WG-4014      | OPT-WG-4614      | OPT-WG-5214      |

# SAN JUAN FIRE PIT

IN HAMMERED COPPER



## SIZES

### 48" San Juan

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 48" x (H) 18" x (W) 28" |
| <b>Burning Area</b>    | (L) 24" x (W) 10"           |
| <b>BTU</b>             | 70,000                      |
| <b>Fire Glass Sugg</b> | 26lbs                       |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-SANJHCP48ML   |
| <b>Spark Glow</b>             | OPT-SANJHCP48SG   |
| <b>Flame Sense</b>            | OPT-SANJHCP48FSML |
| <b>Fire Glow</b>              | OPT-SANJHCP48FG   |
| <b>Plug &amp; Play</b>        | OPT-SANJHCP48EKIT |
| <b>Low Voltage Electronic</b> | OPT-SANJHCP48E12V |

### 60" San Juan

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 60" x (H) 18" x (W) 28" |
| <b>Burning Area</b>    | (L) 30" x (W) 10"           |
| <b>BTU</b>             | 115,000                     |
| <b>Fire Glass Sugg</b> | 32lbs                       |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-SANJHCP60ML   |
| <b>Spark Glow</b>             | OPT-SANJHCP60SG   |
| <b>Flame Sense</b>            | OPT-SANJHCP60FSML |
| <b>Fire Glow</b>              | OPT-SANJHCP60FG   |
| <b>Plug &amp; Play</b>        | OPT-SANJHCP60EKIT |
| <b>Low Voltage Electronic</b> | OPT-SANJHCP60E12V |

### 72" San Juan

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 72" x (H) 18" x (W) 28" |
| <b>Burning Area</b>    | (L) 36" x (W) 10"           |
| <b>BTU</b>             | 127,000                     |
| <b>Fire Glass Sugg</b> | 38lbs                       |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-SANJHCP72ML   |
| <b>Spark Glow</b>             | OPT-SANJHCP72SG   |
| <b>Flame Sense</b>            | OPT-SANJHCP72FSML |
| <b>Fire Glow</b>              | OPT-SANJHCP72FG   |
| <b>Plug &amp; Play</b>        | OPT-SANJHCP72EKIT |
| <b>Low Voltage Electronic</b> | OPT-SANJHCP72E12V |

### 84" San Juan

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 84" x (H) 18" x (W) 28" |
| <b>Burning Area</b>    | (L) 42" x (W) 10"           |
| <b>BTU</b>             | 140,000                     |
| <b>Fire Glass Sugg</b> | 44lbs                       |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-SANJHCP84ML   |
| <b>Spark Glow</b>             | OPT-SANJHCP84SG   |
| <b>Flame Sense</b>            | OPT-SANJHCP84FSML |
| <b>Fire Glow</b>              | OPT-SANJHCP84FG   |
| <b>Plug &amp; Play</b>        | OPT-SANJHCP84EKIT |
| <b>Low Voltage Electronic</b> | OPT-SANJHCP84E12V |

### 96" San Juan

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 96" x (H) 18" x (W) 28" |
| <b>Burning Area</b>    | (L) 48" x (W) 10"           |
| <b>BTU</b>             | 165,000                     |
| <b>Fire Glass Sugg</b> | 51lbs                       |

|                               |                   |
|-------------------------------|-------------------|
| <b>Match Lit</b>              | OPT-SANJHCP96ML   |
| <b>Spark Glow</b>             | OPT-SANJHCP96SG   |
| <b>Flame Sense</b>            | OPT-SANJHCP96FSML |
| <b>Fire Glow</b>              | OPT-SANJHCP96FG   |
| <b>Plug &amp; Play</b>        | OPT-SANJHCP96EKIT |
| <b>Low Voltage Electronic</b> | OPT-SANJHCP96E12V |

## UPGRADES

| ACCESSORIES             | 48" SAN JUAN     | 60" SAN JUAN     | 72" SAN JUAN     | 84" SAN JUAN     | 96" SAN JUAN     |
|-------------------------|------------------|------------------|------------------|------------------|------------------|
| <b>BULLET BURNER</b>    | OPT-B18SSH       | OPT-B24SSH       | OPT-B30SSH       | OPT-B36SSH       | OPT-B42SSH       |
| <b>CANVAS COVER</b>     | OPT-CVR-4828-18H | OPT-CVR-6028-18H | OPT-CVR-7228-18H | OPT-CVR-8428-18H | OPT-CVR-9628-18H |
| <b>STAINLESS LID</b>    | OPT-RC1226       | OPT-RC1232       | OPT-RC1238       | OPT-RC1244       | OPT-RC1250       |
| <b>GLASS WIND GUARD</b> | OPT-WG-2814      | OPT-WG-3414      | OPT-WG-4014      | OPT-WG-4614      | OPT-WG-5214      |

# MABEL FIRE PIT

## IN POWDER COAT



### SIZES

#### 36" Mabel

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 36" x (H) 24" |
| Burning Area    | (D) 19"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 30lbs             |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-MABPC36ML   |
| Spark Glow             | OPT-MABPC36SG   |
| Flame Sense            | OPT-MABPC36FSML |
| Fire Glow              | OPT-MABPC36FG   |
| Plug & Play            | OPT-MABPC36EKIT |
| Low Voltage Electronic | OPT-MABPC36E12V |

#### 48" Mabel

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 48" x (H) 24" |
| Burning Area    | (D) 19"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 30lbs             |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-MABPC48ML   |
| Spark Glow             | OPT-MABPC48SG   |
| Flame Sense            | OPT-MABPC48FSML |
| Fire Glow              | OPT-MABPC48FG   |
| Plug & Play            | OPT-MABPC48EKIT |
| Low Voltage Electronic | OPT-MABPC48E12V |

#### 60" Mabel

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 60" x (H) 24" |
| Burning Area    | (D) 25"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 52lbs             |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-MABPC60ML   |
| Spark Glow             | OPT-MABPC60SG   |
| Flame Sense            | OPT-MABPC60FSML |
| Fire Glow              | OPT-MABPC60FG   |
| Plug & Play            | OPT-MABPC60EKIT |
| Low Voltage Electronic | OPT-MABPC60E12V |

### UPGRADES

| ACCESSORIES   | 36" MABEL       | 48" MABEL       | 60" MABEL       |
|---------------|-----------------|-----------------|-----------------|
| Bullet Burner | OPT-BRDSS12     | OPT-BRDSS12     | OPT-BRDSS18     |
| Canvas Cover  | OPT-CVR-36R-24H | OPT-CVR-48R-24H | OPT-CVR-60R-24H |
| Stainless Lid | OPT-21RC        | OPT-21RC        | OPT-27RC        |

# MABEL FIRE PIT

## IN STAINLESS STEEL



### SIZES

#### 36" Mabel

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 36" x (H) 24" |
| Burning Area    | (D) 19"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 30lbs             |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-MABSS36ML   |
| Spark Glow             | OPT-MABSS36SG   |
| Flame Sense            | OPT-MABSS36FSML |
| Fire Glow              | OPT-MABSS36FG   |
| Plug & Play            | OPT-MABSS36EKIT |
| Low Voltage Electronic | OPT-MABSS36E12V |

#### 48" Mabel

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 48" x (H) 24" |
| Burning Area    | (D) 19"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 30lbs             |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-MABSS48ML   |
| Spark Glow             | OPT-MABSS48SG   |
| Flame Sense            | OPT-MABSS48FSML |
| Fire Glow              | OPT-MABSS48FG   |
| Plug & Play            | OPT-MABSS48EKIT |
| Low Voltage Electronic | OPT-MABSS48E12V |

#### 60" Mabel

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 60" x (H) 24" |
| Burning Area    | (D) 25"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 52lbs             |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-MABSS60ML   |
| Spark Glow             | OPT-MABSS60SG   |
| Flame Sense            | OPT-MABSS60FSML |
| Fire Glow              | OPT-MABSS60FG   |
| Plug & Play            | OPT-MABSS60EKIT |
| Low Voltage Electronic | OPT-MABSS60E12V |

### UPGRADES

| ACCESSORIES   | 36" MABEL       | 48" MABEL       | 60" MABEL       |
|---------------|-----------------|-----------------|-----------------|
| Bullet Burner | OPT-BRDSS12     | OPT-BRDSS12     | OPT-BRDSS18     |
| Canvas Cover  | OPT-CVR-36R-24H | OPT-CVR-48R-24H | OPT-CVR-60R-24H |
| Stainless Lid | OPT-21RC        | OPT-21RC        | OPT-27RC        |

# MABEL FIRE PIT

## IN CORTEN STEEL



### SIZES

#### 36" Mabel

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 36" x (H) 24" |
| Burning Area    | (D) 19"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 30lbs             |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-MABCS36ML   |
| Spark Glow             | OPT-MABCS36SG   |
| Flame Sense            | OPT-MABCS36FSML |
| Fire Glow              | OPT-MABCS36FG   |
| Plug & Play            | OPT-MABCS36EKIT |
| Low Voltage Electronic | OPT-MABCS36E12V |

#### 48" Mabel

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 48" x (H) 24" |
| Burning Area    | (D) 19"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 30lbs             |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-MABCS48ML   |
| Spark Glow             | OPT-MABCS48SG   |
| Flame Sense            | OPT-MABCS48FSML |
| Fire Glow              | OPT-MABCS48FG   |
| Plug & Play            | OPT-MABCS48EKIT |
| Low Voltage Electronic | OPT-MABCS48E12V |

#### 60" Mabel

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 60" x (H) 24" |
| Burning Area    | (D) 25"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 52lbs             |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-MABCS60ML   |
| Spark Glow             | OPT-MABCS60SG   |
| Flame Sense            | OPT-MABCS60FSML |
| Fire Glow              | OPT-MABCS60FG   |
| Plug & Play            | OPT-MABCS60EKIT |
| Low Voltage Electronic | OPT-MABCS60E12V |

### UPGRADES

#### ACCESSORIES

#### 36" MABEL

#### 48" MABEL

#### 60" MABEL

|               |                 |                 |                 |
|---------------|-----------------|-----------------|-----------------|
| Bullet Burner | OPT-BRDSS12     | OPT-BRDSS12     | OPT-BRDSS18     |
| Canvas Cover  | OPT-CVR-36R-24H | OPT-CVR-48R-24H | OPT-CVR-60R-24H |
| Stainless Lid | OPT-21RC        | OPT-21RC        | OPT-27RC        |

# MABEL FIRE PIT

## IN HAMMERED COPPER



### SIZES

#### 36" Mabel

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 36" x (H) 24" |
| Burning Area    | (D) 19"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 30lbs             |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-MABHCP36ML   |
| Spark Glow             | OPT-MABHCP36SG   |
| Flame Sense            | OPT-MABHCP36FSML |
| Fire Glow              | OPT-MABHCP36FG   |
| Plug & Play            | OPT-MABHCP36EKIT |
| Low Voltage Electronic | OPT-MABHCP36E12V |

#### 48" Mabel

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 48" x (H) 24" |
| Burning Area    | (D) 19"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 30lbs             |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-MABHCP48ML   |
| Spark Glow             | OPT-MABHCP48SG   |
| Flame Sense            | OPT-MABHCP48FSML |
| Fire Glow              | OPT-MABHCP48FG   |
| Plug & Play            | OPT-MABHCP48EKIT |
| Low Voltage Electronic | OPT-MABHCP48E12V |

#### 60" Mabel

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 60" x (H) 24" |
| Burning Area    | (D) 25"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 52lbs             |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-MABHCP60ML   |
| Spark Glow             | OPT-MABHCP60SG   |
| Flame Sense            | OPT-MABHCP60FSML |
| Fire Glow              | OPT-MABHCP60FG   |
| Plug & Play            | OPT-MABHCP60EKIT |
| Low Voltage Electronic | OPT-MABHCP60E12V |

### UPGRADES

| ACCESSORIES   | 36" MABEL       | 48" MABEL       | 60" MABEL       |
|---------------|-----------------|-----------------|-----------------|
| Bullet Burner | OPT-BRDSS12     | OPT-BRDSS12     | OPT-BRDSS18     |
| Canvas Cover  | OPT-CVR-36R-24H | OPT-CVR-48R-24H | OPT-CVR-60R-24H |
| Stainless Lid | OPT-21RC        | OPT-21RC        | OPT-27RC        |

# SALINAS FIRE PIT

## IN POWDER COAT



### SIZES

#### 48" Salinas

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 21" x (W) 28" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-SALPC48ML   |
| Spark Glow             | OPT-SALPC48SG   |
| Flame Sense            | OPT-SALPC48FSML |
| Fire Glow              | OPT-SALPC48FG   |
| Plug & Play            | OPT-SALPC48EKIT |
| Low Voltage Electronic | OPT-SALPC48E12V |

#### 60" Salinas

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 21" x (W) 28" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-SALPC60ML   |
| Spark Glow             | OPT-SALPC60SG   |
| Flame Sense            | OPT-SALPC60FSML |
| Fire Glow              | OPT-SALPC60FG   |
| Plug & Play            | OPT-SALPC60EKIT |
| Low Voltage Electronic | OPT-SALPC60E12V |

# SALINAS FIRE PIT

## IN STAINLESS STEEL



### SIZES

#### 48" Salinas

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 21" x (W) 28" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-SALSS48ML   |
| Spark Glow             | OPT-SALSS48SG   |
| Flame Sense            | OPT-SALSS48FSML |
| Fire Glow              | OPT-SALSS48FG   |
| Plug & Play            | OPT-SALSS48EKIT |
| Low Voltage Electronic | OPT-SALSS48E12V |

#### 60" Salinas

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 21" x (W) 28" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-SALSS60ML   |
| Spark Glow             | OPT-SALSS60SG   |
| Flame Sense            | OPT-SALSS60FSML |
| Fire Glow              | OPT-SALSS60FG   |
| Plug & Play            | OPT-SALSS60EKIT |
| Low Voltage Electronic | OPT-SALSS60E12V |

### UPGRADES

#### ACCESSORIES

#### 48" SALINAS

#### 60" SALINAS

|                  |                  |                  |
|------------------|------------------|------------------|
| Bullet Burner    | OPT-B24SST       | OPT-B36SST       |
| Canvas Cover     | OPT-CVR-4828-21H | OPT-CVR-6028-21H |
| Stainless Lid    | OPT-RC1232       | OPT-RC1244       |
| Glass Wind Guard | OPT-WG-3414      | OPT-WG-4614      |

# SALINAS FIRE PIT

## IN CORTEN STEEL



### SIZES

#### 48" Salinas

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 21" x (W) 28" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-SALCS48ML   |
| Spark Glow             | OPT-SALCS48SG   |
| Flame Sense            | OPT-SALCS48FSML |
| Fire Glow              | OPT-SALCS48FG   |
| Plug & Play            | OPT-SALCS48EKIT |
| Low Voltage Electronic | OPT-SALCS48E12V |

#### 60" Salinas

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 21" x (W) 28" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-SALCS60ML   |
| Spark Glow             | OPT-SALCS60SG   |
| Flame Sense            | OPT-SALCS60FSML |
| Fire Glow              | OPT-SALCS60FG   |
| Plug & Play            | OPT-SALCS60EKIT |
| Low Voltage Electronic | OPT-SALCS60E12V |

### SIZES

#### 48" Salinas

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 21" x (W) 28" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-SALHCP48ML   |
| Spark Glow             | OPT-SALHCP48SG   |
| Flame Sense            | OPT-SALHCP48FSML |
| Fire Glow              | OPT-SALHCP48FG   |
| Plug & Play            | OPT-SALHCP48EKIT |
| Low Voltage Electronic | OPT-SALHCP48E12V |

#### 60" Salinas

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 21" x (W) 28" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-SALHCP60ML   |
| Spark Glow             | OPT-SALHCP60SG   |
| Flame Sense            | OPT-SALHCP60FSML |
| Fire Glow              | OPT-SALHCP60FG   |
| Plug & Play            | OPT-SALHCP60EKIT |
| Low Voltage Electronic | OPT-SALHCP60E12V |



### UPGRADES

#### ACCESSORIES

#### 48" SALINAS

#### 60" SALINAS

|                  |                  |                  |
|------------------|------------------|------------------|
| Bullet Burner    | OPT-B24SST       | OPT-B36SST       |
| Canvas Cover     | OPT-CVR-4828-21H | OPT-CVR-6028-21H |
| Stainless Lid    | OPT-RC1232       | OPT-RC1244       |
| Glass Wind Guard | OPT-WG-3414      | OPT-WG-4614      |

## DIXIE FIRE PIT IN POWDER COAT



### SIZES

#### 60" Dixie

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 24" |
| Burning Area    | (L) 36" x (W) 8"            |
| BTU             | 157,000                     |
| Fire Glass Sugg | 31lbs                       |

|                        |                |
|------------------------|----------------|
| Match Lit              | OPT-DXPC60ML   |
| Spark Glow             | OPT-DXPC60SG   |
| Flame Sense            | OPT-DXPC60FSML |
| Fire Glow              | OPT-DXPC60FG   |
| Plug & Play            | OPT-DXPC60EKIT |
| Low Voltage Electronic | OPT-DXPC60E12V |

#### 72" Dixie

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 24" |
| Burning Area    | (L) 48" x (W) 8"            |
| BTU             | 165,000                     |
| Fire Glass Sugg | 41lbs                       |

|                        |                |
|------------------------|----------------|
| Match Lit              | OPT-DXPC72ML   |
| Spark Glow             | OPT-DXPC72SG   |
| Flame Sense            | OPT-DXPC72FSML |
| Fire Glow              | OPT-DXPC72FG   |
| Plug & Play            | OPT-DXPC72EKIT |
| Low Voltage Electronic | OPT-DXPC72E12V |

## DIXIE FIRE PIT IN STAINLESS STEEL



### SIZES

#### 60" Dixie

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 24" |
| Burning Area    | (L) 36" x (W) 8"            |
| BTU             | 157,000                     |
| Fire Glass Sugg | 31lbs                       |

|                        |                |
|------------------------|----------------|
| Match Lit              | OPT-DXSS60ML   |
| Spark Glow             | OPT-DXSS60SG   |
| Flame Sense            | OPT-DXSS60FSML |
| Fire Glow              | OPT-DXSS60FG   |
| Plug & Play            | OPT-DXSS60EKIT |
| Low Voltage Electronic | OPT-DXSS60E12V |

#### 72" Dixie

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 24" |
| Burning Area    | (L) 48" x (W) 8"            |
| BTU             | 165,000                     |
| Fire Glass Sugg | 41lbs                       |

|                        |                |
|------------------------|----------------|
| Match Lit              | OPT-DXSS72ML   |
| Spark Glow             | OPT-DXSS72SG   |
| Flame Sense            | OPT-DXSS72FSML |
| Fire Glow              | OPT-DXSS72FG   |
| Plug & Play            | OPT-DXSS72EKIT |
| Low Voltage Electronic | OPT-DXSS72E12V |

### UPGRADES

#### ACCESSORIES

#### 60" DIXIE

#### 72" DIXIE

|               |              |              |
|---------------|--------------|--------------|
| Bullet Burner | OPT-B30SST   | OPT-B36SST   |
| Canvas Cover  | OPT-CVR-6024 | OPT-CVR-7224 |
| Stainless Lid | OPT-RC1038   | OPT-RC1050   |

## DIXIE FIRE PIT IN CORTEN STEEL



### SIZES

#### 60" Dixie

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 24" |
| Burning Area    | (L) 36" x (W) 8"            |
| BTU             | 157,000                     |
| Fire Glass Sugg | 31lbs                       |

|                        |                |
|------------------------|----------------|
| Match Lit              | OPT-DXCS60ML   |
| Spark Glow             | OPT-DXCS60SG   |
| Flame Sense            | OPT-DXCS60FSML |
| Fire Glow              | OPT-DXCS60FG   |
| Plug & Play            | OPT-DXCS60EKIT |
| Low Voltage Electronic | OPT-DXCS60E12V |

#### 72" Dixie

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 24" |
| Burning Area    | (L) 48" x (W) 8"            |
| BTU             | 165,000                     |
| Fire Glass Sugg | 41lbs                       |

|                        |                |
|------------------------|----------------|
| Match Lit              | OPT-DXCS72ML   |
| Spark Glow             | OPT-DXCS72SG   |
| Flame Sense            | OPT-DXCS72FSML |
| Fire Glow              | OPT-DXCS72FG   |
| Plug & Play            | OPT-DXCS72EKIT |
| Low Voltage Electronic | OPT-DXCS72E12V |

### SIZES

#### 60" Dixie

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 24" |
| Burning Area    | (L) 36" x (W) 8"            |
| BTU             | 157,000                     |
| Fire Glass Sugg | 31lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-DXHCP60ML   |
| Spark Glow             | OPT-DXHCP60SG   |
| Flame Sense            | OPT-DXHCP60FSML |
| Fire Glow              | OPT-DXHCP60FG   |
| Plug & Play            | OPT-DXHCP60EKIT |
| Low Voltage Electronic | OPT-DXHCP60E12V |

#### 72" Dixie

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 24" |
| Burning Area    | (L) 48" x (W) 8"            |
| BTU             | 165,000                     |
| Fire Glass Sugg | 41lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-DXHCP72ML   |
| Spark Glow             | OPT-DXHCP72SG   |
| Flame Sense            | OPT-DXHCP72FSML |
| Fire Glow              | OPT-DXHCP72FG   |
| Plug & Play            | OPT-DXHCP72EKIT |
| Low Voltage Electronic | OPT-DXHCP72E12V |

## DIXIE FIRE PIT IN HAMMERED COPPER



### UPGRADES

#### ACCESSORIES

#### 60" DIXIE

#### 72" DIXIE

|               |              |              |
|---------------|--------------|--------------|
| Bullet Burner | OPT-B30SST   | OPT-B36SST   |
| Canvas Cover  | OPT-CVR-6024 | OPT-CVR-7224 |
| Stainless Lid | OPT-RC1038   | OPT-RC1050   |

# GALLAWAY FIRE PIT

## IN POWDER COAT



### SIZES

#### 42" Gallaway

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 42" x (H) 18" x (W) 42" |
| Burning Area    | (L) 24" x (W) 15"           |
| BTU             | 70,000                      |
| Fire Glass Sugg | 38lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-GALPC42ML   |
| Spark Glow             | OPT-GALPC42SG   |
| Flame Sense            | OPT-GALPC42FSML |
| Fire Glow              | OPT-GALPC42FG   |
| Plug & Play            | OPT-GALPC42EKIT |
| Low Voltage Electronic | OPT-GALPC42E12V |

#### 60" Gallaway

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 18" x (W) 60" |
| Burning Area    | (L) 36" x (W) 25"           |
| BTU             | 90,000                      |
| Fire Glass Sugg | 94lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-GALPC60ML   |
| Spark Glow             | OPT-GALPC60SG   |
| Flame Sense            | OPT-GALPC60FSML |
| Fire Glow              | OPT-GALPC60FG   |
| Plug & Play            | OPT-GALPC60EKIT |
| Low Voltage Electronic | OPT-GALPC42E12V |

# GALLAWAY FIRE PIT

## IN STAINLESS STEEL



### SIZES

#### 42" Gallaway

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 42" x (H) 18" x (W) 42" |
| Burning Area    | (L) 24" x (W) 15"           |
| BTU             | 70,000                      |
| Fire Glass Sugg | 38lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-GALSS42ML   |
| Spark Glow             | OPT-GALSS42SG   |
| Flame Sense            | OPT-GALSS42FSML |
| Fire Glow              | OPT-GALSS42FG   |
| Plug & Play            | OPT-GALSS42EKIT |
| Low Voltage Electronic | OPT-GALSS42E12V |

#### 60" Gallaway

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 18" x (W) 60" |
| Burning Area    | (L) 36" x (W) 25"           |
| BTU             | 90,000                      |
| Fire Glass Sugg | 94lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-GALSS60ML   |
| Spark Glow             | OPT-GALSS60SG   |
| Flame Sense            | OPT-GALSS60FSML |
| Fire Glow              | OPT-GALSS60FG   |
| Plug & Play            | OPT-GALSS60EKIT |
| Low Voltage Electronic | OPT-GALSS42E12V |

### UPGRADES

#### ACCESSORIES

#### 42" GALLAWAY

#### 60" GALLAWAY

|                  |                  |                  |
|------------------|------------------|------------------|
| Bullet Burner    | OPT-18SSH        | OPT-B24SSH       |
| Canvas Cover     | OPT-CVR-4242-18H | OPT-CVR-6060-18H |
| Stainless Lid    | OPT-RC1726       | OPT-RC2738       |
| Glass Wind Guard | OPT-WG-2819      | OPT-WG-4029      |

# GALLAWAY FIRE PIT

## IN CORTEN STEEL

### SIZES

#### 42" Gallaway

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 42" x (H) 18" x (W) 42" |
| Burning Area    | (L) 24" x (W) 15"           |
| BTU             | 70,000                      |
| Fire Glass Sugg | 38lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-GALCS42ML   |
| Spark Glow             | OPT-GALCS42SG   |
| Flame Sense            | OPT-GALCS42FSML |
| Fire Glow              | OPT-GALCS42FG   |
| Plug & Play            | OPT-GALCS42EKIT |
| Low Voltage Electronic | OPT-GALCS42E12V |

#### 60" Gallaway

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 18" x (W) 60" |
| Burning Area    | (L) 36" x (W) 25"           |
| BTU             | 90,000                      |
| Fire Glass Sugg | 94lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-GALCS60ML   |
| Spark Glow             | OPT-GALCS60SG   |
| Flame Sense            | OPT-GALCS60FSML |
| Fire Glow              | OPT-GALCS60FG   |
| Plug & Play            | OPT-GALCS60EKIT |
| Low Voltage Electronic | OPT-GALCS60E12V |



### SIZES

#### 42" Gallaway

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 42" x (H) 18" x (W) 42" |
| Burning Area    | (L) 24" x (W) 15"           |
| BTU             | 70,000                      |
| Fire Glass Sugg | 38lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-GALHCP42ML   |
| Spark Glow             | OPT-GALHCP42SG   |
| Flame Sense            | OPT-GALHCP42FSML |
| Fire Glow              | OPT-GALHCP42FG   |
| Plug & Play            | OPT-GALHCP42EKIT |
| Low Voltage Electronic | OPT-GALHCP42E12V |

#### 60" Gallaway

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 18" x (W) 60" |
| Burning Area    | (L) 36" x (W) 25"           |
| BTU             | 90,000                      |
| Fire Glass Sugg | 94lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-GALHCP60ML   |
| Spark Glow             | OPT-GALHCP60SG   |
| Flame Sense            | OPT-GALHCP60FSML |
| Fire Glow              | OPT-GALHCP60FG   |
| Plug & Play            | OPT-GALHCP60EKIT |
| Low Voltage Electronic | OPT-GALHCP60E12V |



### UPGRADES

#### ACCESSORIES

#### 42" GALLAWAY

#### 60" GALLAWAY

|                  |                  |                  |
|------------------|------------------|------------------|
| Bullet Burner    | OPT-18SSH        | OPT-B24SSH       |
| Canvas Cover     | OPT-CVR-4242-18H | OPT-CVR-6060-18H |
| Stainless Lid    | OPT-RC1726       | OPT-RC2738       |
| Glass Wind Guard | OPT-WG-2819      | OPT-WG-4029      |

# WHITNEY FIRE PIT

## IN POWDER COAT



### SIZES

#### 48" Whitney

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 48" |
| Burning Area    | (L) 72 x (W) 12             |
| BTU             | 185,000                     |
| Fire Glass Sugg | 91lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-WHITPC48ML   |
| Spark Glow             | OPT-WHITPC48SG   |
| Flame Sense            | OPT-WHITPC48FSML |
| Fire Glow              | OPT-WHITPC48FG   |
| Plug & Play            | OPT-WHITPC48EKIT |
| Low Voltage Electronic | OPT-WHITPC48E12V |

#### 60" Whitney

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 60" |
| Burning Area    | (L) 96 x (W) 12             |
| BTU             | 240,000                     |
| Fire Glass Sugg | 121lbs                      |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-WHITPC60ML   |
| Spark Glow             | OPT-WHITPC60SG   |
| Flame Sense            | OPT-WHITPC60FSML |
| Fire Glow              | OPT-WHITPC60FG   |
| Plug & Play            | OPT-WHITPC60EKIT |
| Low Voltage Electronic | OPT-WHITPC60E12V |

#### 72" Whitney

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 72" |
| Burning Area    | (L) 120 x (W) 12            |
| BTU             | 300,000                     |
| Fire Glass Sugg | 151lbs                      |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-WHITPC72ML   |
| Spark Glow             | OPT-WHITPC72SG   |
| Flame Sense            | OPT-WHITPC72FSML |
| Fire Glow              | OPT-WHITPC72FG   |
| Plug & Play            | OPT-WHITPC72EKIT |
| Low Voltage Electronic | OPT-WHITPC72E12V |

### UPGRADES

#### ACCESSORIES

#### 48" WHITNEY


#### 60" WHITNEY

#### 72" WHITNEY

|                  |                            |                            |                            |
|------------------|----------------------------|----------------------------|----------------------------|
| Bullet Burner    | Ask Your Rep For More Info | Ask Your Rep For More Info | Ask Your Rep For More Info |
| Canvas Cover     | Ask Your Rep For More Info | Ask Your Rep For More Info | Ask Your Rep For More Info |
| Stainless Lid    | Ask Your Rep For More Info | Ask Your Rep For More Info | Ask Your Rep For More Info |
| Glass Wind Guard | Ask Your Rep For More Info | Ask Your Rep For More Info | Ask Your Rep For More Info |

# WHITNEY FIRE PIT

## IN STAINLESS STEEL



### SIZES

#### 48" Whitney

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 48" |
| Burning Area    | (L) 72 x (W) 12             |
| BTU             | 185,000                     |
| Fire Glass Sugg | 91lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-WHITSS48ML   |
| Spark Glow             | OPT-WHITSS48SG   |
| Flame Sense            | OPT-WHITSS48FSML |
| Fire Glow              | OPT-WHITSS48FG   |
| Plug & Play            | OPT-WHITSS48EKIT |
| Low Voltage Electronic | OPT-WHITSS48E12V |

#### 60" Whitney

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 60" |
| Burning Area    | (L) 96 x (W) 12             |
| BTU             | 240,000                     |
| Fire Glass Sugg | 121lbs                      |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-WHITSS60ML   |
| Spark Glow             | OPT-WHITSS60SG   |
| Flame Sense            | OPT-WHITSS60FSML |
| Fire Glow              | OPT-WHITSS60FG   |
| Plug & Play            | OPT-WHITSS60EKIT |
| Low Voltage Electronic | OPT-WHITSS60E12V |

#### 72" Whitney

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 72" |
| Burning Area    | (L) 120 x (W) 12            |
| BTU             | 300,000                     |
| Fire Glass Sugg | 151lbs                      |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-WHITSS72ML   |
| Spark Glow             | OPT-WHITSS72SG   |
| Flame Sense            | OPT-WHITSS72FSML |
| Fire Glow              | OPT-WHITSS72FG   |
| Plug & Play            | OPT-WHITSS72EKIT |
| Low Voltage Electronic | OPT-WHITSS72E12V |

### UPGRADES

#### ACCESSORIES

#### 48" WHITNEY

#### 60" WHITNEY

#### 72" WHITNEY

|                  |                            |                            |                            |
|------------------|----------------------------|----------------------------|----------------------------|
| Bullet Burner    | Ask Your Rep For More Info | Ask Your Rep For More Info | Ask Your Rep For More Info |
| Canvas Cover     | Ask Your Rep For More Info | Ask Your Rep For More Info | Ask Your Rep For More Info |
| Stainless Lid    | Ask Your Rep For More Info | Ask Your Rep For More Info | Ask Your Rep For More Info |
| Glass Wind Guard | Ask Your Rep For More Info | Ask Your Rep For More Info | Ask Your Rep For More Info |

# WHITNEY FIRE PIT

## IN CORTEN STEEL



### SIZES

#### 48" Whitney

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 48" x (H) 24" x (W) 48" |
| <b>Burning Area</b>    | (L) 72 x (W) 12             |
| <b>BTU</b>             | 185,000                     |
| <b>Fire Glass Sugg</b> | 91lbs                       |

|                               |                  |
|-------------------------------|------------------|
| <b>Match Lit</b>              | OPT-WHITCS48ML   |
| <b>Spark Glow</b>             | OPT-WHITCS48SG   |
| <b>Flame Sense</b>            | OPT-WHITCS48FSML |
| <b>Fire Glow</b>              | OPT-WHITCS48FG   |
| <b>Plug &amp; Play</b>        | OPT-WHITCS48EKIT |
| <b>Low Voltage Electronic</b> | OPT-WHITCS48E12V |

#### 60" Whitney

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 60" x (H) 24" x (W) 60" |
| <b>Burning Area</b>    | (L) 96 x (W) 12             |
| <b>BTU</b>             | 240,000                     |
| <b>Fire Glass Sugg</b> | 121lbs                      |

|                               |                  |
|-------------------------------|------------------|
| <b>Match Lit</b>              | OPT-WHITCS60ML   |
| <b>Spark Glow</b>             | OPT-WHITCS60SG   |
| <b>Flame Sense</b>            | OPT-WHITCS60FSML |
| <b>Fire Glow</b>              | OPT-WHITCS60FG   |
| <b>Plug &amp; Play</b>        | OPT-WHITCS60EKIT |
| <b>Low Voltage Electronic</b> | OPT-WHITCS60E12V |

#### 72" Whitney

|                        |                             |
|------------------------|-----------------------------|
| <b>Dimensions</b>      | (L) 72" x (H) 24" x (W) 72" |
| <b>Burning Area</b>    | (L) 120 x (W) 12            |
| <b>BTU</b>             | 300,000                     |
| <b>Fire Glass Sugg</b> | 151lbs                      |

|                               |                  |
|-------------------------------|------------------|
| <b>Match Lit</b>              | OPT-WHITCS72ML   |
| <b>Spark Glow</b>             | OPT-WHITCS72SG   |
| <b>Flame Sense</b>            | OPT-WHITCS72FSML |
| <b>Fire Glow</b>              | OPT-WHITCS72FG   |
| <b>Plug &amp; Play</b>        | OPT-WHITCS72EKIT |
| <b>Low Voltage Electronic</b> | OPT-WHITCS72E12V |

### UPGRADES

#### ACCESSORIES

#### 48" WHITNEY

#### 60" WHITNEY

#### 72" WHITNEY

|                         |                            |                            |                            |
|-------------------------|----------------------------|----------------------------|----------------------------|
| <b>Bullet Burner</b>    | Ask Your Rep For More Info | Ask Your Rep For More Info | Ask Your Rep For More Info |
| <b>Canvas Cover</b>     | Ask Your Rep For More Info | Ask Your Rep For More Info | Ask Your Rep For More Info |
| <b>Stainless Lid</b>    | Ask Your Rep For More Info | Ask Your Rep For More Info | Ask Your Rep For More Info |
| <b>Glass Wind Guard</b> | Ask Your Rep For More Info | Ask Your Rep For More Info | Ask Your Rep For More Info |

# WHITNEY FIRE PIT

## IN HAMMERED COPPER



### SIZES

#### 48" Whitney

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 48" |
| Burning Area    | (L) 72 x (W) 12             |
| BTU             | 185,000                     |
| Fire Glass Sugg | 91lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-WHITHCP48ML   |
| Spark Glow             | OPT-WHITHCP48SG   |
| Flame Sense            | OPT-WHITHCP48FSML |
| Fire Glow              | OPT-WHITHCP48FG   |
| Plug & Play            | OPT-WHITHCP48EKIT |
| Low Voltage Electronic | OPT-WHITHCP48E12V |

#### 60" Whitney

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 60" |
| Burning Area    | (L) 96 x (W) 12             |
| BTU             | 240,000                     |
| Fire Glass Sugg | 121lbs                      |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-WHITHCP60ML   |
| Spark Glow             | OPT-WHITHCP60SG   |
| Flame Sense            | OPT-WHITHCP60FSML |
| Fire Glow              | OPT-WHITHCP60FG   |
| Plug & Play            | OPT-WHITHCP60EKIT |
| Low Voltage Electronic | OPT-WHITHCP60E12V |

#### 72" Whitney

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 72" |
| Burning Area    | (L) 120 x (W) 12            |
| BTU             | 300,000                     |
| Fire Glass Sugg | 151lbs                      |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-WHITHCP72ML   |
| Spark Glow             | OPT-WHITHCP72SG   |
| Flame Sense            | OPT-WHITHCP72FSML |
| Fire Glow              | OPT-WHITHCP72FG   |
| Plug & Play            | OPT-WHITHCP72EKIT |
| Low Voltage Electronic | OPT-WHITHCP72E12V |

### UPGRADES

#### ACCESSORIES

#### 48" WHITNEY

#### 60" WHITNEY

#### 72" WHITNEY

|                  |                            |                            |                            |
|------------------|----------------------------|----------------------------|----------------------------|
| Bullet Burner    | Ask Your Rep For More Info | Ask Your Rep For More Info | Ask Your Rep For More Info |
| Canvas Cover     | Ask Your Rep For More Info | Ask Your Rep For More Info | Ask Your Rep For More Info |
| Stainless Lid    | Ask Your Rep For More Info | Ask Your Rep For More Info | Ask Your Rep For More Info |
| Glass Wind Guard | Ask Your Rep For More Info | Ask Your Rep For More Info | Ask Your Rep For More Info |

# AMINA FIRE PIT

## IN POWDER COAT



### SIZES

#### 48" Amina

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 15" x (W) 24" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-AMIPC48ML   |
| Spark Glow             | OPT-AMIPC48SG   |
| Flame Sense            | OPT-AMIPC48FSML |
| Fire Glow              | OPT-AMIPC48FG   |
| Plug & Play            | OPT-AMIPC48EKIT |
| Low Voltage Electronic | OPT-AMIPC48E12V |

#### 60" Amina

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 15" x (W) 24" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-AMIPC60ML   |
| Spark Glow             | OPT-AMIPC60SG   |
| Flame Sense            | OPT-AMIPC60FSML |
| Fire Glow              | OPT-AMIPC60FG   |
| Plug & Play            | OPT-AMIPC60EKIT |
| Low Voltage Electronic | OPT-AMIPC60E12V |

#### 72" Amina

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 15" x (W) 24" |
| Burning Area    | (L) 54" x (W) 10"           |
| BTU             | 155,000                     |
| Fire Glass Sugg | 57lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-AMIPC72ML   |
| Spark Glow             | OPT-AMIPC72SG   |
| Flame Sense            | OPT-AMIPC72FSML |
| Fire Glow              | OPT-AMIPC72FG   |
| Plug & Play            | OPT-AMIPC72EKIT |
| Low Voltage Electronic | OPT-AMIPC72E12V |

### UPGRADES

| ACCESSORIES      | 48" AMINA        | 60" AMINA        | 72" AMINA        |
|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       |
| Canvas Cover     | OPT-CVR-4824-15H | OPT-CVR-6024-15H | OPT-CVR-7224-15H |
| Stainless Lid    | OPT-RC1232       | OPT-RC1244       | OPT-RC1256       |
| Glass Wind Guard | OPT-WG-3414      | OPT-WG-4614      | OPT-WG-5814      |

# BAYSIDE FIRE PIT

## IN POWDER COAT



### SIZES

#### 36" Bayside

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 36" x (H) 17" x (W) 36" |
| Burning Area    | (L) 16" x (W) 16"           |
| BTU             | 85,000                      |
| Fire Glass Sugg | 27lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-BAYPC36-ML   |
| Spark Glow             | OPT-BAYPC36-SG   |
| Flame Sense            | OPT-BAYPC36-FSML |
| Fire Glow              | OPT-BAYPC36-FG   |
| Plug & Play            | OPT-BAYPC36-EKIT |
| Low Voltage Electronic | OPT-BAYPC36-E12V |

#### 48" Bayside

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 17" x (W) 48" |
| Burning Area    | (L) 28" x (W) 28"           |
| BTU             | 105,000                     |
| Fire Glass Sugg | 82lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-BAYPC48-ML   |
| Spark Glow             | OPT-BAYPC48-SG   |
| Flame Sense            | OPT-BAYPC48-FSML |
| Fire Glow              | OPT-BAYPC48-FG   |
| Plug & Play            | OPT-BAYPC48-EKIT |
| Low Voltage Electronic | OPT-BAYPC48-E12V |

#### 60" Bayside

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 17" x (W) 60" |
| Burning Area    | (L) 40" x (W) 40"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 168lbs                      |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-BAYPC60-ML   |
| Spark Glow             | OPT-BAYPC60-SG   |
| Flame Sense            | OPT-BAYPC60-FSML |
| Fire Glow              | OPT-BAYPC60-FG   |
| Plug & Play            | OPT-BAYPC60-EKIT |
| Low Voltage Electronic | OPT-BAYPC60-E12V |

### UPGRADES

| ACCESSORIES      | 36" BAYSIDE      | 48" BAYSIDE      | 60" BAYSIDE      |
|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-BRDSS8       | OPT-BRDSS12      | OPT-BRDSS18      |
| Canvas Cover     | OPT-CVR-3636-17H | OPT-CVR-4848-17H | OPT-CVR-1010-17H |
| Stainless Lid    | OPT-SC22         | OPT-SC30         | OPT-SC42         |
| Glass Wind Guard | OPT-WG-2020      | OPT-WG-3232      | OPT-WG-4444      |

# TEMPE FIRE PIT

## FULL COLLECTION



 GFRC Concrete



 Powder Coat



 Stainless Steel



 Corten Steel



 Hammered Copper



## SIZES

### GFRC Concrete Tempe

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 48" x (H) 16" |
| Burning Area    | (D) 28"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 65lbs             |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-TEMGFRC48ML   |
| Spark Glow             | OPT-TEMGFRC48SG   |
| Flame Sense            | OPT-TEMGFRC48FSML |
| Fire Glow              | OPT-TEMGFRC48FG   |
| Plug & Play            | OPT-TEMGFRC48EKIT |
| Low Voltage Electronic | OPT-TEMGFRC48E12V |

### Powder Coat Tempe

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 48" x (H) 16" |
| Burning Area    | (D) 28"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 65lbs             |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-TEMPC48ML   |
| Spark Glow             | OPT-TEMPC48SG   |
| Flame Sense            | OPT-TEMPC48FSML |
| Fire Glow              | OPT-TEMPC48FG   |
| Plug & Play            | OPT-TEMPC48EKIT |
| Low Voltage Electronic | OPT-TEMPC48E12V |

### Stainless Steel Tempe

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 48" x (H) 16" |
| Burning Area    | (D) 28"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 65lbs             |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-TEMSS48ML   |
| Spark Glow             | OPT-TEMSS48SG   |
| Flame Sense            | OPT-TEMSS48FSML |
| Fire Glow              | OPT-TEMSS48FG   |
| Plug & Play            | OPT-TEMSS48EKIT |
| Low Voltage Electronic | OPT-TEMSS48E12V |

### Corten Steel Tempe

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 48" x (H) 16" |
| Burning Area    | (D) 28"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 65lbs             |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-TEMCS48ML   |
| Spark Glow             | OPT-TEMCS48SG   |
| Flame Sense            | OPT-TEMCS48FSML |
| Fire Glow              | OPT-TEMCS48FG   |
| Plug & Play            | OPT-TEMCS48EKIT |
| Low Voltage Electronic | OPT-TEMCS48E12V |

### Hammered Copper Tempe

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 48" x (H) 16" |
| Burning Area    | (D) 28"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 65lbs             |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-TEMHCP48ML   |
| Spark Glow             | OPT-TEMHCP48SG   |
| Flame Sense            | OPT-TEMHCP48FSML |
| Fire Glow              | OPT-TEMHCP48FG   |
| Plug & Play            | OPT-TEMHCP48EKIT |
| Low Voltage Electronic | OPT-TEMHCP48E12V |

## UPGRADES

### ACCESSORIES 48" TEMPE

|               |                 |
|---------------|-----------------|
| BULLET BURNER | OPT-BRDSS12     |
| CANVAS COVER  | OPT-CVR-48R-16H |
| STAINLESS LID | OPT-30RC        |

# TIDAL FIRE PIT

## FULL COLLECTION



### SIZES

#### Powder Coat Tidal

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 24" |
| Burning Area    | (L) 30" x (W) 8"            |
| BTU             | 115,000                     |
| Fire Glass Sugg | 26lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-TIDPC48ML   |
| Spark Glow             | OPT-TIDPC48SG   |
| Flame Sense            | OPT-TIDPC48FSML |
| Fire Glow              | OPT-TIDPC48FG   |
| Plug & Play            | OPT-TIDPC48EKIT |
| Low Voltage Electronic | OPT-TIDPC48E12V |

### SIZES

#### Stainless Steel Tidal

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 24" |
| Burning Area    | (L) 30" x (W) 8"            |
| BTU             | 115,000                     |
| Fire Glass Sugg | 26lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-TIDSS48ML   |
| Spark Glow             | OPT-TIDSS48SG   |
| Flame Sense            | OPT-TIDSS48FSML |
| Fire Glow              | OPT-TIDSS48FG   |
| Plug & Play            | OPT-TIDSS48EKIT |
| Low Voltage Electronic | OPT-TIDSS48E12V |

#### Corten Steel Tidal

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 24" |
| Burning Area    | (L) 30" x (W) 8"            |
| BTU             | 115,000                     |
| Fire Glass Sugg | 26lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-TIDCS48ML   |
| Spark Glow             | OPT-TIDCS48SG   |
| Flame Sense            | OPT-TIDCS48FSML |
| Fire Glow              | OPT-TIDCS48FG   |
| Plug & Play            | OPT-TIDCS48EKIT |
| Low Voltage Electronic | OPT-TIDCS48E12V |

#### Hammered Copper Tidal

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 24" x (W) 24" |
| Burning Area    | (L) 30" x (W) 8"            |
| BTU             | 115,000                     |
| Fire Glass Sugg | 26lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-TIDHCP48ML   |
| Spark Glow             | OPT-TIDHCP48SG   |
| Flame Sense            | OPT-TIDHCP48FSML |
| Fire Glow              | OPT-TIDHCP48FG   |
| Plug & Play            | OPT-TIDHCP48EKIT |
| Low Voltage Electronic | OPT-TIDHCP48E12V |

### UPGRADES

#### ACCESSORIES 48" TIDAL

|                  |                  |
|------------------|------------------|
| Bullet Burner    | OPT-B24SST       |
| Canvas Cover     | OPT-CVR-4824-24H |
| Stainless Lid    | OPT-RC1032       |
| Glass Wind Guard | OPT-WG-3412      |

# VISTA FIRE PIT

## FULL COLLECTION



### SIZES

#### Powder Coat Vista

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 24" x (H) 24" x (W) 24" |
| Burning Area    | (L) 16" x (W) 16"           |
| BTU             | 85,000                      |
| Fire Glass Sugg | 27lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-VSTPC24ML   |
| Spark Glow             | OPT-VSTPC24SG   |
| Flame Sense            | OPT-VSTPC24FSML |
| Fire Glow              | OPT-VSTPC24FG   |
| Plug & Play            | OPT-VSTPC24EKIT |
| Low Voltage Electronic | OPT-VSTPC24E12V |

### SIZES

#### Stainless Steel Vista

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 24" x (H) 24" x (W) 24" |
| Burning Area    | (L) 16" x (W) 16"           |
| BTU             | 85,000                      |
| Fire Glass Sugg | 27lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-VSTSS24ML   |
| Spark Glow             | OPT-VSTSS24SG   |
| Flame Sense            | OPT-VSTSS24FSML |
| Fire Glow              | OPT-VSTSS24FG   |
| Plug & Play            | OPT-VSTSS24EKIT |
| Low Voltage Electronic | OPT-VSTSS24E12V |

#### Corten Steel Vista

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 24" x (H) 24" x (W) 24" |
| Burning Area    | (L) 16" x (W) 16"           |
| BTU             | 85,000                      |
| Fire Glass Sugg | 27lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-VSTCS24ML   |
| Spark Glow             | OPT-VSTCS24SG   |
| Flame Sense            | OPT-VSTCS24FSML |
| Fire Glow              | OPT-VSTCS24FG   |
| Plug & Play            | OPT-VSTCS24EKIT |
| Low Voltage Electronic | OPT-VSTCS24E12V |

#### Hammered Copper Vista

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 24" x (H) 24" x (W) 24" |
| Burning Area    | (L) 16" x (W) 16"           |
| BTU             | 85,000                      |
| Fire Glass Sugg | 27lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-VSTHCP24ML   |
| Spark Glow             | OPT-VSTHCP24SG   |
| Flame Sense            | OPT-VSTHCP24FSML |
| Fire Glow              | OPT-VSTHCP24FG   |
| Plug & Play            | OPT-VSTHCP24EKIT |
| Low Voltage Electronic | OPT-VSTHCP24E12V |

### UPGRADES

#### ACCESSORIES 24" VISTA

|                  |                  |
|------------------|------------------|
| Bullet Burner    | OPT-BRDSS8       |
| Canvas Cover     | OPT-CVR-2424-24H |
| Stainless Lid    | OPT-18SC         |
| Glass Wind Guard | OPT-WG-2020      |

# DANA FIRE PIT

## FULL COLLECTION



### SIZES

#### Powder Coat Dana

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 28" |
| Burning Area    | (L) 12" x (W) 12"           |
| BTU             | 65,000                      |
| Fire Glass Sugg | 16lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-DANPC60ML   |
| Spark Glow             | OPT-DANPC60SG   |
| Flame Sense            | OPT-DANPC60FSML |
| Fire Glow              | OPT-DANPC60FG   |
| Plug & Play            | OPT-DANPC60EKIT |
| Low Voltage Electronic | OPT-DANPC60E12V |

### SIZES

#### Stainless Steel Dana

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 28" |
| Burning Area    | (L) 12" x (W) 12"           |
| BTU             | 65,000                      |
| Fire Glass Sugg | 16lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-DANSS60ML   |
| Spark Glow             | OPT-DANSS60SG   |
| Flame Sense            | OPT-DANSS60FSML |
| Fire Glow              | OPT-DANSS60FG   |
| Plug & Play            | OPT-DANSS60EKIT |
| Low Voltage Electronic | OPT-DANSS60E12V |

#### Corten Steel Dana

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 28" |
| Burning Area    | (L) 12" x (W) 12"           |
| BTU             | 65,000                      |
| Fire Glass Sugg | 16lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-DANCS60ML   |
| Spark Glow             | OPT-DANCS60SG   |
| Flame Sense            | OPT-DANCS60FSML |
| Fire Glow              | OPT-DANCS60FG   |
| Plug & Play            | OPT-DANCS60EKIT |
| Low Voltage Electronic | OPT-DANCS60E12V |

#### Hammered Copper Dana

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 28" |
| Burning Area    | (L) 12" x (W) 12"           |
| BTU             | 65,000                      |
| Fire Glass Sugg | 16lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-DANHCP60ML   |
| Spark Glow             | OPT-DANHCP60SG   |
| Flame Sense            | OPT-DANHCP60FSML |
| Fire Glow              | OPT-DANHCP60FG   |
| Plug & Play            | OPT-DANHCP60EKIT |
| Low Voltage Electronic | OPT-DANHCP60E12V |

### UPGRADES

#### ACCESSORIES 60" DANA

|                  |                                   |
|------------------|-----------------------------------|
| Bullet Burner    | Ask Your Rep For More Information |
| Canvas Cover     | OPT-CVR-6028-24H                  |
| Stainless Lid    | OPT-14SC                          |
| Glass Wind Guard | OPT-WG-1616                       |

# MERONA FIRE PIT

## FULL COLLECTION



### SIZES

#### Powder Coat Merona

**Dimensions** (L) 46" x (H) 24" x (W) 22"

**Burning Area** (L) 30" x (W) 8"

**BTU** 115,000

**Fire Glass Sugg** 26lbs

**Match Lit** OPT-MERPC46ML

**Spark Glow** OPT-MERPC46SG

**Flame Sense** OPT-MERPC46FSML

**Fire Glow** OPT-MERPC46FG

**Plug & Play** OPT-MERPC46EKIT

**Low Voltage Electronic** OPT-MERPC46E12V

### SIZES

#### Stainless Steel Merona

**Dimensions** (L) 46" x (H) 24" x (W) 22"

**Burning Area** (L) 30" x (W) 8"

**BTU** 115,000

**Fire Glass Sugg** 26lbs

**Match Lit** OPT-MERSS46ML

**Spark Glow** OPT-MERSS46SG

**Flame Sense** OPT-MERSS46FSML

**Fire Glow** OPT-MERSS46FG

**Plug & Play** OPT-MERSS46EKIT

**Low Voltage Electronic** OPT-MERSS46E12V

#### Corten Steel Merona

**Dimensions** (L) 46" x (H) 24" x (W) 22"

**Burning Area** (L) 30" x (W) 8"

**BTU** 115,000

**Fire Glass Sugg** 26lbs

**Match Lit** OPT-MERCS46ML

**Spark Glow** OPT-MERCS46SG

**Flame Sense** OPT-MERCS46FSML

**Fire Glow** OPT-MERCS46FG

**Plug & Play** OPT-MERCS46EKIT

**Low Voltage Electronic** OPT-MERCS46E12V

#### Hammered Copper Merona

**Dimensions** (L) 46" x (H) 24" x (W) 22"

**Burning Area** (L) 30" x (W) 8"

**BTU** 115,000

**Fire Glass Sugg** 26lbs

**Match Lit** OPT-MERHCP46ML

**Spark Glow** OPT-MERHCP46SG

**Flame Sense** OPT-MERHCP46FSML

**Fire Glow** OPT-MERHCP46FG

**Plug & Play** OPT-MERHCP46EKIT

**Low Voltage Electronic** OPT-MERHCP46E12V

### UPGRADES

#### ACCESSORIES 46" MERONA

**Bullet Burner** OPT-B24SST

**Canvas Cover** OPT-CVR-4622-24H

**Stainless Lid** OPT-RC1032

**Glass Wind Guard** OPT-WG-3412

# MARTILLO FIRE PIT

## FULL COLLECTION



### SIZES

#### Powder Coat Martillo

Dimensions (D) 48" X (H) 24"

Burning Area (D) 24"

BTU 105,000

Fire Glass Sugg 48lbs

Match Lit OPT-MARPC48ML

Spark Glow OPT-MARPC48SG

Flame Sense OPT-MARPC48FSML

Fire Glow OPT-MARPC48FG

Plug & Play OPT-MARPC48EKIT

Low Voltage Electronic OPT-MARPC48E12V

### SIZES

#### Stainless Steel Martillo

Dimensions (D) 48" X (H) 24"

Burning Area (D) 24"

BTU 105,000

Fire Glass Sugg 48lbs

Match Lit OPT-MARSS48ML

Spark Glow OPT-MARSS48SG

Flame Sense OPT-MARSS48FSML

Fire Glow OPT-MARSS48FG

Plug & Play OPT-MARSS48EKIT

Low Voltage Electronic OPT-MARSS48E12V

#### Corten Steel Martillo

Dimensions (D) 48" X (H) 24"

Burning Area (D) 24"

BTU 105,000

Fire Glass Sugg 48lbs

Match Lit OPT-MARCS48ML

Spark Glow OPT-MARCS48SG

Flame Sense OPT-MARCS48FSML

Fire Glow OPT-MARCS48FG

Plug & Play OPT-MARCS48EKIT

Low Voltage Electronic OPT-MARCS48E12V

#### Hammered Copper Martillo

Dimensions (D) 48" X (H) 24"

Burning Area (D) 24"

BTU 105,000

Fire Glass Sugg 48lbs

Match Lit OPT-MARHCP48ML

Spark Glow OPT-MARHCP48SG

Flame Sense OPT-MARHCP48FSML

Fire Glow OPT-MARHCP48FG

Plug & Play OPT-MARHCP48EKIT

Low Voltage Electronic OPT-MARHCP48E12V

### UPGRADES

#### ACCESSORIES 48" MARTILLO

Bullet Burner OPT-BRDSS12

Canvas Cover OPT-CVR-48R-24H

Stainless Lid OPT-26RC

# MOONSTONE FIRE PIT

## IN POWDER COAT



### SIZES

#### 60" Moonstone

**Dimensions** (L) 60" x (H) 16" x (W) 30"

**Burning Area** (L) 30" x (W) 10"

**BTU** 115,000

**Fire Glass Sugg** 32lbs

**Match Lit** OPT-MOONPCBW48-BWCML

**Spark Glow** OPT-MOONPCBW48-BWCSG

**Flame Sense** OPT-MOONPCBW48-BWCFSML

**Fire Glow** OPT-MOONPCBW48-BWCFG

**Plug & Play** OPT-MOONPCBW48-BWCEKIT

**Low Voltage Electronic** OPT-MOONPCBW48-BWCE12V



### SIZES

#### 72" Moonstone

**Dimensions** (L) 72" x (H) 16" x (W) 30"

**Burning Area** (L) 42" x (W) 10"

**BTU** 140,000

**Fire Glass Sugg** 44lbs

**Match Lit** OPT-MOONPCBW72-BWCML

**Spark Glow** OPT-MOONPCBW72-BWCSG

**Flame Sense** OPT-MOONPCBW72-BWCFSML

**Fire Glow** OPT-MOONPCBW72-BWCFG

**Plug & Play** OPT-MOONPCBW72-BWCEKIT

**Low Voltage Electronic** OPT-MOONPCBW72-BWCE12V

#### 84" Moonstone

**Dimensions** (L) 84" x (H) 16" x (W) 30"

**Burning Area** (L) 54" x (W) 10"

**BTU** 155,000

**Fire Glass Sugg** 54lbs

**Match Lit** OPT-MOONPCBW84-BWCML

**Spark Glow** OPT-MOONPCBW84-BWCSG

**Flame Sense** OPT-MOONPCBW84-BWCFSML

**Fire Glow** OPT-MOONPCBW84-BWCFG

**Plug & Play** OPT-MOONPCBW84-BWCEKIT

**Low Voltage Electronic** OPT-MOONPCBW84-BWCE12V

#### 96" Moonstone

**Dimensions** (L) 96" x (H) 16" x (W) 30"

**Burning Area** (L) 66" x (W) 10"

**BTU** 175,000

**Fire Glass Sugg** 69lbs

**Match Lit** OPT-MOONPCBW96-BWCML

**Spark Glow** OPT-MOONPCBW96-BWCSG

**Flame Sense** OPT-MOONPCBW96-BWCFSML

**Fire Glow** OPT-MOONPCBW96-BWCFG

**Plug & Play** OPT-MOONPCBW96-BWCEKIT

**Low Voltage Electronic** OPT-MOONPCBW96-BWCE12V

### UPGRADES

| ACCESSORIES             | 60" MOONSTONE    | 72" MOONSTONE    | 84" MOONSTONE    | 96" MOONSTONE    |
|-------------------------|------------------|------------------|------------------|------------------|
| <b>Bullet Burner</b>    | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       | OPT-B60SST       |
| <b>Canvas Cover</b>     | OPT-CVR-6030-16H | OPT-CVR-7230-16H | OPT-CVR-8430-16H | OPT-CVR-9630-16H |
| <b>Stainless Lid</b>    | OPT-RC1232       | OPT-RC1244       | OPT-RC1256       | OPT-RC1268       |
| <b>Glass Wind Guard</b> | OPT-WG-3414      | OPT-WG-4614      | OPT-WG-5814      | OPT-WG-7014      |

# BAJA FIRE PIT

## IN POWDER COAT



### SIZES

#### 42" Baja

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 42" x (H) 14" x (W) 30" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                       |
|------------------------|-----------------------|
| Match Lit              | OPT-BAJPCBW48-BWCML   |
| Spark Glow             | OPT-BAJPCBW48-BWCSG   |
| Flame Sense            | OPT-BAJPCBW48-BWCFSML |
| Fire Glow              | OPT-BAJPCBW48-BWCFG   |
| Plug & Play            | OPT-BAJPCBW48-BWCEKIT |
| Low Voltage Electronic | OPT-BAJPCBW48-BWCE12V |

### SIZES

#### 60" Baja

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 14" x (W) 30" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                       |
|------------------------|-----------------------|
| Match Lit              | OPT-BAJPCBW60-BWCML   |
| Spark Glow             | OPT-BAJPCBW60-BWCSG   |
| Flame Sense            | OPT-BAJPCBW60-BWCFSML |
| Fire Glow              | OPT-BAJPCBW60-BWCFG   |
| Plug & Play            | OPT-BAJPCBW60-BWCEKIT |
| Low Voltage Electronic | OPT-BAJPCBW60-BWCE12V |

#### 72" Baja

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 14" x (W) 30" |
| Burning Area    | (L) 54" x (W) 10"           |
| BTU             | 155,000                     |
| Fire Glass Sugg | 57lbs                       |

|                        |                       |
|------------------------|-----------------------|
| Match Lit              | OPT-BAJPCBW72-BWCML   |
| Spark Glow             | OPT-BAJPCBW72-BWCSG   |
| Flame Sense            | OPT-BAJPCBW72-BWCFSML |
| Fire Glow              | OPT-BAJPCBW72-BWCFG   |
| Plug & Play            | OPT-BAJPCBW72-BWCEKIT |
| Low Voltage Electronic | OPT-BAJPCBW72-BWCE12V |

#### 84" Baja

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 14" x (W) 30" |
| Burning Area    | (L) 66" x (W) 10"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 69lbs                       |

|                        |                       |
|------------------------|-----------------------|
| Match Lit              | OPT-BAJPCBW84-BWCML   |
| Spark Glow             | OPT-BAJPCBW84-BWCSG   |
| Flame Sense            | OPT-BAJPCBW84-BWCFSML |
| Fire Glow              | OPT-BAJPCBW84-BWCFG   |
| Plug & Play            | OPT-BAJPCBW84-BWCEKIT |
| Low Voltage Electronic | OPT-BAJPCBW84-BWCE12V |

### UPGRADES

| ACCESSORIES      | 42" BAJA         | 60" BAJA         | 72" BAJA         | 84" BAJA         |
|------------------|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       | OPT-B60SST       |
| Canvas Cover     | OPT-CVR-4230-14H | OPT-CVR-6030-14H | OPT-CVR-7230-14H | OPT-CVR-8430-14H |
| Stainless Lid    | OPT-RC1232       | OPT-RC1244       | OPT-RC1256       | OPT-RC1268       |
| Glass Wind Guard | OPT-WG-3414      | OPT-WG-4614      | OPT-WG-5814      | OPT-WG-7014      |

# HOLLISTER FIRE PIT

## IN POWDER COAT



### SIZES

#### 42" Hollister

**Dimensions** (D) 42" x (H) 14.5"

**Burning Area** (D) 25"

**BTU** 105,000

**Fire Glass Sugg** 52lbs

**Match Lit** OPT-HOLPCBW42-BWCML

**Spark Glow** OPT-HOLPCBW42-BWCSG

**Flame Sense** OPT-HOLPCBW42-BWCFSML

**Fire Glow** OPT-HOLPCBW42-BWCFG

**Plug & Play** OPT-HOLPCBW42-BWCEKIT

**Low Voltage Electronic** OPT-HOLPCBW42-BWCE12V



### SIZES

#### 48" Hollister

**Dimensions** (D) 48" x (H) 14.5"

**Burning Area** (D) 31"

**BTU** 105,000

**Fire Glass Sugg** 79lbs

**Match Lit** OPT-HOLPCBW48-BWCML

**Spark Glow** OPT-HOLPCBW48-BWCSG

**Flame Sense** OPT-HOLPCBW48-BWCFSML

**Fire Glow** OPT-HOLPCBW48-BWCFG

**Plug & Play** OPT-HOLPCBW48-BWCEKIT

**Low Voltage Electronic** OPT-HOLPCBW48-BWCE12V

#### 60" Hollister

**Dimensions** (D) 60" x (H) 14.5"

**Burning Area** (D) 43"

**BTU** 165,000

**Fire Glass Sugg** 152lbs

**Match Lit** OPT-HOLPCBW60-BWCML

**Spark Glow** OPT-HOLPCBW60-BWCSG

**Flame Sense** OPT-HOLPCBW60-BWCFSML

**Fire Glow** OPT-HOLPCBW60-BWCFG

**Plug & Play** OPT-HOLPCBW60-BWCEKIT

**Low Voltage Electronic** OPT-HOLPCBW60-BWCE12V

#### 72" Hollister

**Dimensions** (D) 72" x (H) 14.5"

**Burning Area** (D) 55"

**BTU** 165,000

**Fire Glass Sugg** 249lbs

**Match Lit** OPT-HOLPCBW72-BWCML

**Spark Glow** OPT-HOLPCBW72-BWCSG

**Flame Sense** OPT-HOLPCBW72-BWCFSML

**Fire Glow** OPT-HOLPCBW72-BWCFG

**Plug & Play** OPT-HOLPCBW72-BWCEKIT

**Low Voltage Electronic** OPT-HOLPCBW72-BWCE12V

### UPGRADES

#### ACCESSORIES

|                      | 42" HOLLISTER   | 48" HOLLISTER   | 60" HOLLISTER   | 72" HOLLISTER   |
|----------------------|-----------------|-----------------|-----------------|-----------------|
| <b>Bullet Burner</b> | OPT-BRDSS12     | OPT-BRDSS12     | OPT-BRDSS18     | OPT-BRDSS24     |
| <b>Canvas Cover</b>  | OPT-CVR-42R-15H | OPT-CVR-48R-15H | OPT-CVR-60R-15H | OPT-CVR-72R-15H |
| <b>Stainless Lid</b> | OPT-27RC        | OPT-33RC        | OPT-45RC        | OPT-57RC        |

# CALABASAS FIRE TABLE

## IN POWDER COAT



### SIZES

#### 60" Calabosas

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 28" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-CLBPC60ML   |
| Spark Glow             | OPT-CLBPC60SG   |
| Flame Sense            | OPT-CLBPC60FSML |
| Fire Glow              | OPT-CLBPC60FG   |
| Plug & Play            | OPT-CLBPC60EKIT |
| Low Voltage Electronic | OPT-CLBPC60E12V |

### SIZES

#### 72" Calabosas

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 28" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-CLBPC72ML   |
| Spark Glow             | OPT-CLBPC72SG   |
| Flame Sense            | OPT-CLBPC72FSML |
| Fire Glow              | OPT-CLBPC72FG   |
| Plug & Play            | OPT-CLBPC72EKIT |
| Low Voltage Electronic | OPT-CLBPC72E12V |

#### 84" Calabosas

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 24" x (W) 36" |
| Burning Area    | (L) 54" x (W) 10"           |
| BTU             | 155,000                     |
| Fire Glass Sugg | 57lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-CLBPC84ML   |
| Spark Glow             | OPT-CLBPC84SG   |
| Flame Sense            | OPT-CLBPC84FSML |
| Fire Glow              | OPT-CLBPC84FG   |
| Plug & Play            | OPT-CLBPC84EKIT |
| Low Voltage Electronic | OPT-CLBPC84E12V |

#### 96" Calabosas

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 96" x (H) 24" x (W) 36" |
| Burning Area    | (L) 66" x (W) 10"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 69lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-CLBPC96ML   |
| Spark Glow             | OPT-CLBPC96SG   |
| Flame Sense            | OPT-CLBPC96FSML |
| Fire Glow              | OPT-CLBPC96FG   |
| Plug & Play            | OPT-CLBPC96EKIT |
| Low Voltage Electronic | OPT-CLBPC96E12V |

### UPGRADES

| ACCESSORIES      | 60" CALABASAS    | 72" CALABASAS    | 84" CALABASAS    | 96" CALABASAS    |
|------------------|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       | OPT-B60SST       |
| Canvas Cover     | OPT-CVR-6028-24H | OPT-CVR-7228-24H | OPT-CVR-8436-24H | OPT-CVR-9636-24H |
| Stainless Lid    | OPT-RC1232       | OPT-RC1244       | OPT-RC1256       | OPT-RC1268       |
| Glass Wind Guard | OPT-WG-3414      | OPT-WG-4614      | OPT-WG-5814      | OPT-WG-7014      |

# CALABASAS FIRE TABLE

## IN STAINLESS STEEL



### SIZES

#### 60" Calabasas

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 28" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-CLBSS60ML   |
| Spark Glow             | OPT-CLBSS60SG   |
| Flame Sense            | OPT-CLBSS60FSML |
| Fire Glow              | OPT-CLBSS60FG   |
| Plug & Play            | OPT-CLBSS60EKIT |
| Low Voltage Electronic | OPT-CLBSS60E12V |



### SIZES

#### 72" Calabasas

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 28" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-CLBSS72ML   |
| Spark Glow             | OPT-CLBSS72SG   |
| Flame Sense            | OPT-CLBSS72FSML |
| Fire Glow              | OPT-CLBSS72FG   |
| Plug & Play            | OPT-CLBSS72EKIT |
| Low Voltage Electronic | OPT-CLBSS72E12V |

#### 84" Calabasas

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 24" x (W) 36" |
| Burning Area    | (L) 54" x (W) 10"           |
| BTU             | 155,000                     |
| Fire Glass Sugg | 57lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-CLBSS84ML   |
| Spark Glow             | OPT-CLBSS84SG   |
| Flame Sense            | OPT-CLBSS84FSML |
| Fire Glow              | OPT-CLBSS84FG   |
| Plug & Play            | OPT-CLBSS84EKIT |
| Low Voltage Electronic | OPT-CLBSS84E12V |

#### 96" Calabasas

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 96" x (H) 24" x (W) 36" |
| Burning Area    | (L) 66" x (W) 10"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 69lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-CLBSS96ML   |
| Spark Glow             | OPT-CLBSS96SG   |
| Flame Sense            | OPT-CLBSS96FSML |
| Fire Glow              | OPT-CLBSS96FG   |
| Plug & Play            | OPT-CLBSS96EKIT |
| Low Voltage Electronic | OPT-CLBSS96E12V |

### UPGRADES

| ACCESSORIES      | 60" CALABASAS    | 72" CALABASAS    | 84" CALABASAS    | 96" CALABASAS    |
|------------------|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       | OPT-B60SST       |
| Canvas Cover     | OPT-CVR-6028-24H | OPT-CVR-7228-24H | OPT-CVR-8436-24H | OPT-CVR-9636-24H |
| Stainless Lid    | OPT-RC1232       | OPT-RC1244       | OPT-RC1256       | OPT-RC1268       |
| Glass Wind Guard | OPT-WG-3414      | OPT-WG-4614      | OPT-WG-5814      | OPT-WG-7014      |

# CALABASAS FIRE TABLE

## IN CORTEN STEEL



### SIZES

#### 60" Calabasas

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 28" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-CLBCS60ML   |
| Spark Glow             | OPT-CLBCS60SG   |
| Flame Sense            | OPT-CLBCS60FSML |
| Fire Glow              | OPT-CLBCS60FG   |
| Plug & Play            | OPT-CLBCS60EKIT |
| Low Voltage Electronic | OPT-CLBCS60E12V |

### SIZES

#### 72" Calabasas

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 28" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-CLBCS72ML   |
| Spark Glow             | OPT-CLBCS72SG   |
| Flame Sense            | OPT-CLBCS72FSML |
| Fire Glow              | OPT-CLBCS72FG   |
| Plug & Play            | OPT-CLBCS72EKIT |
| Low Voltage Electronic | OPT-CLBCS72E12V |

#### 84" Calabasas

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 24" x (W) 36" |
| Burning Area    | (L) 54" x (W) 10"           |
| BTU             | 155,000                     |
| Fire Glass Sugg | 57lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-CLBCS84ML   |
| Spark Glow             | OPT-CLBCS84SG   |
| Flame Sense            | OPT-CLBCS84FSML |
| Fire Glow              | OPT-CLBCS84FG   |
| Plug & Play            | OPT-CLBCS84EKIT |
| Low Voltage Electronic | OPT-CLBCS84E12V |

#### 96" Calabasas

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 96" x (H) 24" x (W) 38" |
| Burning Area    | (L) 66" x (W) 10"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 69lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-CLBCS96ML   |
| Spark Glow             | OPT-CLBCS96SG   |
| Flame Sense            | OPT-CLBCS96FSML |
| Fire Glow              | OPT-CLBCS96FG   |
| Plug & Play            | OPT-CLBCS96EKIT |
| Low Voltage Electronic | OPT-CLBCS96E12V |

### UPGRADES

| ACCESSORIES      | 60" CALABASAS    | 72" CALABASAS    | 84" CALABASAS    | 96" CALABASAS    |
|------------------|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       | OPT-B60SST       |
| Canvas Cover     | OPT-CVR-6028-24H | OPT-CVR-7228-24H | OPT-CVR-8436-24H | OPT-CVR-9636-24H |
| Stainless Lid    | OPT-RC1232       | OPT-RC1244       | OPT-RC1256       | OPT-RC1268       |
| Glass Wind Guard | OPT-WG-3414      | OPT-WG-4614      | OPT-WG-5814      | OPT-WG-7014      |

# CALABASAS FIRE TABLE

## IN HAMMERED COPPER



### SIZES

#### 60" Calabasas

**Dimensions** (L) 60" x (H) 24" x (W) 28"

**Burning Area** (L) 30" x (W) 10"

**BTU** 115,000

**Fire Glass Sugg** 32lbs

**Match Lit** OPT-CLBHCP60ML

**Spark Glow** OPT-CLBHCP60SG

**Flame Sense** OPT-CLBHCP60FSML

**Fire Glow** OPT-CLBHCP60FG

**Plug & Play** OPT-CLBHCP60EKIT

**Low Voltage Electronic** OPT-CLBHCP60E12V



### SIZES

#### 72" Calabasas

**Dimensions** (L) 72" x (H) 24" x (W) 28"

**Burning Area** (L) 42" x (W) 10"

**BTU** 140,000

**Fire Glass Sugg** 44lbs

**Match Lit** OPT-CLBHCP72ML

**Spark Glow** OPT-CLBHCP72SG

**Flame Sense** OPT-CLBHCP72FSML

**Fire Glow** OPT-CLBHCP72FG

**Plug & Play** OPT-CLBHCP72EKIT

**Low Voltage Electronic** OPT-CLBHCP72E12V

#### 84" Calabasas

**Dimensions** (L) 84" x (H) 24" x (W) 36"

**Burning Area** (L) 54" x (W) 10"

**BTU** 155,000

**Fire Glass Sugg** 57lbs

**Match Lit** OPT-CLBCPR84ML

**Spark Glow** OPT-CLBCPR84SG

**Flame Sense** OPT-CLBCPR84FSML

**Fire Glow** OPT-CLBCPR84FG

**Plug & Play** OPT-CLBCPR84EKIT

**Low Voltage Electronic** OPT-CLBCPR84E12V

#### 96" Calabasas

**Dimensions** (L) 96" x (H) 24" x (W) 36"

**Burning Area** (L) 66" x (W) 10"

**BTU** 175,000

**Fire Glass Sugg** 69lbs

**Match Lit** OPT-CLBHCP96ML

**Spark Glow** OPT-CLBHCP96SG

**Flame Sense** OPT-CLBHCP96FSML

**Fire Glow** OPT-CLBHCP96FG

**Plug & Play** OPT-CLBHCP96EKIT

**Low Voltage Electronic** OPT-CLBHCP96E12V

### UPGRADES

| ACCESSORIES             | 60" CALABASAS    | 72" CALABASAS    | 84" CALABASAS    | 96" CALABASAS    |
|-------------------------|------------------|------------------|------------------|------------------|
| <b>Bullet Burner</b>    | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       | OPT-B60SST       |
| <b>Canvas Cover</b>     | OPT-CVR-6028-24H | OPT-CVR-7228-24H | OPT-CVR-8436-24H | OPT-CVR-9636-24H |
| <b>Stainless Lid</b>    | OPT-RC1232       | OPT-RC1244       | OPT-RC1256       | OPT-RC1268       |
| <b>Glass Wind Guard</b> | OPT-WG-3414      | OPT-WG-4614      | OPT-WG-5814      | OPT-WG-7014      |

# LAGUNA FIRE TABLE

## IN GFRC WOOD GRAIN



### SIZES

#### 120" Laguna

|                        |                              |
|------------------------|------------------------------|
| <b>Dimensions</b>      | (L) 120" x (H) 42" x (W) 60" |
| <b>Burning Area</b>    | (L) 78" x (W) 12"            |
| <b>BTU</b>             | 215,000                      |
| <b>Fire Glass Sugg</b> | 98lbs                        |

|                               |                  |
|-------------------------------|------------------|
| <b>Match Lit</b>              | OPT-LGNWG120ML   |
| <b>Spark Glow</b>             | OPT-LGNWG120SG   |
| <b>Flame Sense</b>            | OPT-LGNWG120FSML |
| <b>Fire Glow</b>              | OPT-LGNWG120FG   |
| <b>Plug &amp; Play</b>        | OPT-LGNWG120EKIT |
| <b>Low Voltage Electronic</b> | OPT-LGNWG120E12V |

#### 144" Laguna

|                        |                              |
|------------------------|------------------------------|
| <b>Dimensions</b>      | (L) 144" x (H) 42" x (W) 60" |
| <b>Burning Area</b>    | (L) 102" x (W) 12"           |
| <b>BTU</b>             | 265,000                      |
| <b>Fire Glass Sugg</b> | 128lbs                       |

|                               |                  |
|-------------------------------|------------------|
| <b>Match Lit</b>              | OPT-LGNWG144ML   |
| <b>Spark Glow</b>             | OPT-LGNWG144SG   |
| <b>Flame Sense</b>            | OPT-LGNWG144FSML |
| <b>Fire Glow</b>              | OPT-LGNWG144FG   |
| <b>Plug &amp; Play</b>        | OPT-LGNWG144EKIT |
| <b>Low Voltage Electronic</b> | OPT-LGNWG144E12V |

### UPGRADES

| ACCESSORIES             | 120" LAGUNA       | 144" LAGUNA       |
|-------------------------|-------------------|-------------------|
| <b>Bullet Burner</b>    | OPT-B72SST        | OPT-B96SST        |
| <b>Canvas Cover</b>     | OPT-CVR-12060-42H | OPT-CVR-14460-42H |
| <b>Stainless Lid</b>    | OPT-RC1480        | OPT-RC14104       |
| <b>Glass Wind Guard</b> | OPT-WG-8216       | OPT-WG-10616      |

# GROVE FIRE TABLE

## IN GFRG WOOD GRAIN



### SIZES

#### 60" Grove

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 28" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-GRVWG60ML   |
| Spark Glow             | OPT-GRVWG60SG   |
| Flame Sense            | OPT-GRVWG60FSML |
| Fire Glow              | OPT-GRVWG60FG   |
| Plug & Play            | OPT-GRVWG60EKIT |
| Low Voltage Electronic | OPT-GRVWG60E12V |

### UPGRADES

#### ACCESSORIES

#### 60" GROVE

|                  |                  |
|------------------|------------------|
| Bullet Burner    | OPT-B24SST       |
| Canvas Cover     | OPT-CVR-6028-24H |
| Stainless Lid    | OPT-RC1232       |
| Glass Wind Guard | OPT-WG-3414      |

# HARBOR OFFSET FIRE PIT

## IN POWDER COAT



### SIZES

#### 60" Harbor | Offset

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 20" x (W) 30" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-HBRPCBW60ML   |
| Spark Glow             | OPT-HBRPCBW60SG   |
| Flame Sense            | OPT-HBRPCBW60FSML |
| Fire Glow              | OPT-HBRPCBW60FG   |
| Plug & Play            | OPT-HBRPCBW60EKIT |
| Low Voltage Electronic | OPT-HBRPCBW60E12V |

# HARBOR FIRE PIT

## IN POWDER COAT



### SIZES

#### 72" Harbor

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 20" x (W) 30" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-HBRPCBW72ML   |
| Spark Glow             | OPT-HBRPCBW72SG   |
| Flame Sense            | OPT-HBRPCBW72FSML |
| Fire Glow              | OPT-HBRPCBW72FG   |
| Plug & Play            | OPT-HBRPCBW72EKIT |
| Low Voltage Electronic | OPT-HBRPCBW72E12V |

### UPGRADES

#### ACCESSORIES 60" HARBOR | OFFSET 72" HARBOR

|                  |                  |                  |
|------------------|------------------|------------------|
| Bullet Burner    | OPT-B24SST       | OPT-B24SST       |
| Canvas Cover     | OPT-CVR-6034-20H | OPT-CVR-7230-20H |
| Stainless Lid    | OPT-RC1632       | OPT- RC1250      |
| Glass Wind Guard | OPT-WG-3414      | OPT-WG-3414      |

# MONTEREY FIRE TABLE IN POWDER COAT



## SIZES

### 30" Monterey

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 30" x (H) 42" x (W) 30" |
| Burning Area    | (L) 14" x (W) 14"           |
| BTU             | 65,000                      |
| Fire Glass Sugg | 21lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-MTRPC30ML   |
| Spark Glow             | OPT-MTRPC30SG   |
| Flame Sense            | OPT-MTRPC30FSML |
| Fire Glow              | OPT-MTRPC30FG   |
| Plug & Play            | OPT-MTRPC30EKIT |
| Low Voltage Electronic | OPT-MTRPC30E12V |



## SIZES

### 36" Monterey

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 36" x (H) 42" x (W) 36" |
| Burning Area    | (L) 20" x (W) 20"           |
| BTU             | 85,000                      |
| Fire Glass Sugg | 42lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-MTRPC36ML   |
| Spark Glow             | OPT-MTRPC36SG   |
| Flame Sense            | OPT-MTRPC36FSML |
| Fire Glow              | OPT-MTRPC36FG   |
| Plug & Play            | OPT-MTRPC36EKIT |
| Low Voltage Electronic | OPT-MTRPC36E12V |

### 44" Monterey

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 44" x (H) 42" x (W) 44" |
| Burning Area    | (L) 28" x (W) 28"           |
| BTU             | 105,000                     |
| Fire Glass Sugg | 82lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-MTRPC44ML   |
| Spark Glow             | OPT-MTRPC44SG   |
| Flame Sense            | OPT-MTRPC44FSML |
| Fire Glow              | OPT-MTRPC44FG   |
| Plug & Play            | OPT-MTRPC44EKIT |
| Low Voltage Electronic | OPT-MTRPC44E12V |

### 54" Monterey

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 54" x (H) 42" x (W) 54" |
| Burning Area    | (L) 38" x (W) 38"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 151lbs                      |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-MTRPC54ML   |
| Spark Glow             | OPT-MTRPC54SG   |
| Flame Sense            | OPT-MTRPC54FSML |
| Fire Glow              | OPT-MTRPC54FG   |
| Plug & Play            | OPT-MTRPC54EKIT |
| Low Voltage Electronic | OPT-MTRPC54E12V |

## UPGRADES

| ACCESSORIES      | 30" MONTEREY     | 36" MONTEREY     | 44" MONTEREY     | 54" MONTEREY     |
|------------------|------------------|------------------|------------------|------------------|
| Bullet Burner    | OPT-B24SST       | OPT-B36SST       | OPT-B48SST       | OPT-B60SST       |
| Canvas Cover     | OPT-CVR-3030-42H | OPT-CVR-3636-42H | OPT-CVR-4444-42H | OPT-CVR-5454-42H |
| Stainless Lid    | OPT-16SC         | OPT-22SC         | OPT-30SC         | OPT-40SC         |
| Glass Wind Guard | OPT-WG-1818      | OPT-WG-2424      | OPT-WG-3232      | OPT-WG-4242      |

# MODERNO FIRE PIT

IN POWDER COAT



## SIZES

## 48" Moderno

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 48" x (H) 15" x (W) 28" |
| Burning Area    | (L) 30" x (W) 10"           |
| BTU             | 115,000                     |
| Fire Glass Sugg | 32lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-MODPC48ML   |
| Spark Glow             | OPT-MODPC48SG   |
| Flame Sense            | OPT-MODPC48FSML |
| Fire Glow              | OPT-MODPC48FG   |
| Plug & Play            | OPT-MODPC48EKIT |
| Low Voltage Electronic | OPT-MODPC48E12V |

## 60" Moderno

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 15" x (W) 28" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 42lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-MODPC60ML   |
| Spark Glow             | OPT-MODPC60SG   |
| Flame Sense            | OPT-MODPC60FSML |
| Fire Glow              | OPT-MODPC60FG   |
| Plug & Play            | OPT-MODPC60EKIT |
| Low Voltage Electronic | OPT-MODPC60E12V |

## 72" Moderno

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 15" x (W) 28" |
| Burning Area    | (L) 54" x (W) 10"           |
| BTU             | 155,000                     |
| Fire Glass Sugg | 57lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-MODPC72ML   |
| Spark Glow             | OPT-MODPC72SG   |
| Flame Sense            | OPT-MODPC72FSML |
| Fire Glow              | OPT-MODPC72FG   |
| Plug & Play            | OPT-MODPC72EKIT |
| Low Voltage Electronic | OPT-MODPC72E12V |

## 84" Moderno

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 84" x (H) 15" x (W) 28" |
| Burning Area    | (L) 66" x (W) 10"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 69lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-MODPC84ML   |
| Spark Glow             | OPT-MODPC84SG   |
| Flame Sense            | OPT-MODPC84FSML |
| Fire Glow              | OPT-MODPC84FG   |
| Plug & Play            | OPT-MODPC84EKIT |
| Low Voltage Electronic | OPT-MODPC84E12V |

## 96" Moderno

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 96" x (H) 15" x (W) 28" |
| Burning Area    | (L) 78" x (W) 10"           |
| BTU             | 215,000                     |
| Fire Glass Sugg | 82lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-MODPC96ML   |
| Spark Glow             | OPT-MODPC96SG   |
| Flame Sense            | OPT-MODPC96FSML |
| Fire Glow              | OPT-MODPC96FG   |
| Plug & Play            | OPT-MODPC96EKIT |
| Low Voltage Electronic | OPT-MODPC96E12V |

## 108" Moderno

|                 |                              |
|-----------------|------------------------------|
| Dimensions      | (L) 108" x (H) 15" x (W) 28" |
| Burning Area    | (L) 90" x (W) 10"            |
| BTU             | 240,000                      |
| Fire Glass Sugg | 94lbs                        |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-MODPC108ML   |
| Spark Glow             | OPT-MODPC108SG   |
| Flame Sense            | OPT-MODPC108FSML |
| Fire Glow              | OPT-MODPC108FG   |
| Plug & Play            | OPT-MODPC108EKIT |
| Low Voltage Electronic | OPT-MODPC108E12V |

## UPGRADES

| ACCESSORIES      | 48" MODERNO      | 60" MODERNO      | 72" MODERNO      | 84" MODERNO      | 96" MODERNO      | 108" MODERNO      |
|------------------|------------------|------------------|------------------|------------------|------------------|-------------------|
| Bullet Burner    | OPT-B24SST       | OPT-B36SST       | OPT-B42SST       | OPT-B60SST       | OPT-B72SST       | OPT-B84SST        |
| Canvas Cover     | OPT-CVR-4828-15H | OPT-CVR-6028-15H | OPT-CVR-7228-15H | OPT-CVR-8428-15H | OPT-CVR-9628-15H | OPT-CVR-10828-15H |
| Stainless Lid    | OPT-RC1232       | OPT-RC1244       | OPT-RC1256       | OPT-RC1268       | OPT-RC1280       | OPT-RC1292        |
| Glass Wind Guard | OPT-WG-3414      | OPT-WG-4614      | OPT-WG-5814      | OPT-WG-7014      | OPT-WG-8214      | OPT-WG-9414       |

# BIG SUR FIRE PIT

## IN GFRC WOOD GRAIN



### SIZES

#### 60" Big Sur

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 28" |
| Burning Area    | (L) 42" x (W) 10"           |
| BTU             | 140,000                     |
| Fire Glass Sugg | 44lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-BGSRWG60ML   |
| Spark Glow             | OPT-BGSRWG60SG   |
| Flame Sense            | OPT-BGSRWG60FSML |
| Fire Glow              | OPT-BGSRWG60FG   |
| Plug & Play            | OPT-BGSRWG60EKIT |
| Low Voltage Electronic | OPT-BGSRWG60E12V |

#### 72" Big Sur

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 28" |
| Burning Area    | (L) 54" x (W) 10"           |
| BTU             | 155,000                     |
| Fire Glass Sugg | 57lbs                       |

|                        |                  |
|------------------------|------------------|
| Match Lit              | OPT-BGSRWG72ML   |
| Spark Glow             | OPT-BGSRWG72SG   |
| Flame Sense            | OPT-BGSRWG72FSML |
| Fire Glow              | OPT-BGSRWG72FG   |
| Plug & Play            | OPT-BGSRWG72EKIT |
| Low Voltage Electronic | OPT-BGSRWG72E12V |

### UPGRADES

#### ACCESSORIES 60" BIG SUR 72" BIG SUR

|                  |                  |                  |
|------------------|------------------|------------------|
| Bullet Burner    | OPT-LBS36SST     | OPT-LBS48SST     |
| Canvas Cover     | OPT-CVR-6028-24H | OPT-CVR-7228-24H |
| Stainless Lid    | —                | —                |
| Glass Wind Guard | —                | —                |

# BILLOW FIRE PIT

## FULL COLLECTION

### POWDER COAT SIZES

#### 60" Billow

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 24" |
| Burning Area    | (L) 48" x (W) 12"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 50lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-BLWPC60ML   |
| Spark Glow             | OPT-BLWPC60SG   |
| Flame Sense            | OPT-BLWPC60FSML |
| Fire Glow              | OPT-BLWPC60FG   |
| Plug & Play            | OPT-BLWPC60EKIT |
| Low Voltage Electronic | OPT-BLWPC60E12V |

#### 72" Billow

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 24" |
| Burning Area    | (L) 60" x (W) 12"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 75lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-BLWPC72ML   |
| Spark Glow             | OPT-BLWPC72SG   |
| Flame Sense            | OPT-BLWPC72FSML |
| Fire Glow              | OPT-BLWPC72FG   |
| Plug & Play            | OPT-BLWPC72EKIT |
| Low Voltage Electronic | OPT-BLWPC72E12V |



### STAINLESS STEEL SIZES

#### 60" Billow

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 24" |
| Burning Area    | (L) 48" x (W) 12"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 50lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-BLWSS60ML   |
| Spark Glow             | OPT-BLWSS60SG   |
| Flame Sense            | OPT-BLWSS60FSML |
| Fire Glow              | OPT-BLWSS60FG   |
| Plug & Play            | OPT-BLWSS60EKIT |
| Low Voltage Electronic | OPT-BLWSS60E12V |

#### 72" Billow

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 24" |
| Burning Area    | (L) 60" x (W) 12"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 75lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-BLWSS72ML   |
| Spark Glow             | OPT-BLWSS72SG   |
| Flame Sense            | OPT-BLWSS72FSML |
| Fire Glow              | OPT-BLWSS72FG   |
| Plug & Play            | OPT-BLWSS72EKIT |
| Low Voltage Electronic | OPT-BLWSS72E12V |



### CORTEN STEEL SIZES

#### 60" Billow

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 24" |
| Burning Area    | (L) 48" x (W) 12"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 50lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-BLWCS60ML   |
| Spark Glow             | OPT-BLWCS60SG   |
| Flame Sense            | OPT-BLWCS60FSML |
| Fire Glow              | OPT-BLWCS60FG   |
| Plug & Play            | OPT-BLWCS60EKIT |
| Low Voltage Electronic | OPT-BLWCS60E12V |

#### 72" Billow

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 72" x (H) 24" x (W) 24" |
| Burning Area    | (L) 60" x (W) 12"           |
| BTU             | 175,000                     |
| Fire Glass Sugg | 75lbs                       |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-BLWCS72ML   |
| Spark Glow             | OPT-BLWCS72SG   |
| Flame Sense            | OPT-BLWCS72FSML |
| Fire Glow              | OPT-BLWCS72FG   |
| Plug & Play            | OPT-BLWCS72EKIT |
| Low Voltage Electronic | OPT-BLWCS72E12V |



## SONOMA FIRE PIT

### IN POWDER COAT



#### SIZES

##### 38" Sonoma

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 38" x (H) 25" |
| Burning Area    | (D) 32"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 84lbs             |

|                        |                    |
|------------------------|--------------------|
| Match Lit              | OPT-SONAGFRC38ML   |
| Spark Glow             | OPT-SONAGFRC38SG   |
| Flame Sense            | OPT-SONAGFRC38FSML |
| Fire Glow              | OPT-SONAGFRC38FG   |
| Plug & Play            | OPT-SONAGFRC38EKIT |
| Low Voltage Electronic | OPT-SONAGFRC38E12V |

#### UPGRADES

##### ACCESSORIES 38" SONOMA

|               |                 |
|---------------|-----------------|
| Bullet Burner | OPT-BRDSS18     |
| Canvas Cover  | OPT-CVR-38R-25H |
| Stainless Lid | OPT-34RC        |

## ALBERTA FIRE PIT

### IN GFRC WOOD GRAIN



#### SIZES

##### 36" Alberta

|                 |                           |
|-----------------|---------------------------|
| Dimensions      | (L) 36" (H) 23" x (W) 24" |
| Burning Area    | (L) 20" x (W) 8"          |
| BTU             | 95,000                    |
| Fire Glass Sugg | 17lbs                     |

|                        |                 |
|------------------------|-----------------|
| Match Lit              | OPT-ALBWG36ML   |
| Spark Glow             | OPT-ALBWG36SG   |
| Flame Sense            | OPT-ALBWG36FSML |
| Fire Glow              | OPT-ALBWG36FG   |
| Plug & Play            | OPT-ALBWG36EKIT |
| Low Voltage Electronic | OPT-ALBWG36E12V |

#### UPGRADES

##### ACCESSORIES 36" ALBERTA

|                  |                  |
|------------------|------------------|
| Bullet Burner    | OPT-B12SST       |
| Canvas Cover     | OPT-CVR-3624-23H |
| Stainless Lid    | OPT-RC1022       |
| Glass Wind Guard | OPT-WG-2412      |

## AVALON FIRE PIT

### WIDE LEDGE | IN GFRC CONCRETE



#### SIZES

##### 42" Avalon

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 42" x (H) 17" x (W) 42" |
| Burning Area    | (L) 25" x (W) 25"           |
| BTU             | 105,000                     |
| Fire Glass Sugg | 52lbs                       |

|                        |                      |
|------------------------|----------------------|
| Match Lit              | OPT-AVLFOWLGFR42ML   |
| Spark Glow             | OPT-AVLFOWLGFR42SG   |
| Flame Sense            | OPT-AVLFOWLGFR42FSML |
| Fire Glow              | OPT-AVLFOWLGFR42FG   |
| Plug & Play            | OPT-AVLFOWLGFR42EKIT |
| Low Voltage Electronic | OPT-AVLFOWLGFR42E12V |

#### UPGRADES

##### ACCESSORIES 42" AVALON

|                  |                  |
|------------------|------------------|
| Bullet Burner    | OPT-BRDSS8       |
| Canvas Cover     | OPT-CVR-4242-17H |
| Stainless Lid    | OPT-27SC         |
| Glass Wind Guard | OPT-WG-2929      |

## CAZO FIRE PIT

### WIDE LEDGE | IN HAMMERED COPPER



#### UPGRADES

##### ACCESSORIES 48" CAZO | WIDE

|               |                 |
|---------------|-----------------|
| Bullet Burner | OPT-B12SST      |
| Canvas Cover  | OPT-CVR-48R-15H |
| Stainless Lid | OPT-26RC        |

#### SIZES

##### 48" Cazo | Wide Ledge

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 48" x (H) 15" |
| Burning Area    | (D) 24"           |
| BTU             | 105,000           |
| Fire Glass Sugg | 48lbs             |

|                        |              |
|------------------------|--------------|
| Match Lit              | OPT-RS48     |
| Spark Glow             | OPT-RS48SG   |
| Flame Sense            | OPT-RS48FSML |
| Fire Glow              | OPT-RS48FG   |
| Plug & Play            | OPT-RS48EKIT |
| Low Voltage Electronic | OPT-RS48E12V |

#### UPGRADES

##### ACCESSORIES 48" CAZO | NARROW

|               |                 |
|---------------|-----------------|
| Bullet Burner | OPT-BRDSS18     |
| Canvas Cover  | OPT-CVR-38R-25H |
| Stainless Lid | OPT-34RC        |

#### SIZES

##### 48" Cazo | Narrow Ledge

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 48" x (H) 17" |
| Burning Area    | (D) 42"           |
| BTU             | 85,000            |
| Fire Glass Sugg | 27lbs             |

|                        |                      |
|------------------------|----------------------|
| Match Lit              | OPT-CZOFONLHCP48ML   |
| Spark Glow             | OPT-CZOFONLHCP48SG   |
| Flame Sense            | OPT-CZOFONLHCP48FSML |
| Fire Glow              | OPT-CZOFONLHCP48FG   |
| Plug & Play            | OPT-CZOFONLHCP48EKIT |
| Low Voltage Electronic | OPT-CZOFONLHCP48E12V |

## CAZO FIRE PIT

### NARROW LEDGE | IN HAMMERED COPPER



#### UPGRADES

##### ACCESSORIES 48" CAZO | NARROW

|               |                 |
|---------------|-----------------|
| Bullet Burner | OPT-BRDSS18     |
| Canvas Cover  | OPT-CVR-38R-25H |
| Stainless Lid | OPT-34RC        |

#### SIZES

##### 48" Cazo | Narrow Ledge

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 48" x (H) 15" |
| Burning Area    | (D) 42"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 145lbs            |

|                        |                     |
|------------------------|---------------------|
| Match Lit              | OPT-CZOFONLSS48ML   |
| Spark Glow             | OPT-CZOFONLSS48SG   |
| Flame Sense            | OPT-CZOFONLSS48FSML |
| Fire Glow              | OPT-CZOFONLSS48FG   |
| Plug & Play            | OPT-CZOFONLSS48EKIT |
| Low Voltage Electronic | OPT-CZOFONLSS48E12V |

## CAZO FIRE PIT

### NARROW LEDGE | IN STAINLESS STEEL



## CAZO FIRE PIT

### WIDE LEDGE | IN GFRC CONCRETE



#### SIZES

##### 48" Cazo | Wide Ledge

Dimensions (D) 48" x (H) 17"

Burning Area (D) 30"

BTU 105,000

Fire Glass Sugg 74lbs

Match Lit OPT-CZOFOWLGFR48ML

Spark Glow OPT-CZOFOWLGFR48SG

Flame Sense OPT-CZOFOWLGFR48FSML

Fire Glow OPT-CZOFOWLGFR48FG

Plug & Play OPT-CZOFOWLGFR48EKIT

Low Voltage Electronic OPT-CZOFOWLGFR48E12V

##### 60" Cazo | Wide Ledge

Dimensions (D) 60" x (H) 20"

Burning Area (D) 40"

BTU 165,000

Fire Glass Sugg 132lbs

Match Lit OPT-CZOFOWLGFR60ML

Spark Glow OPT-CZOFOWLGFR60SG

Flame Sense OPT-CZOFOWLGFR60FSML

Fire Glow OPT-CZOFOWLGFR60FG

Plug & Play OPT-CZOFOWLGFR60EKIT

Low Voltage Electronic OPT-CZOFOWLGFR60E12V

## CAZO FIRE PIT

### WIDE LEDGE | IN POWDER COAT



#### SIZES

##### 48" Cazo | Wide Ledge

Dimensions (D) 48" x (H) 17"

Burning Area (D) 30"

BTU 105,000

Fire Glass Sugg 74lbs

Match Lit OPT-CZOFOWLPC48ML

Spark Glow OPT-CZOFOWLPC48SG

Flame Sense OPT-CZOFOWLPC48FSML

Fire Glow OPT-CZOFOWLPC48FG

Plug & Play OPT-CZOFOWLPC48EKIT

Low Voltage Electronic OPT-CZOFOWLPC48E12V

##### 60" Cazo | Wide Ledge

Dimensions (D) 60" x (H) 20"

Burning Area (D) 40"

BTU 165,000

Fire Glass Sugg 132lbs

Match Lit OPT-CZOFOWLPC60ML

Spark Glow OPT-CZOFOWLPC60SG

Flame Sense OPT-CZOFOWLPC60FSML

Fire Glow OPT-CZOFOWLPC60FG

Plug & Play OPT-CZOFOWLPC60EKIT

Low Voltage Electronic OPT-CZOFOWLPC60E12V

#### UPGRADES

##### ACCESSORIES

##### 48" CAZO | WIDE

##### 60" CAZO | WIDE

Bullet Burner OPT-B12SST

OPT-B18SST

Canvas Cover OPT-CVR-48R-17H

OPT-CVR-60R-20H

Stainless Lid OPT-32RC

OPT-42RC

Glass Wind Guard —

—

## CAZO FIRE PIT

### NARROW LEDGE | IN GFRC CONCRETE



#### SIZES

##### 48" Cazo | Narrow Ledge

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 48" x (H) 17" |
| Burning Area    | (D) 40"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 132lbs            |

|                        |                       |
|------------------------|-----------------------|
| Match Lit              | OPT-CZOFONLGFRC48ML   |
| Spark Glow             | OPT-CZOFONLGFRC48SG   |
| Flame Sense            | OPT-CZOFONLGFRC48FSML |
| Fire Glow              | OPT-CZOFONLGFRC48FG   |
| Plug & Play            | OPT-CZOFONLGFRC48EKIT |
| Low Voltage Electronic | OPT-CZOFONLGFRC48E12V |

##### 60" Cazo | Narrow Ledge

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 60" x (H) 21" |
| Burning Area    | (D) 50"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 205lbs            |

|                        |                       |
|------------------------|-----------------------|
| Match Lit              | OPT-CZOFONLGFRC60ML   |
| Spark Glow             | OPT-CZOFONLGFRC60SG   |
| Flame Sense            | OPT-CZOFONLGFRC60FSML |
| Fire Glow              | OPT-CZOFONLGFRC60FG   |
| Plug & Play            | OPT-CZOFONLGFRC60EKIT |
| Low Voltage Electronic | OPT-CZOFONLGFRC60E12V |

#### SIZES

##### 48" Cazo | Narrow Ledge

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 48" x (H) 17" |
| Burning Area    | (D) 40"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 132lbs            |

|                        |                     |
|------------------------|---------------------|
| Match Lit              | OPT-CZOFONLPC48ML   |
| Spark Glow             | OPT-CZOFONLPC48SG   |
| Flame Sense            | OPT-CZOFONLPC48FSML |
| Fire Glow              | OPT-CZOFONLPC48FG   |
| Plug & Play            | OPT-CZOFONLPC48EKIT |
| Low Voltage Electronic | OPT-CZOFONLPC48E12V |

##### 60" Cazo | Narrow Ledge

|                 |                   |
|-----------------|-------------------|
| Dimensions      | (D) 60" x (H) 21" |
| Burning Area    | (D) 50"           |
| BTU             | 165,000           |
| Fire Glass Sugg | 205lbs            |

|                        |                     |
|------------------------|---------------------|
| Match Lit              | OPT-CZOFONLPC60ML   |
| Spark Glow             | OPT-CZOFONLPC60SG   |
| Flame Sense            | OPT-CZOFONLPC60FSML |
| Fire Glow              | OPT-CZOFONLPC60FG   |
| Plug & Play            | OPT-CZOFONLPC60EKIT |
| Low Voltage Electronic | OPT-CZOFONLPC60E12V |

## CAZO FIRE PIT

### NARROW LEDGE | IN POWDER COAT



#### UPGRADES

##### ACCESSORIES 48" CAZO | NARROW 60" CAZO | NARROW

|                  |                 |                 |
|------------------|-----------------|-----------------|
| Bullet Burner    | OPT-B18SST      | OPT-B24SST      |
| Canvas Cover     | OPT-CVR-48R-17H | OPT-CVR-60R-21H |
| Stainless Lid    | OPT-42RC        | OPT-52RC        |
| Glass Wind Guard | —               | —               |

# HEIKO FIRE PIT

## IN GFRC CONCRETE



### SIZES

#### 59" Heiko

|                 |                               |
|-----------------|-------------------------------|
| Dimensions      | (L) 59" X (H) 15" x (W) 44.5" |
| Burning Area    | (L) 32.5" x (W) 19.75"        |
| BTU             | 95,000                        |
| Fire Glass Sugg | 64lbs                         |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-HKOGFRC59     |
| Spark Glow             | OPT-HKOGFRC59SG   |
| Flame Sense            | OPT-HKOGFRC59FSML |
| Fire Glow              | OPT-HKOGFRC59FG   |
| Plug & Play            | OPT-HKOGFRC59EKIT |
| Low Voltage Electronic | OPT-HKOGFRC59E12V |

### UPGRADES

#### ACCESSORIES 59" HEIKO

|                  |                  |
|------------------|------------------|
| Bullet Burner    | OPT-B25SSH       |
| Canvas Cover     | OPT-CVR-5945-15H |
| Stainless Lid    | OPT-RC2134       |
| Glass Wind Guard | OPT-WG-3623      |

# BALBOA FIRE TABLE

## IN GFRC CONCRETE



### SIZES

#### 48" Balboa

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (D) 48" x (H) 15" x (W) 48" |
| Burning Area    | (D) 22"                     |
| BTU             | 105,000                     |
| Fire Glass Sugg | 40lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-BALGFRC48ML   |
| Spark Glow             | OPT-BALGFRC48SG   |
| Flame Sense            | OPT-BALGFRC48FSML |
| Fire Glow              | OPT-BALGFRC48FG   |
| Plug & Play            | OPT-BALGFRC48EKIT |
| Low Voltage Electronic | OPT-BALGFRC48E12V |

### UPGRADES

#### ACCESSORIES 48" BALBOA

|               |                  |
|---------------|------------------|
| Bullet Burner | OPT-BRDSS12      |
| Canvas Cover  | OPT-CVR-4848-15H |
| Stainless Lid | OPT-24SC         |

# RAMONA SQUARE FIRE PIT

## IN GFRG CONCRETE

### SIZES

#### 36" Ramona | Square

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (D) 36" x (H) 24" x (W) 36" |
| Burning Area    | (L) 17" x (W) 17"           |
| BTU             | 85,000                      |
| Fire Glass Sugg | 31lbs                       |

|                        |                     |
|------------------------|---------------------|
| Match Lit              | OPT-RMNSQGFRC36ML   |
| Spark Glow             | OPT-RMNSQGFRC36SG   |
| Flame Sense            | OPT-RMNSQGFRC36FSML |
| Fire Glow              | OPT-RMNSQGFRC36FG   |
| Plug & Play            | OPT-RMNSQGFRC36EKIT |
| Low Voltage Electronic | OPT-RMNSQGFRC36E12V |



### UPGRADES

#### ACCESSORIES 36" RAMONA | SQUARE

|                  |                  |
|------------------|------------------|
| Bullet Burner    | OPT-BRDSS8       |
| Canvas Cover     | OPT-CVR-3636-24H |
| Stainless Lid    | OPT-19SC         |
| Glass Wind Guard | OPT-WG-2121      |

# RAMONA LINEAR FIRE PIT

## IN GFRG CONCRETE

### SIZES

#### 60" Ramona | Linear

|                 |                             |
|-----------------|-----------------------------|
| Dimensions      | (L) 60" x (H) 24" x (W) 24" |
| Burning Area    | (L) 48" x (W) 12"           |
| BTU             | 165,000                     |
| Fire Glass Sugg | 61lbs                       |

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-RMNGFRC60ML   |
| Spark Glow             | OPT-RMNGFRC60SG   |
| Flame Sense            | OPT-RMNGFRC60FSML |
| Fire Glow              | OPT-RMNGFRC60FG   |
| Plug & Play            | OPT-RMNGFRC60EKIT |
| Low Voltage Electronic | OPT-RMNGFRC60E12V |



### UPGRADES

#### ACCESSORIES 60" RAMONA | LINEAR

|                  |                  |
|------------------|------------------|
| Bullet Burner    | OPT-B42SST       |
| Canvas Cover     | OPT-CVR-6024-24H |
| Stainless Lid    | OPT-RC1450       |
| Glass Wind Guard | OPT-WG-5216      |

# SIENNA FIRE PIT

IN GFRC CONCRETE



## SIZES

### 38" Sienna

Dimensions (D) 38" x (H) 19"

Burning Area (D) 21"

BTU 85,000

Fire Glass Sugg 37lbs

|                        |                   |
|------------------------|-------------------|
| Match Lit              | OPT-SIENGFR38ML   |
| Spark Glow             | OPT-SIENGFR38SG   |
| Flame Sense            | OPT-SIENGFR38FSML |
| Fire Glow              | OPT-SIENGFR38FG   |
| Plug & Play            | OPT-SIENGFR38EKIT |
| Low Voltage Electronic | OPT-SIENGFR38E12V |

## UPGRADES

### ACCESSORIES 38" SIENNA

|               |                 |
|---------------|-----------------|
| Bullet Burner | OPT-BRDSS8      |
| Canvas Cover  | OPT-CVR-38R-19H |
| Stainless Lid | OPT-23RC        |

# SIENNA FIRE PIT

38" | GFRC CONCRETE



# ANGELUS FIRE PIT

## IN GFRG CONCRETE

### SIZES

#### 60" Angelus

Dimensions (L) 60" x (H) 24" x (W) 36"

Burning Area (L) 48" x (W) 10"

BTU 165,000

Fire Glass Sugg 51lbs

Match Lit OPT-AGLGFRFC60ML

Spark Glow OPT-AGLGFRFC60SG

Flame Sense OPT-AGLGFRFC60FSML

Fire Glow OPT-AGLGFRFC60FG

Plug & Play OPT-AGLGFRFC60EKIT

Low Voltage Electronic OPT-AGLGFRFC60E12V



### UPGRADES

#### ACCESSORIES 60" ANGELUS

Bullet Burner OPT-B42SST

Canvas Cover OPT-CVR-6036-24H

Stainless Lid OPT-RC1250

Glass Wind Guard OPT-WG-5214

# VERNON FIRE PIT

## IN STAINLESS STEEL

### SIZES

#### 86" Vernon

Dimensions (L) 86" x (H) 27" x (W) 24"

Burning Area (L) 30" x (W) 8"

BTU 165,000

Fire Glass Sugg 26lbs

Match Lit OPT-VRNSS86ML

Spark Glow OPT-VRNSS86SG

Flame Sense OPT-VRNSS86FSML

Fire Glow OPT-VRNSS86FG

Plug & Play OPT-VRNSS86EKIT

Low Voltage Electronic OPT-VRNSS86E12V



### UPGRADES

#### ACCESSORIES 86" VERNON

Bullet Burner OPT-B24SST

Canvas Cover OPT-CVR-8624-27H

Stainless Lid OPT-RC1032

Glass Wind Guard OPT-WG-3412



# THE OUTDOOR PLUS™

AMERICAN MADE FIRE & WATER FEATURES

## THE OUTDOOR PLUS

701 S Dupont Ave  
Ontario, CA 91761

909.460.5579

[sales@theoutdoorplus.com](mailto:sales@theoutdoorplus.com)

Catalog No. TOP-FPT-2026-DTC-V8

MADE IN THE  
**USA** 